

LAB 60

Cable ladder end plate

The cable ladder can be closed using the cable ladder end plate LAB 60. For this purpose, the cable ladder end plate is bent into a U-shape, pushed onto the cable ladder and screwed in place. The Z-shaped bent end plate can also be used to reduce the size of the cable ladder in accordance with the installation instructions. The cable ladder end plate LAB 60 has a height of 60 mm corresponding to the ladder and widths of 50 to 600 mm. Various materials and surfaces ensure that the corrosion requirements of a wide range of applications are met.

Steel, pre-galvanised/Sendzimir process

Article	H1	H2	B	L	G
LAB 60-05S cable ladder end plate	60 mm	64 mm	50 mm	203 mm	0.200 kg
LAB 60-10S cable ladder end plate	60 mm	64 mm	100 mm	253 mm	0.245 kg
LAB 60-15S cable ladder end plate	60 mm	64 mm	150 mm	303 mm	0.291 kg
LAB 60-20S cable ladder end plate	60 mm	64 mm	200 mm	353 mm	0.337 kg
LAB 60-30S cable ladder end plate	60 mm	64 mm	300 mm	453 mm	0.429 kg
LAB 60-40S cable ladder end plate	60 mm	64 mm	400 mm	553 mm	0.521 kg
LAB 60-50S cable ladder end plate	60 mm	64 mm	500 mm	653 mm	0.614 kg
LAB 60-60S cable ladder end plate	60 mm	64 mm	600 mm	753 mm	0.705 kg

Steel, hot-dip galvanised

Article	H1	H2	B	L	G
LAB 60-05F cable ladder end plate	60 mm	64 mm	50 mm	203 mm	0.211 kg
LAB 60-10F cable ladder end plate	60 mm	64 mm	100 mm	253 mm	0.260 kg
LAB 60-15F cable ladder end plate	60 mm	64 mm	150 mm	303 mm	0.309 kg

PohlCon

PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Phone: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com

Issue date: 19.11.2026. Errors and technical changes reserved

Article	H1	H2	B	L	G
LAB 60-20F cable ladder end plate	60 mm	64 mm	200 mm	353 mm	0.358 kg
LAB 60-30F cable ladder end plate	60 mm	64 mm	300 mm	453 mm	0.457 kg
LAB 60-40F cable ladder end plate	60 mm	64 mm	400 mm	553 mm	0.555 kg
LAB 60-50F cable ladder end plate	60 mm	64 mm	500 mm	653 mm	0.654 kg
LAB 60-60F cable ladder end plate	60 mm	64 mm	600 mm	753 mm	0.752 kg

Stainless steel, acc. to AISI 304 (BS 304S31)

Article	H1	H2	B	L	G
LAB 60-05E cable ladder end plate	60 mm	64 mm	50 mm	203 mm	0.201 kg
LAB 60-10E cable ladder end plate	60 mm	64 mm	100 mm	253 mm	0.247 kg
LAB 60-15E cable ladder end plate	60 mm	64 mm	150 mm	303 mm	0.293 kg
LAB 60-20E cable ladder end plate	60 mm	64 mm	200 mm	353 mm	0.339 kg
LAB 60-30E cable ladder end plate	60 mm	64 mm	300 mm	453 mm	0.432 kg
LAB 60-40E cable ladder end plate	60 mm	64 mm	400 mm	553 mm	0.524 kg
LAB 60-50E cable ladder end plate	60 mm	64 mm	500 mm	653 mm	0.617 kg
LAB 60-60E cable ladder end plate	60 mm	64 mm	600 mm	753 mm	0.710 kg

H1: height 1
H2: height 2
B: usable width
L: length
G: Weight per storage unit

PohlCon

PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Phone: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com

Issue date: 19.11.2026. Errors and technical changes reserved

DETAIL AND APPLICATION IMAGES













PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Phone: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com

Issue date: 19.11.2026. Errors and technical changes reserved