


LDD

Cable ladder cover, roof-shaped



The LDD cable ladder covers, with a 10° angle of inclination, are suitable for all cable ladders. They are secured to the cable ladder using storm-proof brackets. The cover has a width of 200 to 600 mm and a standard length of 3000 mm. Versions in 1.4301 (V2A) and 1.4404/1.4571 (V4A) are available on request.

Steel, pre-galvanised/Sendzimir process

Article	B	L	t	G
LDD 20S Ladder cover, roof shape	204 mm	3000 mm	0.75 mm	4.471 kg
LDD 30S Ladder cover, roof shape	304 mm	3000 mm	1.00 mm	8.222 kg
LDD 40S Ladder cover, roof shape	404 mm	3000 mm	1.00 mm	10.625 kg
LDD 50S Ladder cover, roof shape	504 mm	3000 mm	1.25 mm	16.181 kg
LDD 60S Ladder cover, roof shape	604 mm	3000 mm	1.25 mm	19.170 kg

Steel, hot-dip galvanised

Article	B	L	t	G
LDD 20F Ladder cover, roof shape	204 mm	3000 mm	0.75 mm	4.760 kg
LDD 30F Ladder cover, roof shape	304 mm	3000 mm	1.00 mm	8.774 kg
LDD 40F Ladder cover, roof shape	404 mm	3000 mm	1.00 mm	11.327 kg
LDD 50F Ladder cover, roof shape	504 mm	3000 mm	1.25 mm	17.273 kg
LDD 60F Ladder cover, roof shape	604 mm	3000 mm	1.25 mm	20.489 kg



PRODUCT INFORMATION

B: width

L: length

t: material thickness

G: Weight per storage unit



DETAIL AND APPLICATION IMAGES

