

RA 85

Cable tray tee, height = 85 mm

The cable tray branch RA 85 allows the direction of cable routing to be changed horizontally in the form of a branch. It is inserted between two cable trays and enables the connection of another cable tray at right angles. The cable tray branch is suitable for cable trays with sides 85 mm high. We provide components in various materials and surface finishes to ensure that the corrosion requirements are met for all sorts of applications.

Special designs with different connection widths , , can be requested.

Steel, pre-galvanised/Sendzimir process

Article	H	B	L	G
RA 85-10S Cable tray branch-piece RA 85-10S	85 mm	100 mm	214 mm	1.653 kg
RA 85-20S Cable tray branch-piece RA 85-20S	85 mm	200 mm	314 mm	2.213 kg
RA 85-30S Cable tray branch-piece RA 85-30S	85 mm	300 mm	414 mm	2.968 kg
RA 85-40S Cable tray branch-piece RA 85-40S	85 mm	400 mm	514 mm	3.920 kg
RA 85-50S Cable tray branch-piece RA 85-50S	85 mm	500 mm	614 mm	5.068 kg
RA 85-60S Cable tray branch-piece RA 85-60S	85 mm	600 mm	714 mm	6.412 kg

Steel, hot-dip galvanised

Article	H	B	L	G
RA 85-10F Cable tray branch-piece RA 85-10F	85 mm	100 mm	214 mm	1.793 kg
RA 85-20F Cable tray branch-piece RA 85-20F	85 mm	200 mm	314 mm	2.374 kg
RA 85-30F Cable tray branch-piece RA 85-30F	85 mm	300 mm	414 mm	3.182 kg
RA 85-40F Cable tray branch-piece RA 85-40F	85 mm	400 mm	514 mm	4.201 kg
RA 85-50F Cable tray branch-piece RA 85-50F	85 mm	500 mm	614 mm	5.429 kg

PohlCon

PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Phone: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com

Issue date: 19.11.2026. Errors and technical changes reserved

Article	H	B	L	G
RA 85-60F Cable tray branch-piece RA 85-60F	85 mm	600 mm	714 mm	6.867 kg

H: height
B: width
L: length
G: Weight per storage unit

PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Phone: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com

Issue date: 19.11.2026. Errors and technical changes reserved

DETAIL AND APPLICATION IMAGES





OPTIONAL ACCESSORIES

RAD, RADR, VB, RTRV 85

PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Phone: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com

Issue date: 19.11.2026. Errors and technical changes reserved