


RIA 60

Installation cable tray tee, height = 60 mm



The installation cable tray branch RIA 60 allows the direction of cable routing to be changed horizontally in the form of a branch. It is inserted between two cable trays and enables another cable tray to be connected at right angles. The cable tray branch is suitable for installation cable trays with sides 60 mm high and is made of sendzimir hot-dip galvanised steel.

Steel, pre-galvanised/Sendzimir process

Article	Type	H	B1	B2	L	G
RIA 60-05S	Installation channel branch	60 mm	50 mm	50 mm	164 mm	0.913 kg
RIA 60-10-05S	Installation channel branch	60 mm	100 mm	50 mm	164 mm	0.994 kg
RIA 60-10S	Installation channel branch	60 mm	100 mm	100 mm	214 mm	1.177 kg
RIA 60-20-10S	Installation channel branch	60 mm	200 mm	100 mm	214 mm	1.388 kg
RIA 60-20S	Installation channel branch	60 mm	200 mm	200 mm	314 mm	1.515 kg
RIA 60-30-20S	Installation channel branch	60 mm	300 mm	200 mm	314 mm	2.027 kg
RIA 60-30S	Installation channel branch	60 mm	300 mm	300 mm	414 mm	2.453 kg

Steel, hot-dip galvanised

Article	Type	H	B1	B2	L	G
RIA 60-05F	Installation channel branch	60 mm	50 mm	50 mm	164 mm	0.980 kg
RIA 60-10-05F		60 mm	100 mm	50 mm	164 mm	1.067 kg
RIA 60-10F	Installation channel branch	60 mm	100 mm	100 mm	214 mm	1.262 kg
RIA 60-20-10F		60 mm	200 mm	100 mm	214 mm	1.488 kg
RIA 60-20F	Installation channel branch	60 mm	200 mm	200 mm	314 mm	1.624 kg
RIA 60-30-20F		60 mm	300 mm	200 mm		2.044 kg
RIA 60-30F	Installation channel branch	60 mm	300 mm	300 mm	414 mm	2.628 kg



PRODUCT INFORMATION

Stainless steel, acc. to AISI 304 (BS 304S31)

Article	Type	H	B1	B2	L	G
RIA 60-05E	Installation channel branch	60 mm	50 mm	50 mm	164 mm	0.807 kg
RIA 60-10-05E	Installation channel branch	60 mm	100 mm	50 mm	164 mm	0.888 kg
RIA 60-10E	Installation channel branch	60 mm	100 mm	100 mm	214 mm	1.054 kg
RIA 60-20-10E	Installation channel branch	60 mm	200 mm	100 mm	214 mm	1.265 kg
RIA 60-20E	Installation channel branch	60 mm	200 mm	200 mm	314 mm	1.597 kg
RIA 60-30-20E	Installation channel branch	60 mm	300 mm	200 mm	314 mm	1.907 kg
RIA 60-30E	Installation channel branch	60 mm	300 mm	300 mm	414 mm	2.338 kg

H: height

B1: width 1

B2: width 2


L: length

G: Weight per storage unit



PRODUCT INFORMATION

DETAIL AND APPLICATION IMAGES



OPTIONAL ACCESSORIES

RIADS, RADR, VB, RTRV 60, RAD

