RIK 60

Installation cable tray crossing, height = 60 mm



The installation cable tray crossing RIK 60 enables of four cable trays to be connected to change the direction of cable routing horizontally. It has integrated side connectors and is pushed into the cable tray along with VB floor connectors and bolted in place. The crossing is suitable for installation cable trays with sides 60 mm high and is made of sendzimir hot-dip galvanised steel.

Steel, pre-galvanised/Sendzimir process

Article	H	B1	B2	G
RIK 60-05S Cable tray bend RB 60-10S	60 mm	50 mm	50 mm	1.174 kg
RIK 60-10-05S Cable tray bend RB 60-10S	60 mm	100 mm	50 mm	1.254 kg
RIK 60-10S Cable tray bend RB 60-10S	60 mm	100 mm	100 mm	1.359 kg
RIK 60-20-10S Cable tray bend RB 60-10S	60 mm	200 mm	100 mm	1.569 kg
RIK 60-20S Cable tray bend RB 60-10S	60 mm	200 mm	200 mm	1.878 kg
RIK 60-30-20S Cable tray bend RB 60-10S	60 mm	300 mm	200 mm	2.186 kg
RIK 60-30S Cable tray bend RB 60-10S	60 mm	300 mm	300 mm	2.592 kg

Steel, hot-dip galvanised

Article	H	B1	B2	G
RIK 60-05F Cable tray bend RB 60-10S	60 mm	50 mm	50 mm	1.260 kg
RIK 60-10-05F Cable tray bend RB 60-10S	60 mm	100 mm	50 mm	1.346 kg
RIK 60-10F Cable tray bend RB 60-10S	60 mm	100 mm	100 mm	1.458 kg
RIK 60-20-10F Cable tray bend RB 60-10S	60 mm	200 mm	100 mm	1.683 kg

PohlCon

PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Phone: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com

Issue date: 17.11.2026. Errors and technical changes reserved

Article	H	B1	B2	G
RIK 60-20F Cable tray bend RB 60-10S	60 mm	200 mm	200 mm	2.014 kg
RIK 60-30-20F Cable tray bend RB 60-10S	60 mm	300 mm	200 mm	2.343 kg
RIK 60-30F Cable tray bend RB 60-10S	60 mm	300 mm	300 mm	2.778 kg

Stainless steel, acc. to AISI 304 (BS 304S31)

Article	H	B1	B2	G
RIK 60-05E Cable tray bend RB 60-10S	60 mm	50 mm	50 mm	1.023 kg
RIK 60-10-05E Cable tray bend RB 60-10S	60 mm	100 mm	50 mm	1.104 kg
RIK 60-10E Cable tray bend RB 60-10S	60 mm	100 mm	100 mm	1.210 kg
RIK 60-20-10E Cable tray bend RB 60-10S	60 mm	200 mm	100 mm	1.421 kg
RIK 60-20E Cable tray bend RB 60-10S	60 mm	200 mm	200 mm	1.731 kg
RIK 60-30-20E Cable tray bend RB 60-10S	60 mm	300 mm	200 mm	2.041 kg
RIK 60-30E Cable tray bend RB 60-10S	60 mm	300 mm	300 mm	2.450 kg

H: height
B1: width 1
B2: width 2
G: Weight per storage unit

PohlCon

PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Phone: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com

Issue date: 17.11.2026. Errors and technical changes reserved

DETAIL AND APPLICATION IMAGES













OPTIONAL ACCESSORIES

RKD, RKDR, RIKDS, VB, RTRV 60

PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Phone: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com

Issue date: 17.11.2026. Errors and technical changes reserved