


## BK 100

Floor duct, height = 100 mm



BK 100 floor ducts are made from sendzimir hot-dip galvanised steel and have sides 100 mm high and 100 to 600 mm wide. They are 3000, 1500 or 1000 mm long. To dissipate vertical live loads, one separating strip must be installed in the floor duct for widths  $\geq 300$  mm and two separating strips for widths  $\geq 500$  mm. A maximum compartment size of 200 mm must not be exceeded. BK 100 floor ducts have pre-stamped knock-out slugs on the sides spaced at 100 mm intervals for individual fastening of e.g. a potential equalisation terminal block.



steel, continously hot galvanized/Sendzimir process

Products	H	B	L	t	W
BK 1-100-10S	100 mm	100 mm	1000 mm	2,00 mm	4,880 kg
BK 1-100-15S	100 mm	150 mm	1000 mm	2,00 mm	5,647 kg
BK 1-100-20S	100 mm	200 mm	1000 mm	2,00 mm	6,316 kg
BK 1-100-30S	100 mm	300 mm	1000 mm	2,00 mm	7,874 kg
BK 1-100-40S	100 mm	400 mm	1000 mm	2,00 mm	9,418 kg
BK 1-100-50S	100 mm	500 mm	1000 mm	2,00 mm	10,962 kg
BK 1-100-60S	100 mm	600 mm	1000 mm	2,00 mm	12,506 kg
BK 1.5-100-10S	100 mm	100 mm	1500 mm	2,00 mm	7,325 kg
BK 1.5-100-15S	100 mm	150 mm	1500 mm	2,00 mm	8,477 kg
BK 1.5-100-20S	100 mm	200 mm	1500 mm	2,00 mm	9,574 kg
BK 1.5-100-30S	100 mm	300 mm	1500 mm	2,00 mm	11,809 kg
BK 1.5-100-40S	100 mm	400 mm	1500 mm	2,00 mm	14,126 kg
BK 1.5-100-50S	100 mm	500 mm	1500 mm	2,00 mm	16,442 kg
BK 1.5-100-60S	100 mm	600 mm	1500 mm	2,00 mm	18,759 kg
BK 100-10S	100 mm	100 mm	3000 mm	2,00 mm	14,661 kg
BK 100-15S	100 mm	150 mm	3000 mm	2,00 mm	16,864 kg
BK 100-20S	100 mm	200 mm	3000 mm	2,00 mm	18,946 kg
BK 100-30S	100 mm	300 mm	3000 mm	2,00 mm	23,617 kg
BK 100-40S	100 mm	400 mm	3000 mm	2,00 mm	28,250 kg
BK 100-50S	100 mm	500 mm	3000 mm	2,00 mm	32,883 kg

Page 1




# PRODUCT INFORMATION

Products	H	B	L	t	W
BK 100-60S	100 mm	600 mm	3000 mm	2,00 mm	37,516 kg

**H:** height  
**B:** width  
**L:** length  
**t:** material thickness  
**W:** Weight per storage unit

## DETAIL AND APPLICATION IMAGES



## OPTIONAL ACCESSORIES

BKTE 100, BKDR, BKD-RHP, BKDR-WZB AL, BKV 100, BKRT 100, BKZ, BKEB 100, BKHR, BKHC, KHZ, BKRKK 100, BKRKS 100, BKMT, KSB, BKPA



Load requirements according to, DIN EN 50085

