

GTR 100

Mesh cable tray separating strip, height = 80 mm

Cables and lines with different functions or voltages can be routed separately from one another in the same mesh cable tray using the mesh cable tray separating strip GTR 100. The separating strip is mounted on the mesh cable tray with three KLU clamp fasteners: two KLU each 100 mm from the separating strip end, one KLU in the middle. The mesh cable tray separating strip GTR 100 is 80 mm high and 3000 mm long. We provide components in various materials and surface finishes to ensure that the corrosion requirements are met for all sorts of applications.

steel, continuously hot galvanized/Sendzimir process

Products	H	L	weight
GTR 100S	80 mm	3000 mm	2,100 kg
incl.:			
3 × KLU-L F, 3 × FRSV 6X16, 3 × SEMS 6			

steel, batch/hot-dip galvanized

Products	H	L	weight
GTR 100F	80 mm	3000 mm	2,246 kg
incl.:			
3 × KLU-L F, 3 × FRSV 6X16E, 3 × SEMS 6E			

Stainless steel, according to ASTM 304 / BS 304 S 3


Products	H	L	weight
GTR 100E	80 mm	3000 mm	2,802 kg
incl.:			
3 × KLU-L E, 3 × FRSV 6X16E, 3 × SEMS 6E			



PRODUCT INFORMATION

H: height
L: length

DETAIL AND APPLICATION IMAGES



OPTIONAL ACCESSORIES

G 100

