



JDA 10

Shear force reinforcement for transmitting shear force concentrations in the support area

The shear force reinforcements JDA 10 have the general building authority approval Z-15.1-268 and environmental product declaration EPD-JDL-20200260-IBB1-DE. They are suitable for concrete strengths from C20/25 to C50/60. The double-headed anchors are made from . The strip is made from structural steel and available in perforated or unperforated designs. The reinforcements are available as standard elements with two or three double-headed anchors per strip. The anchors are 125 to 585 mm long and 10 to 25 mm in diameter. Special solutions are available on request.



Products	H	B	D		W
JDA10125-0002	129 mm	30 mm	10 mm	2 Stk	0,394 kg
JDA10135-0002	139 mm	30 mm	10 mm	2 Stk	0,420 kg
JDA10145-0002	149 mm	30 mm	10 mm	2 Stk	0,447 kg
JDA10155-0002	159 mm	30 mm	10 mm	2 Stk	0,473 kg
JDA10165-0002	169 mm	30 mm	10 mm	2 Stk	0,500 kg
JDA10175-0002	179 mm	30 mm	10 mm	2 Stk	0,528 kg
JDA10185-0002	189 mm	30 mm	10 mm	2 Stk	0,554 kg
JDA10195-0002	199 mm	30 mm	10 mm	2 Stk	0,581 kg
JDA10205-0002	209 mm	30 mm	10 mm	2 Stk	0,607 kg
JDA10215-0002	219 mm	30 mm	10 mm	2 Stk	0,634 kg
JDA10225-0002	229 mm	30 mm	10 mm	2 Stk	0,660 kg
JDA10235-0002	239 mm	30 mm	10 mm	2 Stk	0,688 kg
JDA10245-0002	249 mm	30 mm	10 mm	2 Stk	0,715 kg
JDA10255-0002	259 mm	30 mm	10 mm	2 Stk	0,741 kg
JDA10265-0002	269 mm	30 mm	10 mm	2 Stk	0,768 kg
JDA10275-0002	279 mm	30 mm	10 mm	2 Stk	0,794 kg
JDA10285-0002	289 mm	30 mm	10 mm	2 Stk	0,820 kg
JDA10295-0002	299 mm	30 mm	10 mm	2 Stk	0,849 kg
JDA10305-0002	309 mm	30 mm	10 mm	2 Stk	0,875 kg
JDA10315-0002	319 mm	30 mm	10 mm	2 Stk	0,902 kg



PRODUCT INFORMATION

Products	H	B	D	W
JDA10325-0002	329 mm	30 mm	10 mm	2 Stk 0,928 kg
JDA10335-0002	339 mm	30 mm	10 mm	2 Stk 0,954 kg
JDA10345-0002	349 mm	30 mm	10 mm	2 Stk 0,981 kg
JDA10355-0002	359 mm	30 mm	10 mm	2 Stk 1,009 kg
JDA10365-0002	369 mm	30 mm	10 mm	2 Stk 1,036 kg
JDA10375-0002	379 mm	30 mm	10 mm	2 Stk 1,062 kg
JDA10385-0002	389 mm	30 mm	10 mm	2 Stk 1,088 kg
JDA10395-0002	399 mm	30 mm	10 mm	2 Stk 1,115 kg
JDA10405-0002	409 mm	30 mm	10 mm	2 Stk 1,143 kg
JDA10415-0002	419 mm	30 mm	10 mm	2 Stk 1,170 kg
JDA10425-0002	429 mm	30 mm	10 mm	2 Stk 1,196 kg
JDA10435-0002	439 mm	30 mm	10 mm	2 Stk 1,222 kg
JDA10445-0002	449 mm	30 mm	10 mm	2 Stk 1,249 kg
JDA10455-0002	459 mm	30 mm	10 mm	2 Stk 1,275 kg
JDA10465-0002	469 mm	30 mm	10 mm	2 Stk 1,304 kg
JDA10475-0002	479 mm	30 mm	10 mm	2 Stk 1,330 kg
JDA10485-0002	489 mm	30 mm	10 mm	2 Stk 1,356 kg
JDA10495-0002	499 mm	30 mm	10 mm	2 Stk 1,383 kg
JDA10505-0002	509 mm	30 mm	10 mm	2 Stk 1,409 kg
JDA10515-0002	519 mm	30 mm	10 mm	2 Stk 1,436 kg
JDA10525-0002	529 mm	30 mm	10 mm	2 Stk 1,464 kg
JDA10535-0002	539 mm	30 mm	10 mm	2 Stk 1,490 kg
JDA10545-0002	549 mm	30 mm	10 mm	2 Stk 1,517 kg
JDA10555-0002	559 mm	30 mm	10 mm	2 Stk 1,543 kg
JDA10565-0002	569 mm	30 mm	10 mm	2 Stk 1,570 kg
JDA10575-0002	579 mm	30 mm	10 mm	2 Stk 1,596 kg
JDA10585-0002	589 mm	30 mm	10 mm	2 Stk 1,624 kg
JDA10595-0002	599 mm	30 mm	10 mm	2 Stk 1,651 kg
JDA10605-0002	609 mm	30 mm	10 mm	2 Stk 1,677 kg
JDA10615-0002	619 mm	30 mm	10 mm	2 Stk 1,704 kg
JDA10625-0002	629 mm	30 mm	10 mm	2 Stk 1,730 kg
JDA10635-0002	639 mm	30 mm	10 mm	2 Stk 1,756 kg
JDA10645-0002	649 mm	30 mm	10 mm	2 Stk 1,785 kg
JDA10655-0002	659 mm	30 mm	10 mm	2 Stk 1,811 kg



PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Products	H	B	D		W
JDA10665-0002	669 mm	30 mm	10 mm	2 Stk	1,838 kg
JDA10675-0002	679 mm	30 mm	10 mm	2 Stk	1,864 kg
JDA10685-0002	689 mm	30 mm	10 mm	2 Stk	1,890 kg
JDA10695-0002	699 mm	30 mm	10 mm	2 Stk	1,917 kg

Products	H	B	D		W
JDA10125-0003	129 mm	30 mm	10 mm	3 Stk	0,591 kg
JDA10135-0003	139 mm	30 mm	10 mm	3 Stk	0,631 kg
JDA10145-0003	149 mm	30 mm	10 mm	3 Stk	0,670 kg
JDA10155-0003	159 mm	30 mm	10 mm	3 Stk	0,710 kg
JDA10165-0003	169 mm	30 mm	10 mm	3 Stk	0,749 kg
JDA10175-0003	179 mm	30 mm	10 mm	3 Stk	0,792 kg
JDA10185-0003	189 mm	30 mm	10 mm	3 Stk	0,832 kg
JDA10195-0003	199 mm	30 mm	10 mm	3 Stk	0,871 kg
JDA10205-0003	209 mm	30 mm	10 mm	3 Stk	0,911 kg
JDA10215-0003	219 mm	30 mm	10 mm	3 Stk	0,950 kg
JDA10225-0003	229 mm	30 mm	10 mm	3 Stk	0,990 kg
JDA10235-0003	239 mm	30 mm	10 mm	3 Stk	1,033 kg
JDA10245-0003	249 mm	30 mm	10 mm	3 Stk	1,072 kg
JDA10255-0003	259 mm	30 mm	10 mm	3 Stk	1,112 kg
JDA10265-0003	269 mm	30 mm	10 mm	3 Stk	1,151 kg
JDA10275-0003	279 mm	30 mm	10 mm	3 Stk	1,191 kg
JDA10285-0003	289 mm	30 mm	10 mm	3 Stk	1,231 kg
JDA10295-0003	299 mm	30 mm	10 mm	3 Stk	1,273 kg
JDA10305-0003	309 mm	30 mm	10 mm	3 Stk	1,313 kg
JDA10315-0003	319 mm	30 mm	10 mm	3 Stk	1,352 kg
JDA10325-0003	329 mm	30 mm	10 mm	3 Stk	1,392 kg
JDA10335-0003	339 mm	30 mm	10 mm	3 Stk	1,432 kg
JDA10345-0003	349 mm	30 mm	10 mm	3 Stk	1,471 kg
JDA10355-0003	359 mm	30 mm	10 mm	3 Stk	1,514 kg
JDA10365-0003	369 mm	30 mm	10 mm	3 Stk	1,553 kg

Page 3



PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Products	H	B	D	W
JDA10375-0003	379 mm	30 mm	10 mm	3 Stk 1,593 kg
JDA10385-0003	389 mm	30 mm	10 mm	3 Stk 1,633 kg
JDA10395-0003	399 mm	30 mm	10 mm	3 Stk 1,672 kg
JDA10405-0003	409 mm	30 mm	10 mm	3 Stk 1,715 kg
JDA10415-0003	419 mm	30 mm	10 mm	3 Stk 1,754 kg
JDA10425-0003	429 mm	30 mm	10 mm	3 Stk 1,794 kg
JDA10435-0003	439 mm	30 mm	10 mm	3 Stk 1,834 kg
JDA10445-0003	449 mm	30 mm	10 mm	3 Stk 1,873 kg
JDA10455-0003	459 mm	30 mm	10 mm	3 Stk 1,913 kg
JDA10465-0003	469 mm	30 mm	10 mm	3 Stk 1,955 kg
JDA10475-0003	479 mm	30 mm	10 mm	3 Stk 1,995 kg
JDA10485-0003	489 mm	30 mm	10 mm	3 Stk 2,035 kg
JDA10495-0003	499 mm	30 mm	10 mm	3 Stk 2,074 kg
JDA10505-0003	509 mm	30 mm	10 mm	3 Stk 2,114 kg
JDA10515-0003	519 mm	30 mm	10 mm	3 Stk 2,153 kg
JDA10525-0003	529 mm	30 mm	10 mm	3 Stk 2,196 kg
JDA10535-0003	539 mm	30 mm	10 mm	3 Stk 2,236 kg
JDA10545-0003	549 mm	30 mm	10 mm	3 Stk 2,275 kg
JDA10555-0003	559 mm	30 mm	10 mm	3 Stk 2,315 kg
JDA10565-0003	569 mm	30 mm	10 mm	3 Stk 2,354 kg
JDA10575-0003	579 mm	30 mm	10 mm	3 Stk 2,394 kg
JDA10585-0003	589 mm	30 mm	10 mm	3 Stk 2,437 kg
JDA10595-0003	599 mm	30 mm	10 mm	3 Stk 2,476 kg
JDA10605-0003	609 mm	30 mm	10 mm	3 Stk 2,516 kg
JDA10615-0003	619 mm	30 mm	10 mm	3 Stk 2,555 kg
JDA10625-0003	629 mm	30 mm	10 mm	3 Stk 2,595 kg
JDA10635-0003	639 mm	30 mm	10 mm	3 Stk 2,635 kg
JDA10645-0003	649 mm	30 mm	10 mm	3 Stk 2,677 kg
JDA10655-0003	659 mm	30 mm	10 mm	3 Stk 2,717 kg
JDA10665-0003	669 mm	30 mm	10 mm	3 Stk 2,756 kg
JDA10675-0003	679 mm	30 mm	10 mm	3 Stk 2,796 kg
JDA10685-0003	689 mm	30 mm	10 mm	3 Stk 2,836 kg
JDA10695-0003	699 mm	30 mm	10 mm	3 Stk 2,875 kg



PRODUCT INFORMATION

Products	H	B	D	W
JDA10125-0004	129 mm	30 mm	10 mm	4 Stk 0,788 kg
JDA10135-0004	139 mm	30 mm	10 mm	4 Stk 0,841 kg
JDA10145-0004	149 mm	30 mm	10 mm	4 Stk 0,894 kg
JDA10155-0004	159 mm	30 mm	10 mm	4 Stk 0,946 kg
JDA10165-0004	169 mm	30 mm	10 mm	4 Stk 0,999 kg
JDA10175-0004	179 mm	30 mm	10 mm	4 Stk 1,056 kg
JDA10185-0004	189 mm	30 mm	10 mm	4 Stk 1,109 kg
JDA10195-0004	199 mm	30 mm	10 mm	4 Stk 1,162 kg
JDA10205-0004	209 mm	30 mm	10 mm	4 Stk 1,214 kg
JDA10215-0004	219 mm	30 mm	10 mm	4 Stk 1,267 kg
JDA10225-0004	229 mm	30 mm	10 mm	4 Stk 1,320 kg
JDA10235-0004	239 mm	30 mm	10 mm	4 Stk 1,377 kg
JDA10245-0004	249 mm	30 mm	10 mm	4 Stk 1,430 kg
JDA10255-0004	259 mm	30 mm	10 mm	4 Stk 1,482 kg
JDA10265-0004	269 mm	30 mm	10 mm	4 Stk 1,535 kg
JDA10275-0004	279 mm	30 mm	10 mm	4 Stk 1,588 kg
JDA10285-0004	289 mm	30 mm	10 mm	4 Stk 1,641 kg
JDA10295-0004	299 mm	30 mm	10 mm	4 Stk 1,698 kg
JDA10305-0004	309 mm	30 mm	10 mm	4 Stk 1,750 kg
JDA10315-0004	319 mm	30 mm	10 mm	4 Stk 1,803 kg
JDA10325-0004	329 mm	30 mm	10 mm	4 Stk 1,856 kg
JDA10335-0004	339 mm	30 mm	10 mm	4 Stk 1,909 kg
JDA10345-0004	349 mm	30 mm	10 mm	4 Stk 1,962 kg
JDA10355-0004	359 mm	30 mm	10 mm	4 Stk 2,018 kg
JDA10365-0004	369 mm	30 mm	10 mm	4 Stk 2,071 kg
JDA10375-0004	379 mm	30 mm	10 mm	4 Stk 2,124 kg
JDA10385-0004	389 mm	30 mm	10 mm	4 Stk 2,177 kg
JDA10395-0004	399 mm	30 mm	10 mm	4 Stk 2,230 kg
JDA10405-0004	409 mm	30 mm	10 mm	4 Stk 2,286 kg
JDA10415-0004	419 mm	30 mm	10 mm	4 Stk 2,339 kg
JDA10425-0004	429 mm	30 mm	10 mm	4 Stk 2,362 kg
JDA10435-0004	439 mm	30 mm	10 mm	4 Stk 2,445 kg
JDA10445-0004	449 mm	30 mm	10 mm	4 Stk 2,498 kg

Page 5



PRODUCT INFORMATION

Products	H	B	D	W
JDA10455-0004	459 mm	30 mm	10 mm	4 Stk 2,550 kg
JDA10465-0004	469 mm	30 mm	10 mm	4 Stk 2,607 kg
JDA10475-0004	479 mm	30 mm	10 mm	4 Stk 2,660 kg
JDA10485-0004	489 mm	30 mm	10 mm	4 Stk 2,713 kg
JDA10495-0004	499 mm	30 mm	10 mm	4 Stk 2,766 kg
JDA10505-0004	509 mm	30 mm	10 mm	4 Stk 2,818 kg
JDA10515-0004	519 mm	30 mm	10 mm	4 Stk 2,871 kg
JDA10525-0004	529 mm	30 mm	10 mm	4 Stk 2,928 kg
JDA10535-0004	539 mm	30 mm	10 mm	4 Stk 2,981 kg
JDA10545-0004	549 mm	30 mm	10 mm	4 Stk 3,034 kg
JDA10555-0004	559 mm	30 mm	10 mm	4 Stk 3,086 kg
JDA10565-0004	569 mm	30 mm	10 mm	4 Stk 3,139 kg
JDA10575-0004	579 mm	30 mm	10 mm	4 Stk 3,192 kg
JDA10585-0004	589 mm	30 mm	10 mm	4 Stk 3,249 kg
JDA10595-0004	599 mm	30 mm	10 mm	4 Stk 3,302 kg
JDA10605-0004	609 mm	30 mm	10 mm	4 Stk 3,354 kg
JDA10615-0004	619 mm	30 mm	10 mm	4 Stk 3,407 kg
JDA10625-0004	629 mm	30 mm	10 mm	4 Stk 3,460 kg
JDA10635-0004	639 mm	30 mm	10 mm	4 Stk 3,513 kg
JDA10645-0004	649 mm	30 mm	10 mm	4 Stk 3,570 kg
JDA10655-0004	659 mm	30 mm	10 mm	4 Stk 3,622 kg
JDA10665-0004	669 mm	30 mm	10 mm	4 Stk 3,675 kg
JDA10675-0004	679 mm	30 mm	10 mm	4 Stk 3,728 kg
JDA10685-0004	689 mm	30 mm	10 mm	4 Stk 3,781 kg
JDA10695-0004	699 mm	30 mm	10 mm	4 Stk 3,834 kg

Products	H	B	D	W
JDA10125-0005	129 mm	30 mm	10 mm	5 Stk 0,985 kg
JDA10135-0005	139 mm	30 mm	10 mm	5 Stk 1,051 kg
JDA10145-0005	149 mm	30 mm	10 mm	5 Stk 1,117 kg
JDA10155-0005	159 mm	30 mm	10 mm	5 Stk 1,183 kg



PRODUCT INFORMATION

Products	H	B	D	W
JDA10165-0005	169 mm	30 mm	10 mm	5 Stk 1,249 kg
JDA10175-0005	179 mm	30 mm	10 mm	5 Stk 1,320 kg
JDA10185-0005	189 mm	30 mm	10 mm	5 Stk 1,386 kg
JDA10195-0005	199 mm	30 mm	10 mm	5 Stk 1,452 kg
JDA10205-0005	209 mm	30 mm	10 mm	5 Stk 1,518 kg
JDA10215-0005	219 mm	30 mm	10 mm	5 Stk 1,584 kg
JDA10225-0005	229 mm	30 mm	10 mm	5 Stk 1,650 kg
JDA10235-0005	239 mm	30 mm	10 mm	5 Stk 1,721 kg
JDA10245-0005	249 mm	30 mm	10 mm	5 Stk 1,787 kg
JDA10255-0005	259 mm	30 mm	10 mm	5 Stk 1,853 kg
JDA10265-0005	269 mm	30 mm	10 mm	5 Stk 1,919 kg
JDA10275-0005	279 mm	30 mm	10 mm	5 Stk 1,985 kg
JDA10285-0005	289 mm	30 mm	10 mm	5 Stk 2,051 kg
JDA10295-0005	299 mm	30 mm	10 mm	5 Stk 2,122 kg
JDA10305-0005	309 mm	30 mm	10 mm	5 Stk 2,188 kg
JDA10315-0005	319 mm	30 mm	10 mm	5 Stk 2,254 kg
JDA10325-0005	329 mm	30 mm	10 mm	5 Stk 2,320 kg
JDA10335-0005	339 mm	30 mm	10 mm	5 Stk 2,386 kg
JDA10345-0005	349 mm	30 mm	10 mm	5 Stk 2,452 kg
JDA10355-0005	359 mm	30 mm	10 mm	5 Stk 2,523 kg
JDA10365-0005	369 mm	30 mm	10 mm	5 Stk 2,589 kg
JDA10375-0005	379 mm	30 mm	10 mm	5 Stk 2,655 kg
JDA10385-0005	389 mm	30 mm	10 mm	5 Stk 2,721 kg
JDA10395-0005	399 mm	30 mm	10 mm	5 Stk 2,787 kg
JDA10405-0005	409 mm	30 mm	10 mm	5 Stk 2,858 kg
JDA10415-0005	419 mm	30 mm	10 mm	5 Stk 2,924 kg
JDA10425-0005	429 mm	30 mm	10 mm	5 Stk 2,990 kg
JDA10435-0005	439 mm	30 mm	10 mm	5 Stk 3,056 kg
JDA10445-0005	449 mm	30 mm	10 mm	5 Stk 3,122 kg
JDA10455-0005	459 mm	30 mm	10 mm	5 Stk 3,188 kg
JDA10465-0005	469 mm	30 mm	10 mm	5 Stk 3,259 kg
JDA10475-0005	479 mm	30 mm	10 mm	5 Stk 3,325 kg
JDA10485-0005	489 mm	30 mm	10 mm	5 Stk 3,391 kg
JDA10495-0005	499 mm	30 mm	10 mm	5 Stk 3,457 kg



PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Products	H	B	D		W
JDA10505-0005	509 mm	30 mm	10 mm	5 Stk	3,523 kg
JDA10515-0005	519 mm	30 mm	10 mm	5 Stk	3,589 kg
JDA10525-0005	529 mm	30 mm	10 mm	5 Stk	3,660 kg
JDA10535-0005	539 mm	30 mm	10 mm	5 Stk	3,726 kg
JDA10545-0005	549 mm	30 mm	10 mm	5 Stk	3,792 kg
JDA10555-0005	559 mm	30 mm	10 mm	5 Stk	3,858 kg
JDA10565-0005	569 mm	30 mm	10 mm	5 Stk	3,924 kg
JDA10575-0005	579 mm	30 mm	10 mm	5 Stk	3,990 kg
JDA10585-0005	589 mm	30 mm	10 mm	5 Stk	4,061 kg
JDA10595-0005	599 mm	30 mm	10 mm	5 Stk	4,127 kg
JDA10605-0005	609 mm	30 mm	10 mm	5 Stk	4,193 kg
JDA10615-0005	619 mm	30 mm	10 mm	5 Stk	4,259 kg
JDA10625-0005	629 mm	30 mm	10 mm	5 Stk	4,325 kg
JDA10635-0005	639 mm	30 mm	10 mm	5 Stk	4,391 kg
JDA10645-0005	649 mm	30 mm	10 mm	5 Stk	4,462 kg
JDA10655-0005	659 mm	30 mm	10 mm	5 Stk	4,528 kg
JDA10665-0005	669 mm	30 mm	10 mm	5 Stk	4,594 kg
JDA10675-0005	679 mm	30 mm	10 mm	5 Stk	4,660 kg
JDA10685-0005	689 mm	30 mm	10 mm	5 Stk	4,726 kg
JDA10695-0005	699 mm	30 mm	10 mm	5 Stk	4,792 kg

Products	H	B	D		W
JDA10125-0006	129 mm	30 mm	10 mm	6 Stk	1,182 kg
JDA10135-0006	139 mm	30 mm	10 mm	6 Stk	1,261 kg
JDA10145-0006	149 mm	30 mm	10 mm	6 Stk	1,340 kg
JDA10155-0006	159 mm	30 mm	10 mm	6 Stk	1,420 kg
JDA10165-0006	169 mm	30 mm	10 mm	6 Stk	1,499 kg
JDA10175-0006	179 mm	30 mm	10 mm	6 Stk	1,584 kg
JDA10185-0006	189 mm	30 mm	10 mm	6 Stk	1,663 kg
JDA10195-0006	199 mm	30 mm	10 mm	6 Stk	1,742 kg
JDA10205-0006	209 mm	30 mm	10 mm	6 Stk	1,822 kg

Page 8



PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Products	H	B	D	W
JDA10215-0006	219 mm	30 mm	10 mm	6 Stk 1,901 kg
JDA10225-0006	229 mm	30 mm	10 mm	6 Stk 1,980 kg
JDA10235-0006	239 mm	30 mm	10 mm	6 Stk 2,065 kg
JDA10245-0006	249 mm	30 mm	10 mm	6 Stk 2,144 kg
JDA10255-0006	259 mm	30 mm	10 mm	6 Stk 2,224 kg
JDA10265-0006	269 mm	30 mm	10 mm	6 Stk 2,303 kg
JDA10275-0006	279 mm	30 mm	10 mm	6 Stk 2,382 kg
JDA10285-0006	289 mm	30 mm	10 mm	6 Stk 2,461 kg
JDA10295-0006	299 mm	30 mm	10 mm	6 Stk 2,546 kg
JDA10305-0006	309 mm	30 mm	10 mm	6 Stk 2,626 kg
JDA10315-0006	319 mm	30 mm	10 mm	6 Stk 2,705 kg
JDA10325-0006	329 mm	30 mm	10 mm	6 Stk 2,784 kg
JDA10335-0006	339 mm	30 mm	10 mm	6 Stk 2,863 kg
JDA10345-0006	349 mm	30 mm	10 mm	6 Stk 2,942 kg
JDA10355-0006	359 mm	30 mm	10 mm	6 Stk 3,028 kg
JDA10365-0006	369 mm	30 mm	10 mm	6 Stk 3,107 kg
JDA10375-0006	379 mm	30 mm	10 mm	6 Stk 3,186 kg
JDA10385-0006	389 mm	30 mm	10 mm	6 Stk 3,265 kg
JDA10395-0006	399 mm	30 mm	10 mm	6 Stk 3,344 kg
JDA10405-0006	409 mm	30 mm	10 mm	6 Stk 3,430 kg
JDA10415-0006	419 mm	30 mm	10 mm	6 Stk 3,509 kg
JDA10425-0006	429 mm	30 mm	10 mm	6 Stk 3,588 kg
JDA10435-0006	439 mm	30 mm	10 mm	6 Stk 3,667 kg
JDA10445-0006	449 mm	30 mm	10 mm	6 Stk 3,746 kg
JDA10455-0006	459 mm	30 mm	10 mm	6 Stk 3,826 kg
JDA10465-0006	469 mm	30 mm	10 mm	6 Stk 3,911 kg
JDA10475-0006	479 mm	30 mm	10 mm	6 Stk 3,990 kg
JDA10485-0006	489 mm	30 mm	10 mm	6 Stk 4,069 kg
JDA10495-0006	499 mm	30 mm	10 mm	6 Stk 4,148 kg
JDA10505-0006	509 mm	30 mm	10 mm	6 Stk 4,228 kg
JDA10515-0006	519 mm	30 mm	10 mm	6 Stk 4,307 kg
JDA10525-0006	529 mm	30 mm	10 mm	6 Stk 4,392 kg
JDA10535-0006	539 mm	30 mm	10 mm	6 Stk 4,471 kg
JDA10545-0006	549 mm	30 mm	10 mm	6 Stk 4,550 kg

Page 9



PRODUCT INFORMATION

Products	H	B	D		W
JDA10555-0006	559 mm	30 mm	10 mm	6 Stk	4,630 kg
JDA10565-0006	569 mm	30 mm	10 mm	6 Stk	4,709 kg
JDA10575-0006	579 mm	30 mm	10 mm	6 Stk	4,788 kg
JDA10585-0006	589 mm	30 mm	10 mm	6 Stk	4,873 kg
JDA10595-0006	599 mm	30 mm	10 mm	6 Stk	4,952 kg
JDA10605-0006	609 mm	30 mm	10 mm	6 Stk	5,032 kg
JDA10615-0006	619 mm	30 mm	10 mm	6 Stk	5,111 kg
JDA10625-0006	629 mm	30 mm	10 mm	6 Stk	5,190 kg
JDA10635-0006	639 mm	30 mm	10 mm	6 Stk	5,269 kg
JDA10645-0006	649 mm	30 mm	10 mm	6 Stk	5,354 kg
JDA10655-0006	659 mm	30 mm	10 mm	6 Stk	5,434 kg
JDA10665-0006	669 mm	30 mm	10 mm	6 Stk	5,513 kg
JDA10675-0006	679 mm	30 mm	10 mm	6 Stk	5,592 kg
JDA10685-0006	689 mm	30 mm	10 mm	6 Stk	5,671 kg
JDA10695-0006	699 mm	30 mm	10 mm	6 Stk	5,750 kg

H: height
B: width
D: diameter
W: Weight per storage unit



, Z-15.1-268



, EPD-JDL-20200260-IBB1-DE

