


JDA 14

Punching shear reinforcement for transmitting high shear forces in in-situ concrete



The punching shear reinforcements JDA 14 are approved throughout Europe by ETA-13/0136 and have environmental product declaration EPD-JDL-20200260-IBB1-DE. These solutions are suitable for concrete strengths from C20/25 to C50/60. The double-headed anchors are made from reinforcing steel. The strip is made from structural steel in a perforated or unperforated design. The reinforcements are available as standard elements with two or three double-headed anchors per strip. The anchors are 125 to 695 mm long and 10 to 25 mm in diameter. Special solutions are available on request.



Products	H	B	D		weight
JDA14145-0002	149 mm	42 mm	14 mm	2 Stk	0,731 kg
JDA14155-0002	159 mm	42 mm	14 mm	2 Stk	0,769 kg
JDA14165-0002	169 mm	42 mm	14 mm	2 Stk	0,810 kg
JDA14175-0002	179 mm	42 mm	14 mm	2 Stk	0,848 kg
JDA14185-0002	189 mm	42 mm	14 mm	2 Stk	0,886 kg
JDA14195-0002	199 mm	42 mm	14 mm	2 Stk	0,925 kg
JDA14205-0002	209 mm	42 mm	14 mm	2 Stk	0,963 kg
JDA14215-0002	219 mm	42 mm	14 mm	2 Stk	1,002 kg
JDA14225-0002	229 mm	42 mm	14 mm	2 Stk	1,040 kg
JDA14235-0002	239 mm	42 mm	14 mm	2 Stk	1,078 kg
JDA14245-0002	249 mm	42 mm	14 mm	2 Stk	1,117 kg
JDA14255-0002	259 mm	42 mm	14 mm	2 Stk	1,155 kg
JDA14265-0002	269 mm	42 mm	14 mm	2 Stk	1,196 kg
JDA14275-0002	279 mm	42 mm	14 mm	2 Stk	1,234 kg
JDA14285-0002	289 mm	42 mm	14 mm	2 Stk	1,272 kg
JDA14295-0002	299 mm	42 mm	14 mm	2 Stk	1,311 kg
JDA14305-0002	309 mm	42 mm	14 mm	2 Stk	1,349 kg
JDA14315-0002	319 mm	42 mm	14 mm	2 Stk	1,388 kg
JDA14325-0002	329 mm	42 mm	14 mm	2 Stk	1,426 kg
JDA14335-0002	339 mm	42 mm	14 mm	2 Stk	1,464 kg



PRODUCT INFORMATION

Products	H	B	D		weight
JDA14345-0002	349 mm	42 mm	14 mm	2 Stk	1,503 kg
JDA14355-0002	359 mm	42 mm	14 mm	2 Stk	1,541 kg
JDA14365-0002	369 mm	42 mm	14 mm	2 Stk	1,582 kg
JDA14375-0002	379 mm	42 mm	14 mm	2 Stk	1,620 kg
JDA14385-0002	389 mm	42 mm	14 mm	2 Stk	1,658 kg
JDA14395-0002	399 mm	42 mm	14 mm	2 Stk	1,697 kg
JDA14405-0002	409 mm	42 mm	14 mm	2 Stk	1,735 kg
JDA14415-0002	419 mm	42 mm	14 mm	2 Stk	1,774 kg
JDA14425-0002	429 mm	42 mm	14 mm	2 Stk	1,812 kg
JDA14435-0002	439 mm	42 mm	14 mm	2 Stk	1,850 kg
JDA14445-0002	449 mm	42 mm	14 mm	2 Stk	1,889 kg
JDA14455-0002	459 mm	42 mm	14 mm	2 Stk	1,927 kg
JDA14465-0002	469 mm	42 mm	14 mm	2 Stk	1,968 kg
JDA14475-0002	479 mm	42 mm	14 mm	2 Stk	2,006 kg
JDA14485-0002	489 mm	42 mm	14 mm	2 Stk	2,044 kg
JDA14495-0002	499 mm	42 mm	14 mm	2 Stk	2,083 kg
JDA14505-0002	509 mm	42 mm	14 mm	2 Stk	2,121 kg
JDA14515-0002	519 mm	42 mm	14 mm	2 Stk	2,160 kg
JDA14525-0002	529 mm	42 mm	14 mm	2 Stk	2,198 kg
JDA14535-0002	539 mm	42 mm	14 mm	2 Stk	2,236 kg
JDA14545-0002	549 mm	42 mm	14 mm	2 Stk	2,275 kg
JDA14555-0002	559 mm	42 mm	14 mm	2 Stk	2,313 kg
JDA14565-0002	569 mm	42 mm	14 mm	2 Stk	2,354 kg
JDA14575-0002	579 mm	42 mm	14 mm	2 Stk	2,392 kg
JDA14585-0002	589 mm	42 mm	14 mm	2 Stk	2,430 kg
JDA14595-0002	599 mm	42 mm	14 mm	2 Stk	2,469 kg
JDA14605-0002	609 mm	42 mm	14 mm	2 Stk	2,507 kg
JDA14615-0002	619 mm	42 mm	14 mm	2 Stk	2,546 kg
JDA14625-0002	629 mm	42 mm	14 mm	2 Stk	2,584 kg
JDA14635-0002	639 mm	42 mm	14 mm	2 Stk	2,622 kg
JDA14645-0002	649 mm	42 mm	14 mm	2 Stk	2,661 kg
JDA14655-0002	659 mm	42 mm	14 mm	2 Stk	2,699 kg
JDA14665-0002	669 mm	42 mm	14 mm	2 Stk	2,740 kg
JDA14675-0002	679 mm	42 mm	14 mm	2 Stk	2,778 kg



PohlCon GmbH
 Nobelstraße 51 | 12057 Berlin
 Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Products	H	B	D		weight
JDA14685-0002	689 mm	42 mm	14 mm	2 Stk	2,816 kg
JDA14695-0002	699 mm	42 mm	14 mm	2 Stk	2,855 kg

Products	H	B	D		weight
JDA14145-0003	149 mm	42 mm	14 mm	3 Stk	1,096 kg
JDA14155-0003	159 mm	42 mm	14 mm	3 Stk	1,154 kg
JDA14165-0003	169 mm	42 mm	14 mm	3 Stk	1,214 kg
JDA14175-0003	179 mm	42 mm	14 mm	3 Stk	1,272 kg
JDA14185-0003	189 mm	42 mm	14 mm	3 Stk	1,330 kg
JDA14195-0003	199 mm	42 mm	14 mm	3 Stk	1,387 kg
JDA14205-0003	209 mm	42 mm	14 mm	3 Stk	1,445 kg
JDA14215-0003	219 mm	42 mm	14 mm	3 Stk	1,502 kg
JDA14225-0003	229 mm	42 mm	14 mm	3 Stk	1,560 kg
JDA14235-0003	239 mm	42 mm	14 mm	3 Stk	1,618 kg
JDA14245-0003	249 mm	42 mm	14 mm	3 Stk	1,675 kg
JDA14255-0003	259 mm	42 mm	14 mm	3 Stk	1,733 kg
JDA14265-0003	269 mm	42 mm	14 mm	3 Stk	1,793 kg
JDA14275-0003	279 mm	42 mm	14 mm	3 Stk	1,851 kg
JDA14285-0003	289 mm	42 mm	14 mm	3 Stk	1,909 kg
JDA14295-0003	299 mm	42 mm	14 mm	3 Stk	1,966 kg
JDA14305-0003	309 mm	42 mm	14 mm	3 Stk	2,024 kg
JDA14315-0003	319 mm	42 mm	14 mm	3 Stk	2,081 kg
JDA14325-0003	329 mm	42 mm	14 mm	3 Stk	2,139 kg
JDA14335-0003	339 mm	42 mm	14 mm	3 Stk	2,197 kg
JDA14345-0003	349 mm	42 mm	14 mm	3 Stk	2,254 kg
JDA14355-0003	359 mm	42 mm	14 mm	3 Stk	2,312 kg
JDA14365-0003	369 mm	42 mm	14 mm	3 Stk	2,372 kg
JDA14375-0003	379 mm	42 mm	14 mm	3 Stk	2,430 kg
JDA14385-0003	389 mm	42 mm	14 mm	3 Stk	2,488 kg
JDA14395-0003	399 mm	42 mm	14 mm	3 Stk	2,545 kg
JDA14405-0003	409 mm	42 mm	14 mm	3 Stk	2,603 kg

Page 3



PRODUCT INFORMATION

Products	H	B	D		weight
JDA14415-0003	419 mm	42 mm	14 mm	3 Stk	2,660 kg
JDA14425-0003	429 mm	42 mm	14 mm	3 Stk	2,718 kg
JDA14435-0003	439 mm	42 mm	14 mm	3 Stk	2,776 kg
JDA14445-0003	449 mm	42 mm	14 mm	3 Stk	2,833 kg
JDA14455-0003	459 mm	42 mm	14 mm	3 Stk	2,891 kg
JDA14465-0003	469 mm	42 mm	14 mm	3 Stk	2,951 kg
JDA14475-0003	479 mm	42 mm	14 mm	3 Stk	3,009 kg
JDA14485-0003	489 mm	42 mm	14 mm	3 Stk	3,067 kg
JDA14495-0003	499 mm	42 mm	14 mm	3 Stk	3,124 kg
JDA14505-0003	509 mm	42 mm	14 mm	3 Stk	3,182 kg
JDA14515-0003	519 mm	42 mm	14 mm	3 Stk	3,239 kg
JDA14525-0003	529 mm	42 mm	14 mm	3 Stk	3,297 kg
JDA14535-0003	539 mm	42 mm	14 mm	3 Stk	3,355 kg
JDA14545-0003	549 mm	42 mm	14 mm	3 Stk	3,412 kg
JDA14555-0003	559 mm	42 mm	14 mm	3 Stk	3,470 kg
JDA14565-0003	569 mm	42 mm	14 mm	3 Stk	3,530 kg
JDA14575-0003	579 mm	42 mm	14 mm	3 Stk	3,588 kg
JDA14585-0003	589 mm	42 mm	14 mm	3 Stk	3,646 kg
JDA14595-0003	599 mm	42 mm	14 mm	3 Stk	3,703 kg
JDA14605-0003	609 mm	42 mm	14 mm	3 Stk	3,761 kg
JDA14615-0003	619 mm	42 mm	14 mm	3 Stk	3,818 kg
JDA14625-0003	629 mm	42 mm	14 mm	3 Stk	3,876 kg
JDA14635-0003	639 mm	42 mm	14 mm	3 Stk	3,934 kg
JDA14645-0003	649 mm	42 mm	14 mm	3 Stk	3,991 kg
JDA14655-0003	659 mm	42 mm	14 mm	3 Stk	4,049 kg
JDA14665-0003	669 mm	42 mm	14 mm	3 Stk	4,109 kg
JDA14675-0003	679 mm	42 mm	14 mm	3 Stk	4,167 kg
JDA14685-0003	689 mm	42 mm	14 mm	3 Stk	4,225 kg
JDA14695-0003	699 mm	42 mm	14 mm	3 Stk	4,282 kg



PRODUCT INFORMATION

Products	H	B	D		weight
JDA14145-0004	149 mm	42 mm	14 mm	4 Stk	1,462 kg
JDA14155-0004	159 mm	42 mm	14 mm	4 Stk	1,538 kg
JDA14165-0004	169 mm	42 mm	14 mm	4 Stk	1,619 kg
JDA14175-0004	179 mm	42 mm	14 mm	4 Stk	1,696 kg
JDA14185-0004	189 mm	42 mm	14 mm	4 Stk	1,773 kg
JDA14195-0004	199 mm	42 mm	14 mm	4 Stk	1,850 kg
JDA14205-0004	209 mm	42 mm	14 mm	4 Stk	1,926 kg
JDA14215-0004	219 mm	42 mm	14 mm	4 Stk	2,003 kg
JDA14225-0004	229 mm	42 mm	14 mm	4 Stk	2,080 kg
JDA14235-0004	239 mm	42 mm	14 mm	4 Stk	2,157 kg
JDA14245-0004	249 mm	42 mm	14 mm	4 Stk	2,234 kg
JDA14255-0004	259 mm	42 mm	14 mm	4 Stk	2,310 kg
JDA14265-0004	269 mm	42 mm	14 mm	4 Stk	2,391 kg
JDA14275-0004	279 mm	42 mm	14 mm	4 Stk	2,468 kg
JDA14285-0004	289 mm	42 mm	14 mm	4 Stk	2,545 kg
JDA14295-0004	299 mm	42 mm	14 mm	4 Stk	2,622 kg
JDA14305-0004	309 mm	42 mm	14 mm	4 Stk	2,698 kg
JDA14315-0004	319 mm	42 mm	14 mm	4 Stk	2,775 kg
JDA14325-0004	329 mm	42 mm	14 mm	4 Stk	2,852 kg
JDA14335-0004	339 mm	42 mm	14 mm	4 Stk	2,929 kg
JDA14345-0004	349 mm	42 mm	14 mm	4 Stk	3,006 kg
JDA14355-0004	359 mm	42 mm	14 mm	4 Stk	3,082 kg
JDA14365-0004	369 mm	42 mm	14 mm	4 Stk	3,163 kg
JDA14375-0004	379 mm	42 mm	14 mm	4 Stk	3,240 kg
JDA14385-0004	389 mm	42 mm	14 mm	4 Stk	3,317 kg
JDA14395-0004	399 mm	42 mm	14 mm	4 Stk	3,394 kg
JDA14405-0004	409 mm	42 mm	14 mm	4 Stk	3,470 kg
JDA14415-0004	419 mm	42 mm	14 mm	4 Stk	3,547 kg
JDA14425-0004	429 mm	42 mm	14 mm	4 Stk	3,624 kg
JDA14435-0004	439 mm	42 mm	14 mm	4 Stk	3,701 kg
JDA14445-0004	449 mm	42 mm	14 mm	4 Stk	3,778 kg
JDA14455-0004	459 mm	42 mm	14 mm	4 Stk	3,854 kg
JDA14465-0004	469 mm	42 mm	14 mm	4 Stk	3,935 kg
JDA14475-0004	479 mm	42 mm	14 mm	4 Stk	4,012 kg



PohlCon GmbH
 Nobelstraße 51 | 12057 Berlin
 Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Products	H	B	D		weight
JDA14485-0004	489 mm	42 mm	14 mm	4 Stk	4,089 kg
JDA14495-0004	499 mm	42 mm	14 mm	4 Stk	4,166 kg
JDA14505-0004	509 mm	42 mm	14 mm	4 Stk	4,242 kg
JDA14515-0004	519 mm	42 mm	14 mm	4 Stk	4,319 kg
JDA14525-0004	529 mm	42 mm	14 mm	4 Stk	4,396 kg
JDA14535-0004	539 mm	42 mm	14 mm	4 Stk	4,473 kg
JDA14545-0004	549 mm	42 mm	14 mm	4 Stk	4,550 kg
JDA14555-0004	559 mm	42 mm	14 mm	4 Stk	4,626 kg
JDA14565-0004	569 mm	42 mm	14 mm	4 Stk	4,707 kg
JDA14575-0004	579 mm	42 mm	14 mm	4 Stk	4,784 kg
JDA14585-0004	589 mm	42 mm	14 mm	4 Stk	4,861 kg
JDA14595-0004	599 mm	42 mm	14 mm	4 Stk	4,938 kg
JDA14605-0004	609 mm	42 mm	14 mm	4 Stk	5,014 kg
JDA14615-0004	619 mm	42 mm	14 mm	4 Stk	5,091 kg
JDA14625-0004	629 mm	42 mm	14 mm	4 Stk	5,168 kg
JDA14635-0004	639 mm	42 mm	14 mm	4 Stk	5,245 kg
JDA14645-0004	649 mm	42 mm	14 mm	4 Stk	5,322 kg
JDA14655-0004	659 mm	42 mm	14 mm	4 Stk	5,398 kg
JDA14665-0004	669 mm	42 mm	14 mm	4 Stk	5,479 kg
JDA14675-0004	679 mm	42 mm	14 mm	4 Stk	5,556 kg
JDA14685-0004	689 mm	42 mm	14 mm	4 Stk	5,633 kg
JDA14695-0004	699 mm	42 mm	14 mm	4 Stk	5,710 kg

Products	H	B	D		weight
JDA14145-0005	149 mm	42 mm	14 mm	5 Stk	1,827 kg
JDA14155-0005	159 mm	42 mm	14 mm	5 Stk	1,923 kg
JDA14165-0005	169 mm	42 mm	14 mm	5 Stk	2,024 kg
JDA14175-0005	179 mm	42 mm	14 mm	5 Stk	2,120 kg
JDA14185-0005	189 mm	42 mm	14 mm	5 Stk	2,216 kg
JDA14195-0005	199 mm	42 mm	14 mm	5 Stk	2,312 kg
JDA14205-0005	209 mm	42 mm	14 mm	5 Stk	2,408 kg



PRODUCT INFORMATION

Products	H	B	D		weight
JDA14215-0005	219 mm	42 mm	14 mm	5 Stk	2,504 kg
JDA14225-0005	229 mm	42 mm	14 mm	5 Stk	2,600 kg
JDA14235-0005	239 mm	42 mm	14 mm	5 Stk	2,696 kg
JDA14245-0005	249 mm	42 mm	14 mm	5 Stk	2,792 kg
JDA14255-0005	259 mm	42 mm	14 mm	5 Stk	2,888 kg
JDA14265-0005	269 mm	42 mm	14 mm	5 Stk	2,989 kg
JDA14275-0005	279 mm	42 mm	14 mm	5 Stk	3,085 kg
JDA14285-0005	289 mm	42 mm	14 mm	5 Stk	3,181 kg
JDA14295-0005	299 mm	42 mm	14 mm	5 Stk	3,277 kg
JDA14305-0005	309 mm	42 mm	14 mm	5 Stk	3,373 kg
JDA14315-0005	319 mm	42 mm	14 mm	5 Stk	3,469 kg
JDA14325-0005	329 mm	42 mm	14 mm	5 Stk	3,565 kg
JDA14335-0005	339 mm	42 mm	14 mm	5 Stk	3,661 kg
JDA14345-0005	349 mm	42 mm	14 mm	5 Stk	3,757 kg
JDA14355-0005	359 mm	42 mm	14 mm	5 Stk	3,853 kg
JDA14365-0005	369 mm	42 mm	14 mm	5 Stk	3,954 kg
JDA14375-0005	379 mm	42 mm	14 mm	5 Stk	4,050 kg
JDA14385-0005	389 mm	42 mm	14 mm	5 Stk	4,146 kg
JDA14395-0005	399 mm	42 mm	14 mm	5 Stk	4,242 kg
JDA14405-0005	409 mm	42 mm	14 mm	5 Stk	4,338 kg
JDA14415-0005	419 mm	42 mm	14 mm	5 Stk	4,434 kg
JDA14425-0005	429 mm	42 mm	14 mm	5 Stk	4,530 kg
JDA14435-0005	439 mm	42 mm	14 mm	5 Stk	4,626 kg
JDA14445-0005	449 mm	42 mm	14 mm	5 Stk	4,722 kg
JDA14455-0005	459 mm	42 mm	14 mm	5 Stk	4,818 kg
JDA14465-0005	469 mm	42 mm	14 mm	5 Stk	4,919 kg
JDA14475-0005	479 mm	42 mm	14 mm	5 Stk	5,015 kg
JDA14485-0005	489 mm	42 mm	14 mm	5 Stk	5,111 kg
JDA14495-0005	499 mm	42 mm	14 mm	5 Stk	5,207 kg
JDA14505-0005	509 mm	42 mm	14 mm	5 Stk	5,303 kg
JDA14515-0005	519 mm	42 mm	14 mm	5 Stk	5,399 kg
JDA14525-0005	529 mm	42 mm	14 mm	5 Stk	5,495 kg
JDA14535-0005	539 mm	42 mm	14 mm	5 Stk	5,591 kg
JDA14545-0005	549 mm	42 mm	14 mm	5 Stk	5,687 kg

Page 7



PRODUCT INFORMATION

Products	H	B	D		weight
JDA14555-0005	559 mm	42 mm	14 mm	5 Stk	5,783 kg
JDA14565-0005	569 mm	42 mm	14 mm	5 Stk	5,884 kg
JDA14575-0005	579 mm	42 mm	14 mm	5 Stk	5,980 kg
JDA14585-0005	589 mm	42 mm	14 mm	5 Stk	6,076 kg
JDA14595-0005	599 mm	42 mm	14 mm	5 Stk	6,172 kg
JDA14605-0005	609 mm	42 mm	14 mm	5 Stk	6,568 kg
JDA14615-0005	619 mm	42 mm	14 mm	5 Stk	6,364 kg
JDA14625-0005	629 mm	42 mm	14 mm	5 Stk	6,460 kg
JDA14635-0005	639 mm	42 mm	14 mm	5 Stk	5,650 kg
JDA14645-0005	649 mm	42 mm	14 mm	5 Stk	6,652 kg
JDA14655-0005	659 mm	42 mm	14 mm	5 Stk	6,748 kg
JDA14665-0005	669 mm	42 mm	14 mm	5 Stk	6,849 kg
JDA14675-0005	679 mm	42 mm	14 mm	5 Stk	6,945 kg
JDA14685-0005	689 mm	42 mm	14 mm	5 Stk	7,041 kg
JDA14695-0005	699 mm	42 mm	14 mm	5 Stk	7,137 kg

Products	H	B	D		weight
JDA14145-0006	149 mm	42 mm	14 mm	6 Stk	2,192 kg
JDA14155-0006	159 mm	42 mm	14 mm	6 Stk	2,308 kg
JDA14165-0006	169 mm	42 mm	14 mm	6 Stk	2,429 kg
JDA14175-0006	179 mm	42 mm	14 mm	6 Stk	2,544 kg
JDA14185-0006	189 mm	42 mm	14 mm	6 Stk	2,659 kg
JDA14195-0006	199 mm	42 mm	14 mm	6 Stk	1,774 kg
JDA14205-0006	209 mm	42 mm	14 mm	6 Stk	2,890 kg
JDA14215-0006	219 mm	42 mm	14 mm	6 Stk	3,005 kg
JDA14225-0006	229 mm	42 mm	14 mm	6 Stk	3,120 kg
JDA14235-0006	239 mm	42 mm	14 mm	6 Stk	3,235 kg
JDA14245-0006	249 mm	42 mm	14 mm	6 Stk	3,350 kg
JDA14255-0006	259 mm	42 mm	14 mm	6 Stk	3,466 kg
JDA14265-0006	269 mm	42 mm	14 mm	6 Stk	3,587 kg
JDA14275-0006	279 mm	42 mm	14 mm	6 Stk	3,702 kg



PRODUCT INFORMATION

Products	H	B	D		weight
JDA14285-0006	289 mm	42 mm	14 mm	6 Stk	3,817 kg
JDA14295-0006	299 mm	42 mm	14 mm	6 Stk	3,932 kg
JDA14305-0006	309 mm	42 mm	14 mm	6 Stk	4,048 kg
JDA14315-0006	319 mm	42 mm	14 mm	6 Stk	4,163 kg
JDA14325-0006	329 mm	42 mm	14 mm	6 Stk	4,278 kg
JDA14335-0006	339 mm	42 mm	14 mm	6 Stk	4,393 kg
JDA14345-0006	349 mm	42 mm	14 mm	6 Stk	4,508 kg
JDA14355-0006	359 mm	42 mm	14 mm	6 Stk	4,624 kg
JDA14365-0006	369 mm	42 mm	14 mm	6 Stk	4,745 kg
JDA14375-0006	379 mm	42 mm	14 mm	6 Stk	4,860 kg
JDA14385-0006	389 mm	42 mm	14 mm	6 Stk	4,975 kg
JDA14395-0006	399 mm	42 mm	14 mm	6 Stk	5,090 kg
JDA14405-0006	409 mm	42 mm	14 mm	6 Stk	5,206 kg
JDA14415-0006	419 mm	42 mm	14 mm	6 Stk	5,321 kg
JDA14425-0006	429 mm	42 mm	14 mm	6 Stk	5,436 kg
JDA14435-0006	439 mm	42 mm	14 mm	6 Stk	5,551 kg
JDA14445-0006	449 mm	42 mm	14 mm	6 Stk	5,666 kg
JDA14455-0006	459 mm	42 mm	14 mm	6 Stk	5,782 kg
JDA14465-0006	469 mm	42 mm	14 mm	6 Stk	5,903 kg
JDA14475-0006	479 mm	42 mm	14 mm	6 Stk	6,018 kg
JDA14485-0006	489 mm	42 mm	14 mm	6 Stk	6,133 kg
JDA14495-0006	499 mm	42 mm	14 mm	6 Stk	6,248 kg
JDA14505-0006	509 mm	42 mm	14 mm	6 Stk	6,364 kg
JDA14515-0006	519 mm	42 mm	14 mm	6 Stk	6,479 kg
JDA14525-0006	529 mm	42 mm	14 mm	6 Stk	6,594 kg
JDA14535-0006	539 mm	42 mm	14 mm	6 Stk	6,709 kg
JDA14545-0006	549 mm	42 mm	14 mm	6 Stk	6,824 kg
JDA14555-0006	559 mm	42 mm	14 mm	6 Stk	6,940 kg
JDA14565-0006	569 mm	42 mm	14 mm	6 Stk	7,061 kg
JDA14575-0006	579 mm	42 mm	14 mm	6 Stk	7,176 kg
JDA14585-0006	589 mm	42 mm	14 mm	6 Stk	7,291 kg
JDA14595-0006	599 mm	42 mm	14 mm	6 Stk	7,406 kg
JDA14605-0006	609 mm	42 mm	14 mm	6 Stk	7,522 kg
JDA14615-0006	619 mm	42 mm	14 mm	6 Stk	7,637 kg



PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com




PRODUCT INFORMATION

Products	H	B	D		weight
JDA14625-0006	629 mm	42 mm	14 mm	6 Stk	7,752 kg
JDA14635-0006	639 mm	42 mm	14 mm	6 Stk	7,867 kg
JDA14645-0006	649 mm	42 mm	14 mm	6 Stk	7,982 kg
JDA14655-0006	659 mm	42 mm	14 mm	6 Stk	8,098 kg
JDA14665-0006	669 mm	42 mm	14 mm	6 Stk	8,219 kg
JDA14675-0006	679 mm	42 mm	14 mm	6 Stk	8,334 kg
JDA14685-0006	689 mm	42 mm	14 mm	6 Stk	8,449 kg
JDA14695-0006	699 mm	42 mm	14 mm	6 Stk	8,564 kg

H: height
B: width
D: diameter

DETAIL AND APPLICATION IMAGES



ETA

, ETA-13/0136



, EPD-JDL-20200260-IBB1-DE

Page 10

PohlCon

PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com

