


JDA 16

Punching shear reinforcement for transmitting high shear forces in in-situ concrete



The punching shear reinforcements JDA 16 are approved throughout Europe by ETA-13/0136 and have environmental product declaration EPD-JDL-20200260-IBB1-DE. These solutions are suitable for concrete strengths from C20/25 to C50/60. The double-headed anchors are made from reinforcing steel. The strip is made from structural steel in a perforated or unperforated design. The reinforcements are available as standard elements with two or three double-headed anchors per strip. The anchors are 125 to 695 mm long and 10 to 25 mm in diameter. Special solutions are available on request.



Products	H	B	D		weight
JDA16155-0002	159 mm	48 mm	16 mm	2 Stk	0,943 kg
JDA16165-0002	169 mm	48 mm	16 mm	2 Stk	1,273 kg
JDA16175-0002	179 mm	48 mm	16 mm	2 Stk	1,036 kg
JDA16185-0002	189 mm	48 mm	16 mm	2 Stk	1,082 kg
JDA16195-0002	199 mm	48 mm	16 mm	2 Stk	1,127 kg
JDA16205-0002	209 mm	48 mm	16 mm	2 Stk	1,173 kg
JDA16215-0002	219 mm	48 mm	16 mm	2 Stk	1,220 kg
JDA16225-0002	229 mm	48 mm	16 mm	2 Stk	1,266 kg
JDA16235-0002	239 mm	48 mm	16 mm	2 Stk	1,312 kg
JDA16245-0002	249 mm	48 mm	16 mm	2 Stk	1,357 kg
JDA16255-0002	259 mm	48 mm	16 mm	2 Stk	1,403 kg
JDA16265-0002	269 mm	48 mm	16 mm	2 Stk	1,450 kg
JDA16275-0002	279 mm	48 mm	16 mm	2 Stk	1,496 kg
JDA16285-0002	289 mm	48 mm	16 mm	2 Stk	1,542 kg
JDA16295-0002	299 mm	48 mm	16 mm	2 Stk	1,587 kg
JDA16305-0002	309 mm	48 mm	16 mm	2 Stk	1,633 kg
JDA16315-0002	319 mm	48 mm	16 mm	2 Stk	1,680 kg
JDA16325-0002	329 mm	48 mm	16 mm	2 Stk	1,726 kg
JDA16335-0002	339 mm	48 mm	16 mm	2 Stk	1,772 kg
JDA16345-0002	349 mm	48 mm	16 mm	2 Stk	1,817 kg



PRODUCT INFORMATION

Products	H	B	D		weight
JDA16355-0002	359 mm	48 mm	16 mm	2 Stk	1,863 kg
JDA16365-0002	369 mm	48 mm	16 mm	2 Stk	1,910 kg
JDA16375-0002	379 mm	48 mm	16 mm	2 Stk	1,956 kg
JDA16385-0002	389 mm	48 mm	16 mm	2 Stk	2,002 kg
JDA16395-0002	399 mm	48 mm	16 mm	2 Stk	2,047 kg
JDA16405-0002	409 mm	48 mm	16 mm	2 Stk	2,093 kg
JDA16415-0002	419 mm	48 mm	16 mm	2 Stk	2,140 kg
JDA16425-0002	429 mm	48 mm	16 mm	2 Stk	2,186 kg
JDA16435-0002	439 mm	48 mm	16 mm	2 Stk	2,232 kg
JDA16445-0002	449 mm	48 mm	16 mm	2 Stk	2,277 kg
JDA16455-0002	459 mm	48 mm	16 mm	2 Stk	2,323 kg
JDA16465-0002	469 mm	48 mm	16 mm	2 Stk	2,370 kg
JDA16475-0002	479 mm	48 mm	16 mm	2 Stk	2,416 kg
JDA16485-0002	489 mm	48 mm	16 mm	2 Stk	2,462 kg
JDA16495-0002	499 mm	48 mm	16 mm	2 Stk	2,507 kg
JDA16505-0002	509 mm	48 mm	16 mm	2 Stk	2,553 kg
JDA16515-0002	519 mm	48 mm	16 mm	2 Stk	2,600 kg
JDA16525-0002	529 mm	48 mm	16 mm	2 Stk	2,646 kg
JDA16535-0002	539 mm	48 mm	16 mm	2 Stk	2,692 kg
JDA16545-0002	549 mm	48 mm	16 mm	2 Stk	2,737 kg
JDA16555-0002	559 mm	48 mm	16 mm	2 Stk	2,783 kg
JDA16565-0002	569 mm	48 mm	16 mm	2 Stk	2,830 kg
JDA16575-0002	579 mm	48 mm	16 mm	2 Stk	2,876 kg
JDA16585-0002	589 mm	48 mm	16 mm	2 Stk	2,922 kg
JDA16595-0002	599 mm	48 mm	16 mm	2 Stk	2,967 kg
JDA16605-0002	609 mm	48 mm	16 mm	2 Stk	3,013 kg
JDA16615-0002	619 mm	48 mm	16 mm	2 Stk	3,060 kg
JDA16625-0002	629 mm	48 mm	16 mm	2 Stk	3,106 kg
JDA16635-0002	639 mm	48 mm	16 mm	2 Stk	3,152 kg
JDA16645-0002	649 mm	48 mm	16 mm	2 Stk	3,197 kg
JDA16655-0002	659 mm	48 mm	16 mm	2 Stk	3,243 kg
JDA16665-0002	669 mm	48 mm	16 mm	2 Stk	3,290 kg
JDA16675-0002	679 mm	48 mm	16 mm	2 Stk	3,336 kg
JDA16685-0002	689 mm	48 mm	16 mm	2 Stk	3,382 kg



PohlCon GmbH
 Nobelstraße 51 | 12057 Berlin
 Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Products	H	B	D		weight
JDA16695-0002	699 mm	48 mm	16 mm	2 Stk	3,427 kg

Products	H	B	D		weight
JDA16155-0003	159 mm	48 mm	16 mm	3 Stk	1,415 kg
JDA16165-0003	169 mm	48 mm	16 mm	3 Stk	1,909 kg
JDA16175-0003	179 mm	48 mm	16 mm	3 Stk	1,554 kg
JDA16185-0003	189 mm	48 mm	16 mm	3 Stk	1,624 kg
JDA16195-0003	199 mm	48 mm	16 mm	3 Stk	1,690 kg
JDA16205-0003	209 mm	48 mm	16 mm	3 Stk	1,760 kg
JDA16215-0003	219 mm	48 mm	16 mm	3 Stk	1,829 kg
JDA16225-0003	229 mm	48 mm	16 mm	3 Stk	1,899 kg
JDA16235-0003	239 mm	48 mm	16 mm	3 Stk	1,969 kg
JDA16245-0003	249 mm	48 mm	16 mm	3 Stk	2,035 kg
JDA16255-0003	259 mm	48 mm	16 mm	3 Stk	2,105 kg
JDA16265-0003	269 mm	48 mm	16 mm	3 Stk	2,174 kg
JDA16275-0003	279 mm	48 mm	16 mm	3 Stk	2,244 kg
JDA16285-0003	289 mm	48 mm	16 mm	3 Stk	2,314 kg
JDA16295-0003	299 mm	48 mm	16 mm	3 Stk	2,380 kg
JDA16305-0003	309 mm	48 mm	16 mm	3 Stk	2,450 kg
JDA16315-0003	319 mm	48 mm	16 mm	3 Stk	2,519 kg
JDA16325-0003	329 mm	48 mm	16 mm	3 Stk	2,589 kg
JDA16335-0003	339 mm	48 mm	16 mm	3 Stk	2,659 kg
JDA16345-0003	349 mm	48 mm	16 mm	3 Stk	2,725 kg
JDA16355-0003	359 mm	48 mm	16 mm	3 Stk	2,795 kg
JDA16365-0003	369 mm	48 mm	16 mm	3 Stk	2,864 kg
JDA16375-0003	379 mm	48 mm	16 mm	3 Stk	2,934 kg
JDA16385-0003	389 mm	48 mm	16 mm	3 Stk	3,004 kg
JDA16395-0003	399 mm	48 mm	16 mm	3 Stk	3,070 kg
JDA16405-0003	409 mm	48 mm	16 mm	3 Stk	3,140 kg
JDA16415-0003	419 mm	48 mm	16 mm	3 Stk	3,209 kg
JDA16425-0003	429 mm	48 mm	16 mm	3 Stk	3,279 kg



PRODUCT INFORMATION

Products	H	B	D		weight
JDA16435-0003	439 mm	48 mm	16 mm	3 Stk	3,349 kg
JDA16445-0003	449 mm	48 mm	16 mm	3 Stk	3,415 kg
JDA16455-0003	459 mm	48 mm	16 mm	3 Stk	3,485 kg
JDA16465-0003	469 mm	48 mm	16 mm	3 Stk	3,554 kg
JDA16475-0003	479 mm	48 mm	16 mm	3 Stk	3,624 kg
JDA16485-0003	489 mm	48 mm	16 mm	3 Stk	3,694 kg
JDA16495-0003	499 mm	48 mm	16 mm	3 Stk	3,760 kg
JDA16505-0003	509 mm	48 mm	16 mm	3 Stk	3,830 kg
JDA16515-0003	519 mm	48 mm	16 mm	3 Stk	3,899 kg
JDA16525-0003	529 mm	48 mm	16 mm	3 Stk	3,969 kg
JDA16535-0003	539 mm	48 mm	16 mm	3 Stk	4,039 kg
JDA16545-0003	549 mm	48 mm	16 mm	3 Stk	4,105 kg
JDA16555-0003	559 mm	48 mm	16 mm	3 Stk	4,175 kg
JDA16565-0003	569 mm	48 mm	16 mm	3 Stk	4,244 kg
JDA16575-0003	579 mm	48 mm	16 mm	3 Stk	4,314 kg
JDA16585-0003	589 mm	48 mm	16 mm	3 Stk	4,384 kg
JDA16595-0003	599 mm	48 mm	16 mm	3 Stk	4,450 kg
JDA16605-0003	609 mm	48 mm	16 mm	3 Stk	4,520 kg
JDA16615-0003	619 mm	48 mm	16 mm	3 Stk	4,589 kg
JDA16625-0003	629 mm	48 mm	16 mm	3 Stk	4,659 kg
JDA16635-0003	639 mm	48 mm	16 mm	3 Stk	4,729 kg
JDA16645-0003	649 mm	48 mm	16 mm	3 Stk	4,795 kg
JDA16655-0003	659 mm	48 mm	16 mm	3 Stk	4,865 kg
JDA16665-0003	669 mm	48 mm	16 mm	3 Stk	4,934 kg
JDA16675-0003	679 mm	48 mm	16 mm	3 Stk	5,004 kg
JDA16685-0003	689 mm	48 mm	16 mm	3 Stk	5,074 kg
JDA16695-0003	699 mm	48 mm	16 mm	3 Stk	5,140 kg

Products	H	B	D		weight
JDA16155-0004	159 mm	48 mm	16 mm	4 Stk	1,886 kg
JDA16165-0004	169 mm	48 mm	16 mm	4 Stk	2,545 kg

Page 4



PohlCon GmbH
 Nobelstraße 51 | 12057 Berlin
 Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Products	H	B	D		weight
JDA16175-0004	179 mm	48 mm	16 mm	4 Stk	2,072 kg
JDA16185-0004	189 mm	48 mm	16 mm	4 Stk	2,165 kg
JDA16195-0004	199 mm	48 mm	16 mm	4 Stk	2,254 kg
JDA16205-0004	209 mm	48 mm	16 mm	4 Stk	2,346 kg
JDA16215-0004	219 mm	48 mm	16 mm	4 Stk	2,439 kg
JDA16225-0004	229 mm	48 mm	16 mm	4 Stk	2,532 kg
JDA16235-0004	239 mm	48 mm	16 mm	4 Stk	2,625 kg
JDA16245-0004	249 mm	48 mm	16 mm	4 Stk	2,714 kg
JDA16255-0004	259 mm	48 mm	16 mm	4 Stk	2,806 kg
JDA16265-0004	269 mm	48 mm	16 mm	4 Stk	2,899 kg
JDA16275-0004	279 mm	48 mm	16 mm	4 Stk	2,992 kg
JDA16285-0004	289 mm	48 mm	16 mm	4 Stk	3,085 kg
JDA16295-0004	299 mm	48 mm	16 mm	4 Stk	3,174 kg
JDA16305-0004	309 mm	48 mm	16 mm	4 Stk	3,266 kg
JDA16315-0004	319 mm	48 mm	16 mm	4 Stk	3,359 kg
JDA16325-0004	329 mm	48 mm	16 mm	4 Stk	3,452 kg
JDA16335-0004	339 mm	48 mm	16 mm	4 Stk	3,545 kg
JDA16345-0004	349 mm	48 mm	16 mm	4 Stk	3,634 kg
JDA16355-0004	359 mm	48 mm	16 mm	4 Stk	3,726 kg
JDA16365-0004	369 mm	48 mm	16 mm	4 Stk	3,819 kg
JDA16375-0004	379 mm	48 mm	16 mm	4 Stk	3,912 kg
JDA16385-0004	389 mm	48 mm	16 mm	4 Stk	4,005 kg
JDA16395-0004	399 mm	48 mm	16 mm	4 Stk	4,094 kg
JDA16405-0004	409 mm	48 mm	16 mm	4 Stk	4,186 kg
JDA16415-0004	419 mm	48 mm	16 mm	4 Stk	4,279 kg
JDA16425-0004	429 mm	48 mm	16 mm	4 Stk	4,372 kg
JDA16435-0004	439 mm	48 mm	16 mm	4 Stk	4,465 kg
JDA16445-0004	449 mm	48 mm	16 mm	4 Stk	4,554 kg
JDA16455-0004	459 mm	48 mm	16 mm	4 Stk	4,646 kg
JDA16465-0004	469 mm	48 mm	16 mm	4 Stk	4,739 kg
JDA16475-0004	479 mm	48 mm	16 mm	4 Stk	4,832 kg
JDA16485-0004	489 mm	48 mm	16 mm	4 Stk	4,925 kg
JDA16495-0004	499 mm	48 mm	16 mm	4 Stk	5,014 kg
JDA16505-0004	509 mm	48 mm	16 mm	4 Stk	5,106 kg



PRODUCT INFORMATION

Products	H	B	D		weight
JDA16515-0004	519 mm	48 mm	16 mm	4 Stk	5,199 kg
JDA16525-0004	529 mm	48 mm	16 mm	4 Stk	5,292 kg
JDA16535-0004	539 mm	48 mm	16 mm	4 Stk	5,385 kg
JDA16545-0004	549 mm	48 mm	16 mm	4 Stk	5,474 kg
JDA16555-0004	559 mm	48 mm	16 mm	4 Stk	5,566 kg
JDA16565-0004	569 mm	48 mm	16 mm	4 Stk	5,659 kg
JDA16575-0004	579 mm	48 mm	16 mm	4 Stk	5,752 kg
JDA16585-0004	589 mm	48 mm	16 mm	4 Stk	5,845 kg
JDA16595-0004	599 mm	48 mm	16 mm	4 Stk	5,934 kg
JDA16605-0004	609 mm	48 mm	16 mm	4 Stk	6,026 kg
JDA16615-0004	619 mm	48 mm	16 mm	4 Stk	6,119 kg
JDA16625-0004	629 mm	48 mm	16 mm	4 Stk	6,212 kg
JDA16635-0004	639 mm	48 mm	16 mm	4 Stk	6,305 kg
JDA16645-0004	649 mm	48 mm	16 mm	4 Stk	6,394 kg
JDA16655-0004	659 mm	48 mm	16 mm	4 Stk	6,486 kg
JDA16665-0004	669 mm	48 mm	16 mm	4 Stk	6,579 kg
JDA16675-0004	679 mm	48 mm	16 mm	4 Stk	6,672 kg
JDA16685-0004	689 mm	48 mm	16 mm	4 Stk	6,765 kg
JDA16695-0004	699 mm	48 mm	16 mm	4 Stk	6,854 kg

Products	H	B	D		weight
JDA16155-0005	159 mm	48 mm	16 mm	5 Stk	2,358 kg
JDA16165-0005	169 mm	48 mm	16 mm	5 Stk	3,182 kg
JDA16175-0005	179 mm	48 mm	16 mm	5 Stk	2,590 kg
JDA16185-0005	189 mm	48 mm	16 mm	5 Stk	2,706 kg
JDA16195-0005	199 mm	48 mm	16 mm	5 Stk	2,817 kg
JDA16205-0005	209 mm	48 mm	16 mm	5 Stk	2,933 kg
JDA16215-0005	219 mm	48 mm	16 mm	5 Stk	3,049 kg
JDA16225-0005	229 mm	48 mm	16 mm	5 Stk	3,165 kg
JDA16235-0005	239 mm	48 mm	16 mm	5 Stk	3,281 kg
JDA16245-0005	249 mm	48 mm	16 mm	5 Stk	3,392 kg



PRODUCT INFORMATION

Products	H	B	D		weight
JDA16255-0005	259 mm	48 mm	16 mm	5 Stk	3,508 kg
JDA16265-0005	269 mm	48 mm	16 mm	5 Stk	3,624 kg
JDA16275-0005	279 mm	48 mm	16 mm	5 Stk	3,740 kg
JDA16285-0005	289 mm	48 mm	16 mm	5 Stk	3,856 kg
JDA16295-0005	299 mm	48 mm	16 mm	5 Stk	3,967 kg
JDA16305-0005	309 mm	48 mm	16 mm	5 Stk	4,083 kg
JDA16315-0005	319 mm	48 mm	16 mm	5 Stk	4,199 kg
JDA16325-0005	329 mm	48 mm	16 mm	5 Stk	4,315 kg
JDA16335-0005	339 mm	48 mm	16 mm	5 Stk	4,431 kg
JDA16345-0005	349 mm	48 mm	16 mm	5 Stk	4,542 kg
JDA16355-0005	359 mm	48 mm	16 mm	5 Stk	4,658 kg
JDA16365-0005	369 mm	48 mm	16 mm	5 Stk	4,774 kg
JDA16375-0005	379 mm	48 mm	16 mm	5 Stk	4,890 kg
JDA16385-0005	389 mm	48 mm	16 mm	5 Stk	5,006 kg
JDA16395-0005	399 mm	48 mm	16 mm	5 Stk	5,117 kg
JDA16405-0005	409 mm	48 mm	16 mm	5 Stk	5,233 kg
JDA16415-0005	419 mm	48 mm	16 mm	5 Stk	5,349 kg
JDA16425-0005	429 mm	48 mm	16 mm	5 Stk	5,465 kg
JDA16435-0005	439 mm	48 mm	16 mm	5 Stk	5,581 kg
JDA16445-0005	449 mm	48 mm	16 mm	5 Stk	5,692 kg
JDA16455-0005	459 mm	48 mm	16 mm	5 Stk	5,808 kg
JDA16465-0005	469 mm	48 mm	16 mm	5 Stk	5,924 kg
JDA16475-0005	479 mm	48 mm	16 mm	5 Stk	6,040 kg
JDA16485-0005	489 mm	48 mm	16 mm	5 Stk	6,156 kg
JDA16495-0005	499 mm	48 mm	16 mm	5 Stk	6,267 kg
JDA16505-0005	509 mm	48 mm	16 mm	5 Stk	6,383 kg
JDA16515-0005	519 mm	48 mm	16 mm	5 Stk	6,499 kg
JDA16525-0005	529 mm	48 mm	16 mm	5 Stk	6,615 kg
JDA16535-0005	539 mm	48 mm	16 mm	5 Stk	6,731 kg
JDA16545-0005	549 mm	48 mm	16 mm	5 Stk	6,842 kg
JDA16555-0005	559 mm	48 mm	16 mm	5 Stk	6,958 kg
JDA16565-0005	569 mm	48 mm	16 mm	5 Stk	7,074 kg
JDA16575-0005	579 mm	48 mm	16 mm	5 Stk	7,190 kg
JDA16585-0005	589 mm	48 mm	16 mm	5 Stk	7,306 kg



PRODUCT INFORMATION

Products	H	B	D		weight
JDA16595-0005	599 mm	48 mm	16 mm	5 Stk	7,417 kg
JDA16605-0005	609 mm	48 mm	16 mm	5 Stk	7,533 kg
JDA16615-0005	619 mm	48 mm	16 mm	5 Stk	7,649 kg
JDA16625-0005	629 mm	48 mm	16 mm	5 Stk	7,765 kg
JDA16635-0005	639 mm	48 mm	16 mm	5 Stk	7,881 kg
JDA16645-0005	649 mm	48 mm	16 mm	5 Stk	7,992 kg
JDA16655-0005	659 mm	48 mm	16 mm	5 Stk	8,108 kg
JDA16665-0005	669 mm	48 mm	16 mm	5 Stk	8,224 kg
JDA16675-0005	679 mm	48 mm	16 mm	5 Stk	8,340 kg
JDA16685-0005	689 mm	48 mm	16 mm	5 Stk	8,456 kg
JDA16695-0005	699 mm	48 mm	16 mm	5 Stk	8,567 kg

Products	H	B	D		weight
JDA16155-0006	159 mm	48 mm	16 mm	6 Stk	2,830 kg
JDA16165-0006	169 mm	48 mm	16 mm	6 Stk	3,818 kg
JDA16175-0006	179 mm	48 mm	16 mm	6 Stk	3,108 kg
JDA16185-0006	189 mm	48 mm	16 mm	6 Stk	3,247 kg
JDA16195-0006	199 mm	48 mm	16 mm	6 Stk	3,380 kg
JDA16205-0006	209 mm	48 mm	16 mm	6 Stk	3,520 kg
JDA16215-0006	219 mm	48 mm	16 mm	6 Stk	3,659 kg
JDA16225-0006	229 mm	48 mm	16 mm	6 Stk	3,798 kg
JDA16235-0006	239 mm	48 mm	16 mm	6 Stk	3,937 kg
JDA16245-0006	249 mm	48 mm	16 mm	6 Stk	4,070 kg
JDA16255-0006	259 mm	48 mm	16 mm	6 Stk	4,210 kg
JDA16265-0006	269 mm	48 mm	16 mm	6 Stk	4,349 kg
JDA16275-0006	279 mm	48 mm	16 mm	6 Stk	4,488 kg
JDA16285-0006	289 mm	48 mm	16 mm	6 Stk	4,627 kg
JDA16295-0006	299 mm	48 mm	16 mm	6 Stk	4,760 kg
JDA16305-0006	309 mm	48 mm	16 mm	6 Stk	4,900 kg
JDA16315-0006	319 mm	48 mm	16 mm	6 Stk	5,039 kg
JDA16325-0006	329 mm	48 mm	16 mm	6 Stk	5,178 kg



PRODUCT INFORMATION

Products	H	B	D		weight
JDA16335-0006	339 mm	48 mm	16 mm	6 Stk	5,317 kg
JDA16345-0006	349 mm	48 mm	16 mm	6 Stk	5,450 kg
JDA16355-0006	359 mm	48 mm	16 mm	6 Stk	5,590 kg
JDA16365-0006	369 mm	48 mm	16 mm	6 Stk	5,729 kg
JDA16375-0006	379 mm	48 mm	16 mm	6 Stk	5,868 kg
JDA16385-0006	389 mm	48 mm	16 mm	6 Stk	6,007 kg
JDA16395-0006	399 mm	48 mm	16 mm	6 Stk	6,140 kg
JDA16405-0006	409 mm	48 mm	16 mm	6 Stk	6,280 kg
JDA16415-0006	419 mm	48 mm	16 mm	6 Stk	6,419 kg
JDA16425-0006	429 mm	48 mm	16 mm	6 Stk	6,558 kg
JDA16435-0006	439 mm	48 mm	16 mm	6 Stk	6,697 kg
JDA16445-0006	449 mm	48 mm	16 mm	6 Stk	6,830 kg
JDA16455-0006	459 mm	48 mm	16 mm	6 Stk	6,970 kg
JDA16465-0006	469 mm	48 mm	16 mm	6 Stk	7,109 kg
JDA16475-0006	479 mm	48 mm	16 mm	6 Stk	7,248 kg
JDA16485-0006	489 mm	48 mm	16 mm	6 Stk	7,387 kg
JDA16495-0006	499 mm	48 mm	16 mm	6 Stk	7,520 kg
JDA16505-0006	509 mm	48 mm	16 mm	6 Stk	7,660 kg
JDA16515-0006	519 mm	48 mm	16 mm	6 Stk	7,799 kg
JDA16525-0006	529 mm	48 mm	16 mm	6 Stk	7,938 kg
JDA16535-0006	539 mm	48 mm	16 mm	6 Stk	8,077 kg
JDA16545-0006	549 mm	48 mm	16 mm	6 Stk	8,210 kg
JDA16555-0006	559 mm	48 mm	16 mm	6 Stk	8,350 kg
JDA16565-0006	569 mm	48 mm	16 mm	6 Stk	8,489 kg
JDA16575-0006	579 mm	48 mm	16 mm	6 Stk	8,628 kg
JDA16585-0006	589 mm	48 mm	16 mm	6 Stk	8,767 kg
JDA16595-0006	599 mm	48 mm	16 mm	6 Stk	8,900 kg
JDA16605-0006	609 mm	48 mm	16 mm	6 Stk	9,040 kg
JDA16615-0006	619 mm	48 mm	16 mm	6 Stk	9,179 kg
JDA16625-0006	629 mm	48 mm	16 mm	6 Stk	9,318 kg
JDA16635-0006	639 mm	48 mm	16 mm	6 Stk	9,457 kg
JDA16645-0006	649 mm	48 mm	16 mm	6 Stk	9,590 kg
JDA16655-0006	659 mm	48 mm	16 mm	6 Stk	9,730 kg
JDA16665-0006	669 mm	48 mm	16 mm	6 Stk	9,869 kg




PRODUCT INFORMATION

Products	H	B	D		weight
JDA16675-0006	679 mm	48 mm	16 mm	6 Stk	10,008 kg
JDA16685-0006	689 mm	48 mm	16 mm	6 Stk	10,000 kg
JDA16695-0006	699 mm	48 mm	16 mm	6 Stk	10,280 kg

Products	H	B	D		weight
JDA16615-0008	619 mm	48 mm	16 mm	8 Stk	12,238 kg

H: height
B: width
D: diameter

DETAIL AND APPLICATION IMAGES



, ETA-13/0136



, EPD-JDL-20200260-IBB1-DE

