



JDA 25

Shear force reinforcement for transmitting shear force concentrations in the support area

The shear force reinforcements JDA 25 have the general building authority approval Z-15.1-268 and environmental product declaration EPD-JDL-20200260-IBB1-DE. They are suitable for concrete strengths from C20/25 to C50/60. The double-headed anchors are made from . The strip is made from structural steel and available in perforated or unperforated designs. The reinforcements are available as standard elements with two or three double-headed anchors per strip. The anchors are 125 to 585 mm long and 10 to 25 mm in diameter. Special solutions are available on request.



Products	H	B	D		W
JDA25245-0002	249 mm	75 mm	25 mm	2 Stk	3,133 kg
JDA25255-0002	259 mm	75 mm	25 mm	2 Stk	3,223 kg
JDA25265-0002	269 mm	75 mm	25 mm	2 Stk	3,316 kg
JDA25275-0002	279 mm	75 mm	25 mm	2 Stk	3,406 kg
JDA25285-0002	289 mm	75 mm	25 mm	2 Stk	3,498 kg
JDA25295-0002	299 mm	75 mm	25 mm	2 Stk	3,589 kg
JDA25305-0002	309 mm	75 mm	25 mm	2 Stk	3,681 kg
JDA25315-0002	319 mm	75 mm	25 mm	2 Stk	3,772 kg
JDA25325-0002	329 mm	75 mm	25 mm	2 Stk	3,864 kg
JDA25335-0002	339 mm	75 mm	25 mm	2 Stk	3,954 kg
JDA25345-0002	349 mm	75 mm	25 mm	2 Stk	4,047 kg
JDA25355-0002	359 mm	75 mm	25 mm	2 Stk	4,137 kg
JDA25365-0002	369 mm	75 mm	25 mm	2 Stk	4,230 kg
JDA25375-0002	379 mm	75 mm	25 mm	2 Stk	4,320 kg
JDA25385-0002	389 mm	75 mm	25 mm	2 Stk	4,412 kg
JDA25395-0002	399 mm	75 mm	25 mm	2 Stk	4,503 kg
JDA25405-0002	409 mm	75 mm	25 mm	2 Stk	4,595 kg
JDA25415-0002	419 mm	75 mm	25 mm	2 Stk	4,686 kg
JDA25425-0002	429 mm	75 mm	25 mm	2 Stk	4,778 kg
JDA25435-0002	439 mm	75 mm	25 mm	2 Stk	4,868 kg



PRODUCT INFORMATION

Products	H	B	D		W
JDA25445-0002	449 mm	75 mm	25 mm	2 Stk	4,961 kg
JDA25455-0002	459 mm	75 mm	25 mm	2 Stk	5,051 kg
JDA25465-0002	469 mm	75 mm	25 mm	2 Stk	5,144 kg
JDA25475-0002	479 mm	75 mm	25 mm	2 Stk	5,234 kg
JDA25485-0002	489 mm	75 mm	25 mm	2 Stk	5,326 kg
JDA25495-0002	499 mm	75 mm	25 mm	2 Stk	5,417 kg
JDA25505-0002	509 mm	75 mm	25 mm	2 Stk	5,509 kg
JDA25515-0002	519 mm	75 mm	25 mm	2 Stk	5,600 kg
JDA25525-0002	529 mm	75 mm	25 mm	2 Stk	5,692 kg
JDA25535-0002	539 mm	75 mm	25 mm	2 Stk	5,782 kg
JDA25545-0002	549 mm	75 mm	25 mm	2 Stk	5,875 kg
JDA25555-0002	559 mm	75 mm	25 mm	2 Stk	5,965 kg
JDA25565-0002	569 mm	75 mm	25 mm	2 Stk	6,058 kg
JDA25575-0002	579 mm	75 mm	25 mm	2 Stk	6,148 kg
JDA25585-0002	589 mm	75 mm	25 mm	2 Stk	6,240 kg
JDA25595-0002	599 mm	75 mm	25 mm	2 Stk	6,331 kg
JDA25605-0002	609 mm	75 mm	25 mm	2 Stk	6,423 kg
JDA25615-0002	619 mm	75 mm	25 mm	2 Stk	6,514 kg
JDA25625-0002	629 mm	75 mm	25 mm	2 Stk	6,606 kg
JDA25635-0002	639 mm	75 mm	25 mm	2 Stk	6,696 kg
JDA25645-0002	649 mm	75 mm	25 mm	2 Stk	6,789 kg
JDA25655-0002	659 mm	75 mm	25 mm	2 Stk	6,879 kg
JDA25665-0002	669 mm	75 mm	25 mm	2 Stk	6,972 kg
JDA25675-0002	679 mm	75 mm	25 mm	2 Stk	7,062 kg
JDA25685-0002	689 mm	75 mm	25 mm	2 Stk	7,154 kg
JDA25695-0002	699 mm	75 mm	25 mm	2 Stk	7,245 kg

Products	H	B	D		W
JDA25245-0003	249 mm	75 mm	25 mm	3 Stk	6,292 kg
JDA25255-0003	259 mm	75 mm	25 mm	3 Stk	4,835 kg
JDA25265-0003	269 mm	75 mm	25 mm	3 Stk	4,973 kg

Page 2



PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Products	H	B	D		W
JDA25275-0003	279 mm	75 mm	25 mm	3 Stk	5,109 kg
JDA25285-0003	289 mm	75 mm	25 mm	3 Stk	5,248 kg
JDA25295-0003	299 mm	75 mm	25 mm	3 Stk	5,383 kg
JDA25305-0003	309 mm	75 mm	25 mm	3 Stk	5,522 kg
JDA25315-0003	319 mm	75 mm	25 mm	3 Stk	5,657 kg
JDA25325-0003	329 mm	75 mm	25 mm	3 Stk	5,796 kg
JDA25335-0003	339 mm	75 mm	25 mm	3 Stk	5,932 kg
JDA25345-0003	349 mm	75 mm	25 mm	3 Stk	6,070 kg
JDA25355-0003	359 mm	75 mm	25 mm	3 Stk	6,206 kg
JDA25365-0003	369 mm	75 mm	25 mm	3 Stk	6,344 kg
JDA25375-0003	379 mm	75 mm	25 mm	3 Stk	6,480 kg
JDA25385-0003	389 mm	75 mm	25 mm	3 Stk	6,619 kg
JDA25395-0003	399 mm	75 mm	25 mm	3 Stk	6,754 kg
JDA25405-0003	409 mm	75 mm	25 mm	3 Stk	6,893 kg
JDA25415-0003	419 mm	75 mm	25 mm	3 Stk	7,028 kg
JDA25425-0003	429 mm	75 mm	25 mm	3 Stk	7,167 kg
JDA25435-0003	439 mm	75 mm	25 mm	3 Stk	7,303 kg
JDA25445-0003	449 mm	75 mm	25 mm	3 Stk	7,441 kg
JDA25455-0003	459 mm	75 mm	25 mm	3 Stk	7,577 kg
JDA25465-0003	469 mm	75 mm	25 mm	3 Stk	7,715 kg
JDA25475-0003	479 mm	75 mm	25 mm	3 Stk	7,851 kg
JDA25485-0003	489 mm	75 mm	25 mm	3 Stk	7,990 kg
JDA25495-0003	499 mm	75 mm	25 mm	3 Stk	8,125 kg
JDA25505-0003	509 mm	75 mm	25 mm	3 Stk	8,264 kg
JDA25515-0003	519 mm	75 mm	25 mm	3 Stk	8,399 kg
JDA25525-0003	529 mm	75 mm	25 mm	3 Stk	8,538 kg
JDA25535-0003	539 mm	75 mm	25 mm	3 Stk	8,674 kg
JDA25545-0003	549 mm	75 mm	25 mm	3 Stk	8,812 kg
JDA25555-0003	559 mm	75 mm	25 mm	3 Stk	8,948 kg
JDA25565-0003	569 mm	75 mm	25 mm	3 Stk	9,086 kg
JDA25575-0003	579 mm	75 mm	25 mm	3 Stk	9,222 kg
JDA25585-0003	589 mm	75 mm	25 mm	3 Stk	9,361 kg
JDA25595-0003	599 mm	75 mm	25 mm	3 Stk	9,496 kg
JDA25605-0003	609 mm	75 mm	25 mm	3 Stk	9,635 kg

Page 3



PRODUCT INFORMATION

Products	H	B	D		W
JDA25615-0003	619 mm	75 mm	25 mm	3 Stk	9,770 kg
JDA25625-0003	629 mm	75 mm	25 mm	3 Stk	9,909 kg
JDA25635-0003	639 mm	75 mm	25 mm	3 Stk	10,045 kg
JDA25645-0003	649 mm	75 mm	25 mm	3 Stk	10,183 kg
JDA25655-0003	659 mm	75 mm	25 mm	3 Stk	10,319 kg
JDA25665-0003	669 mm	75 mm	25 mm	3 Stk	10,457 kg
JDA25675-0003	679 mm	75 mm	25 mm	3 Stk	10,593 kg
JDA25685-0003	689 mm	75 mm	25 mm	3 Stk	10,732 kg
JDA25695-0003	699 mm	75 mm	25 mm	3 Stk	10,867 kg

Products	H	B	D		W
JDA25245-0004	249 mm	75 mm	25 mm	4 Stk	6,266 kg
JDA25255-0004	259 mm	75 mm	25 mm	4 Stk	6,446 kg
JDA25265-0004	269 mm	75 mm	25 mm	4 Stk	6,631 kg
JDA25275-0004	279 mm	75 mm	25 mm	4 Stk	6,812 kg
JDA25285-0004	289 mm	75 mm	25 mm	4 Stk	6,997 kg
JDA25295-0004	299 mm	75 mm	25 mm	4 Stk	7,178 kg
JDA25305-0004	309 mm	75 mm	25 mm	4 Stk	7,362 kg
JDA25315-0004	319 mm	75 mm	25 mm	4 Stk	7,543 kg
JDA25325-0004	329 mm	75 mm	25 mm	4 Stk	7,728 kg
JDA25335-0004	339 mm	75 mm	25 mm	4 Stk	7,909 kg
JDA25345-0004	349 mm	75 mm	25 mm	4 Stk	8,094 kg
JDA25355-0004	359 mm	75 mm	25 mm	4 Stk	8,274 kg
JDA25365-0004	369 mm	75 mm	25 mm	4 Stk	8,459 kg
JDA25375-0004	379 mm	75 mm	25 mm	4 Stk	8,640 kg
JDA25385-0004	389 mm	75 mm	25 mm	4 Stk	8,825 kg
JDA25395-0004	399 mm	75 mm	25 mm	4 Stk	9,006 kg
JDA25405-0004	409 mm	75 mm	25 mm	4 Stk	9,190 kg
JDA25415-0004	419 mm	75 mm	25 mm	4 Stk	9,371 kg
JDA25425-0004	429 mm	75 mm	25 mm	4 Stk	9,556 kg
JDA25435-0004	439 mm	75 mm	25 mm	4 Stk	9,737 kg

Page 4



PohlCon GmbH
 Nobelstraße 51 | 12057 Berlin
 Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Products	H	B	D		W
JDA25445-0004	449 mm	75 mm	25 mm	4 Stk	9,922 kg
JDA25455-0004	459 mm	75 mm	25 mm	4 Stk	10,102 kg
JDA25465-0004	469 mm	75 mm	25 mm	4 Stk	10,287 kg
JDA25475-0004	479 mm	75 mm	25 mm	4 Stk	10,468 kg
JDA25485-0004	489 mm	75 mm	25 mm	4 Stk	10,653 kg
JDA25495-0004	499 mm	75 mm	25 mm	4 Stk	10,834 kg
JDA25505-0004	509 mm	75 mm	25 mm	4 Stk	11,018 kg
JDA25515-0004	519 mm	75 mm	25 mm	4 Stk	11,199 kg
JDA25525-0004	529 mm	75 mm	25 mm	4 Stk	11,384 kg
JDA25535-0004	539 mm	75 mm	25 mm	4 Stk	11,565 kg
JDA25545-0004	549 mm	75 mm	25 mm	4 Stk	11,750 kg
JDA25555-0004	559 mm	75 mm	25 mm	4 Stk	11,930 kg
JDA25565-0004	569 mm	75 mm	25 mm	4 Stk	12,115 kg
JDA25575-0004	579 mm	75 mm	25 mm	4 Stk	12,296 kg
JDA25585-0004	589 mm	75 mm	25 mm	4 Stk	12,481 kg
JDA25595-0004	599 mm	75 mm	25 mm	4 Stk	12,662 kg
JDA25605-0004	609 mm	75 mm	25 mm	4 Stk	12,846 kg
JDA25615-0004	619 mm	75 mm	25 mm	4 Stk	13,027 kg
JDA25625-0004	629 mm	75 mm	25 mm	4 Stk	13,212 kg
JDA25635-0004	639 mm	75 mm	25 mm	4 Stk	13,393 kg
JDA25645-0004	649 mm	75 mm	25 mm	4 Stk	13,578 kg
JDA25655-0004	659 mm	75 mm	25 mm	4 Stk	13,758 kg
JDA25665-0004	669 mm	75 mm	25 mm	4 Stk	13,943 kg
JDA25675-0004	679 mm	75 mm	25 mm	4 Stk	14,124 kg
JDA25685-0004	689 mm	75 mm	25 mm	4 Stk	14,309 kg
JDA25695-0004	699 mm	75 mm	25 mm	4 Stk	14,490 kg

Products	H	B	D		W
JDA25245-0005	249 mm	75 mm	25 mm	5 Stk	7,832 kg
JDA25255-0005	259 mm	75 mm	25 mm	5 Stk	8,058 kg
JDA25265-0005	269 mm	75 mm	25 mm	5 Stk	8,289 kg

Page 5



PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Products	H	B	D		W
JDA25275-0005	279 mm	75 mm	25 mm	5 Stk	8,515 kg
JDA25285-0005	289 mm	75 mm	25 mm	5 Stk	8,746 kg
JDA25295-0005	299 mm	75 mm	25 mm	5 Stk	8,972 kg
JDA25305-0005	309 mm	75 mm	25 mm	5 Stk	9,203 kg
JDA25315-0005	319 mm	75 mm	25 mm	5 Stk	9,429 kg
JDA25325-0005	329 mm	75 mm	25 mm	5 Stk	9,660 kg
JDA25335-0005	339 mm	75 mm	25 mm	5 Stk	9,886 kg
JDA25345-0005	349 mm	75 mm	25 mm	5 Stk	10,117 kg
JDA25355-0005	359 mm	75 mm	25 mm	5 Stk	10,343 kg
JDA25365-0005	369 mm	75 mm	25 mm	5 Stk	10,574 kg
JDA25375-0005	379 mm	75 mm	25 mm	5 Stk	10,800 kg
JDA25385-0005	389 mm	75 mm	25 mm	5 Stk	11,031 kg
JDA25395-0005	399 mm	75 mm	25 mm	5 Stk	11,257 kg
JDA25405-0005	409 mm	75 mm	25 mm	5 Stk	11,488 kg
JDA25415-0005	419 mm	75 mm	25 mm	5 Stk	11,714 kg
JDA25425-0005	429 mm	75 mm	25 mm	5 Stk	11,945 kg
JDA25435-0005	439 mm	75 mm	25 mm	5 Stk	12,171 kg
JDA25445-0005	449 mm	75 mm	25 mm	5 Stk	12,402 kg
JDA25455-0005	459 mm	75 mm	25 mm	5 Stk	12,628 kg
JDA25465-0005	469 mm	75 mm	25 mm	5 Stk	12,859 kg
JDA25475-0005	479 mm	75 mm	25 mm	5 Stk	13,085 kg
JDA25485-0005	489 mm	75 mm	25 mm	5 Stk	13,316 kg
JDA25495-0005	499 mm	75 mm	25 mm	5 Stk	13,542 kg
JDA25505-0005	509 mm	75 mm	25 mm	5 Stk	13,773 kg
JDA25515-0005	519 mm	75 mm	25 mm	5 Stk	13,999 kg
JDA25525-0005	529 mm	75 mm	25 mm	5 Stk	14,230 kg
JDA25535-0005	539 mm	75 mm	25 mm	5 Stk	14,456 kg
JDA25545-0005	549 mm	75 mm	25 mm	5 Stk	14,687 kg
JDA25555-0005	559 mm	75 mm	25 mm	5 Stk	14,913 kg
JDA25565-0005	569 mm	75 mm	25 mm	5 Stk	15,144 kg
JDA25575-0005	579 mm	75 mm	25 mm	5 Stk	15,370 kg
JDA25585-0005	589 mm	75 mm	25 mm	5 Stk	15,601 kg
JDA25595-0005	599 mm	75 mm	25 mm	5 Stk	15,827 kg
JDA25605-0005	609 mm	75 mm	25 mm	5 Stk	16,058 kg

Page 6



PRODUCT INFORMATION

Products	H	B	D	W	
JDA25615-0005	619 mm	75 mm	25 mm	5 Stk	16,284 kg
JDA25625-0005	629 mm	75 mm	25 mm	5 Stk	16,515 kg
JDA25635-0005	639 mm	75 mm	25 mm	5 Stk	16,741 kg
JDA25645-0005	649 mm	75 mm	25 mm	5 Stk	16,972 kg
JDA25655-0005	659 mm	75 mm	25 mm	5 Stk	17,198 kg
JDA25665-0005	669 mm	75 mm	25 mm	5 Stk	17,429 kg
JDA25675-0005	679 mm	75 mm	25 mm	5 Stk	17,655 kg
JDA25685-0005	689 mm	75 mm	25 mm	5 Stk	17,886 kg
JDA25695-0005	699 mm	75 mm	25 mm	5 Stk	18,112 kg

Products	H	B	D	W	
JDA25245-0006	249 mm	75 mm	25 mm	6 Stk	9,398 kg
JDA25255-0006	259 mm	75 mm	25 mm	6 Stk	9,670 kg
JDA25265-0006	269 mm	75 mm	25 mm	6 Stk	9,947 kg
JDA25275-0006	279 mm	75 mm	25 mm	6 Stk	10,218 kg
JDA25285-0006	289 mm	75 mm	25 mm	6 Stk	10,495 kg
JDA25295-0006	299 mm	75 mm	25 mm	6 Stk	10,766 kg
JDA25305-0006	309 mm	75 mm	25 mm	6 Stk	11,044 kg
JDA25315-0006	319 mm	75 mm	25 mm	6 Stk	11,315 kg
JDA25325-0006	329 mm	75 mm	25 mm	6 Stk	11,592 kg
JDA25335-0006	339 mm	75 mm	25 mm	6 Stk	11,863 kg
JDA25345-0006	349 mm	75 mm	25 mm	6 Stk	12,140 kg
JDA25355-0006	359 mm	75 mm	25 mm	6 Stk	12,412 kg
JDA25365-0006	369 mm	75 mm	25 mm	6 Stk	12,689 kg
JDA25375-0006	379 mm	75 mm	25 mm	6 Stk	12,960 kg
JDA25385-0006	389 mm	75 mm	25 mm	6 Stk	13,237 kg
JDA25395-0006	399 mm	75 mm	25 mm	6 Stk	13,508 kg
JDA25405-0006	409 mm	75 mm	25 mm	6 Stk	13,786 kg
JDA25415-0006	419 mm	75 mm	25 mm	6 Stk	14,057 kg
JDA25425-0006	429 mm	75 mm	25 mm	6 Stk	14,334 kg
JDA25435-0006	439 mm	75 mm	25 mm	6 Stk	14,605 kg

Page 7



PRODUCT INFORMATION

Products	H	B	D	W
JDA25445-0006	449 mm	75 mm	25 mm	6 Stk 14,882 kg
JDA25455-0006	459 mm	75 mm	25 mm	6 Stk 15,154 kg
JDA25465-0006	469 mm	75 mm	25 mm	6 Stk 15,431 kg
JDA25475-0006	479 mm	75 mm	25 mm	6 Stk 15,702 kg
JDA25485-0006	489 mm	75 mm	25 mm	6 Stk 15,979 kg
JDA25495-0006	499 mm	75 mm	25 mm	6 Stk 16,250 kg
JDA25505-0006	509 mm	75 mm	25 mm	6 Stk 16,528 kg
JDA25515-0006	519 mm	75 mm	25 mm	6 Stk 16,799 kg
JDA25525-0006	529 mm	75 mm	25 mm	6 Stk 17,076 kg
JDA25535-0006	539 mm	75 mm	25 mm	6 Stk 17,347 kg
JDA25545-0006	549 mm	75 mm	25 mm	6 Stk 17,624 kg
JDA25555-0006	559 mm	75 mm	25 mm	6 Stk 17,896 kg
JDA25565-0006	569 mm	75 mm	25 mm	6 Stk 18,173 kg
JDA25575-0006	579 mm	75 mm	25 mm	6 Stk 18,444 kg
JDA25585-0006	589 mm	75 mm	25 mm	6 Stk 18,721 kg
JDA25595-0006	599 mm	75 mm	25 mm	6 Stk 18,992 kg
JDA25605-0006	609 mm	75 mm	25 mm	6 Stk 19,270 kg
JDA25615-0006	619 mm	75 mm	25 mm	6 Stk 19,541 kg
JDA25625-0006	629 mm	75 mm	25 mm	6 Stk 19,818 kg
JDA25635-0006	639 mm	75 mm	25 mm	6 Stk 20,089 kg
JDA25645-0006	649 mm	75 mm	25 mm	6 Stk 20,366 kg
JDA25655-0006	659 mm	75 mm	25 mm	6 Stk 20,638 kg
JDA25665-0006	669 mm	75 mm	25 mm	6 Stk 20,915 kg
JDA25675-0006	679 mm	75 mm	25 mm	6 Stk 21,186 kg
JDA25685-0006	689 mm	75 mm	25 mm	6 Stk 21,463 kg
JDA25695-0006	699 mm	75 mm	25 mm	6 Stk 21,734 kg

H: height
B: width
D: diameter
W: Weight per storage unit



, Z-15.1-268



, EPD-JDL-20200260-IBB1-DE

