

## JML K 38/17

Mounting channels, cold-formed, perforated

The mounting channel JML K 38/17 has environmental product declaration EPD-JDL-20200260-IBB1-DE and is made of hot-dip galvanised steel (fv), stainless steel (A4) or rolled plain steel (wb). It has a static load-bearing capacity of the normal force (NRd) of 9.8 kN. The mounting channel is available in lengths of 100 to 6000 mm and is paired with the bolts JH M10 - JH M16. The profile is 38 mm wide and 17 mm high.



## steel, batch/hot-dip galvanized

Products	L	H <sub>P</sub>	B <sub>P</sub>	A	weight
LSK3817 FV-6000	6000 mm	17 mm	38 mm	1,97 cm <sup>2</sup>	10,680 kg

## Stainless steel, according to ASTM 316 Ti / AISI 316 L, BS 320S17 / BS 316S11

Products	L	$H_P$	$B_P$	Α	weight
LSK3817 A4-6000	6000 mm	17 mm	38 mm	1,97 cm <sup>2</sup>	11,046 kg

L: length

H<sub>P</sub>: profile height
B<sub>P</sub>: profile width
A: cross section area

## **OPTIONAL ACCESSORIES**

JGM H, JMA Series 18, JMA-Q Series 18, JMA-QE Series 18, JNA Series 18, JVB-Z, JVB-ZS



, EPD-JDL-20200260-IBB1-DE







