


LAB 100

Cable ladder end plate



The cable ladder can be closed using the cable ladder end plate LAB 100. For this purpose, the cable ladder end plate is bent into a U-shape, pushed onto the cable ladder and screwed in place. The Z-shaped bent end plate can also be used to reduce the size of the cable ladder in accordance with the installation instructions. The cable ladder end plate LAB 100 has a height of 100 mm corresponding to the ladder and widths of 50 to 600 mm. Various materials and surfaces ensure that the corrosion requirements of a wide range of applications are met.

steel, continuously hot galvanized/Sendzimir process

Products	H	B	L	W
LAB 100-05S	100 mm	50 mm	273 mm	0,415 kg
incl.:				
4 x SEMS 6, 4 x FRSV 8X16				
LAB 100-10S	100 mm	100 mm	323 mm	0,485 kg
incl.:				
4 x SEMS 6, 4 x FRSV 8X16				
LAB 100-15S	100 mm	150 mm	373 mm	0,554 kg
incl.:				
4 x SEMS 6, 4 x FRSV 8X16				
LAB 100-20S	100 mm	200 mm	423 mm	0,624 kg
incl.:				
4 x SEMS 6, 4 x FRSV 8X16				
LAB 100-30S	100 mm	300 mm	523 mm	0,763 kg
incl.:				
4 x SEMS 6, 4 x FRSV 8X16				
LAB 100-40S	100 mm	400 mm	623 mm	0,902 kg
incl.:				
4 x SEMS 6, 4 x FRSV 8X16				
LAB 100-50S	100 mm	500 mm	723 mm	1,041 kg
incl.:				
4 x SEMS 6, 4 x FRSV 8X16				

Page 1



PRODUCT INFORMATION

Products	H	B	L	W
LAB 100-60S	100 mm	600 mm	823 mm	1,180 kg
incl.:				
4 × SEMS 6, 4 × FRSV 8X16				

steel, batch/hot-dip galvanized

Products	H	B	L	W
LAB 100-05F	100 mm	50 mm	273 mm	0,439 kg
incl.:				
4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-10F	100 mm	100 mm	323 mm	0,514 kg
incl.:				
4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-15F	100 mm	150 mm	373 mm	0,588 kg
incl.:				
4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-20F	100 mm	200 mm	423 mm	0,663 kg
incl.:				
4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-30F	100 mm	300 mm	523 mm	0,811 kg
incl.:				
4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-40F	100 mm	400 mm	623 mm	0,960 kg
incl.:				
4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-50F	100 mm	500 mm	723 mm	1,109 kg
incl.:				
4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-60F	100 mm	600 mm	823 mm	1,258 kg
incl.:				
4 × SEMS 6E, 4 × FRSV 8X16E				

Page 2



PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

Stainless steel, according to ASTM 304 / BS 304 S 3

Products	H	B	L	W
LAB 100-05E	100 mm	50 mm	273 mm	0,417 kg
incl.: 4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-10E	100 mm	100 mm	323 mm	0,487 kg
incl.: 4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-15E	100 mm	150 mm	373 mm	0,557 kg
incl.: 4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-20E	100 mm	200 mm	423 mm	0,627 kg
incl.: 4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-30E	100 mm	300 mm	523 mm	0,767 kg
incl.: 4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-40E	100 mm	400 mm	623 mm	0,907 kg
incl.: 4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-50E	100 mm	500 mm	723 mm	1,047 kg
incl.: 4 × SEMS 6E, 4 × FRSV 8X16E				
LAB 100-60E	100 mm	600 mm	823 mm	1,187 kg
incl.: 4 × SEMS 6E, 4 × FRSV 8X16E				

H: height
B: width
L: Length
W: Weight per storage unit

DETAIL AND APPLICATION IMAGES

Page 3



PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com



PRODUCT INFORMATION

