


RB-BS 60

Cable tray bend, height = 60 mm, maintenance of function



steel, continuously hot galvanized/Sendzimir process

Products	H	B			W
RB-BS 60-10S	60 mm	100 mm	90 °	HORIZONTAL	0,744 kg
incl.:					
4 × KLR					
RB-BS 60-20S	60 mm	200 mm	90 °	HORIZONTAL	1,021 kg
incl.:					
4 × KLR					
RB-BS 60-30S	60 mm	300 mm	90 °	HORIZONTAL	1,960 kg
incl.:					
4 × KLR					

steel, batch/hot-dip galvanized

Products	H	B			W
RB-BS 60-10F	60 mm	100 mm	90 °	HORIZONTAL	0,850 kg
incl.:					
4 × KLR E					
RB-BS 60-20F	60 mm	200 mm	90 °	HORIZONTAL	1,334 kg
incl.:					
4 × KLR E					
RB-BS 60-30F	60 mm	300 mm	90 °	HORIZONTAL	2,053 kg

Page 1




PRODUCT INFORMATION

Products	H	B	W
incl.: 4 × KLR E			

H: height
B: width
W: Weight per storage unit

DETAIL AND APPLICATION IMAGES



OPTIONAL ACCESSORIES

VB-BS





PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com

