


RB45 60

Cable tray bend, height = 60 mm



The cable tray bend RB45 60 allows the direction of cable routing to be changed horizontally by 45°. They are suitable for cable trays with sides 60 mm high and have integrated side connectors. The bend is inserted into the cable tray and bolted in place using a VB floor connector. We provide components in various materials and surface finishes to ensure that the corrosion requirements are met for all sorts of applications.

steel, continuously hot galvanized/Sendzimir process

Products	H	B			W
RB45 60-10S	60 mm	100 mm	45 °	HORIZONTAL	0,695 kg
incl.:					
2 × KLR					
RB45 60-15S	60 mm	150 mm	45 °	HORIZONTAL	0,821 kg
incl.:					
2 × KLR					
RB45 60-20S	60 mm	200 mm	45 °	HORIZONTAL	0,967 kg
incl.:					
2 × KLR					
RB45 60-30S	60 mm	300 mm	45 °	HORIZONTAL	1,393 kg
incl.:					
2 × KLR					
RB45 60-40S	60 mm	400 mm	45 °	HORIZONTAL	1,819 kg
incl.:					
2 × KLR					
RB45 60-50S	60 mm	500 mm	45 °	HORIZONTAL	2,337 kg
incl.:					
2 × KLR					
RB45 60-60S	60 mm	600 mm	45 °	HORIZONTAL	2,937 kg
incl.:					
2 × KLR					

Page 1



PRODUCT INFORMATION

steel, batch/hot-dip galvanized

Products	H	B			W
RB45 60-10F	60 mm	100 mm	45 °	HORIZONTAL	0,746 kg
incl.: 2 × KLR E					
RB45 60-20F	60 mm	200 mm	45 °	HORIZONTAL	1,037 kg
incl.: 2 × KLR E					
RB45 60-30F	60 mm	300 mm	45 °	HORIZONTAL	1,483 kg
incl.: 2 × KLR E					
RB45 60-40F	60 mm	400 mm	45 °	HORIZONTAL	1,948 kg
incl.: 2 × KLR E					
RB45 60-50F	60 mm	500 mm	45 °	HORIZONTAL	2,503 kg
incl.: 2 × KLR E					
RB45 60-60F	60 mm	600 mm	45 °	HORIZONTAL	3,145 kg
incl.: 2 × KLR E					

Stainless steel, according to ASTM 304 / BS 304 S 3

Products	H	B			W
RB45 60-10E	60 mm	100 mm	45 °	HORIZONTAL	0,686 kg
incl.: 2 × KLR E					
RB45 60-20E	60 mm	200 mm	45 °	HORIZONTAL	0,970 kg
incl.: 2 × KLR E					
RB45 60-30E	60 mm	300 mm	45 °	HORIZONTAL	1,423 kg
incl.: 2 × KLR E					
RB45 60-40E	60 mm	400 mm	45 °	HORIZONTAL	1,868 kg

Page 2



PohlCon GmbH
Nobelstraße 51 | 12057 Berlin
Telefon: +49 30 68283-04 | Fax: +49 30 68283-383 | contact@pohlcon.com




PRODUCT INFORMATION

Products	H	B			W
incl.: 2 × KLR E					
RB45 60-50E	60 mm	500 mm	45 °	HORIZONTAL	2,398 kg
incl.: 2 × KLR E					
RB45 60-60E	60 mm	600 mm	45 °	HORIZONTAL	3,010 kg
incl.: 2 × KLR E					

H: height
B: width
W: Weight per storage unit

DETAIL AND APPLICATION IMAGES



OPTIONAL ACCESSORIES

RB45, RBDR45, VB, RTRV 60

