


RK 85

Cable tray crossing, height = 85 mm

The cable tray crossing RK 85 enables the connection of four cable trays to allow the direction of cable routing to be changed horizontally. It has integrated side connectors and is pushed into the cable tray along with VB floor connectors and bolted in place. The cable tray crossing RK 85 is suitable for cable trays with sides 85 mm high. We provide components in various materials and surface finishes to ensure that the corrosion requirements are met for all sorts of applications.



steel, continuously hot galvanized/Sendzimir process

Products	H	B	weight
RK 85-10S	85 mm	100 mm	1,895 kg
incl.:			
8 × KLR			
RK 85-20S	85 mm	200 mm	2,414 kg
incl.:			
8 × KLR			
RK 85-30S	85 mm	300 mm	3,128 kg
incl.:			
8 × KLR			
RK 85-40S	85 mm	400 mm	4,039 kg
incl.:			
8 × KLR			
RK 85-50S	85 mm	500 mm	5,145 kg
incl.:			
8 × KLR			
RK 85-60S	85 mm	600 mm	6,448 kg
incl.:			
8 × KLR			



PRODUCT INFORMATION


steel, batch/hot-dip galvanized

Products	H	B	weight
RK 85-10F	85 mm	100 mm	2,036 kg
incl.: 8 × KLR E			
RK 85-20F	85 mm	200 mm	2,591 kg
incl.: 8 × KLR E			
RK 85-30F	85 mm	300 mm	3,355 kg
incl.: 8 × KLR E			
RK 85-40F	85 mm	400 mm	4,330 kg
incl.: 8 × KLR E			
RK 85-50F	85 mm	500 mm	5,513 kg
incl.: 8 × KLR E			
RK 85-60F	85 mm	600 mm	6,908 kg
incl.: 8 × KLR E			

H: height
B: width

DETAIL AND APPLICATION IMAGES





OPTIONAL ACCESSORIES

RKD, RKDR, VB, RTRV 85

