

RR 35

Cable tray reducer, height = 35 mm

The cable tray reducer RR 35 with integrated side connectors enables the width of the cable tray to be reduced. It is available in three different designs: It can narrow towards the centre or on the left or right side. Specify the desired design (left, centre, right) and width when ordering. The entrance width is always reduced by 100 mm. The cable tray reducer has a standard length of 500 mm and is suitable for cable trays with sides 35 mm high. We provide components in various materials and surface finishes to ensure that the corrosion requirements are met for all sorts of applications.

steel, continously hot galvanized/Sendzimir process

Products	H	B	B2	L	weight
RR 35-20S	35 mm	200 mm	100 mm	500 mm	1,248 kg
incl.:					
2 × KLR					
RR 35-30S	35 mm	300 mm	200 mm	500 mm	1,638 kg
incl.:					
2 × KLR					

steel, batch/hot-dip galvanized

Products	H	B	B2	L	weight
RR 35-20F	35 mm	200 mm	100 mm	500 mm	1,372 kg
incl.:					
2 × KLR E					
RR 35-30F	35 mm	300 mm	200 mm	500 mm	1,802 kg
incl.:					
2 × KLR E					


H: height
B: width
B2: width



PRODUCT INFORMATION

L: length

DETAIL AND APPLICATION IMAGES



OPTIONAL ACCESSORIES

RRD, RRDR, VB, RTRV 35

