

## RVB 35

Cable tray vertical bend, height = 35 mm

The cable tray vertical bend RVB 35 allows the direction of cable routing to be changed flexibly and vertically. It is inserted into the cable tray along with a REB cable tray end plate and bolted to the bottom and sides. The vertical bend RVB 35 is suitable for cable trays with sides 35 mm high. We provide components in various materials and surface finishes to ensure that the corrosion requirements are met for all sorts of applications.

steel, continuously hot galvanized/Sendzimir process

Products	H	B	R		W
RVB 35-10S	35 mm	100 mm	280 mm	STEIGEND-FALLEND	1,108 kg
incl.:					
2 × KLR					
RVB 35-20S	35 mm	200 mm	280 mm	STEIGEND-FALLEND	1,458 kg
incl.:					
2 × KLR					
RVB 35-30S	35 mm	300 mm	280 mm	STEIGEND-FALLEND	1,808 kg
incl.:					
2 × KLR					

steel, batch/hot-dip galvanized

Products	H	B	R		W
RVB 35-10F	35 mm	100 mm	280 mm	STEIGEND-FALLEND	1,342 kg
incl.:					
2 × KLR E					
RVB 35-20F	35 mm	200 mm	280 mm	STEIGEND-FALLEND	1,722 kg
incl.:					
2 × KLR E					
RVB 35-30F	35 mm	300 mm	280 mm	STEIGEND-FALLEND	2,092 kg

Page 1



# PRODUCT INFORMATION


---

Products	H	B	R	W
incl.: 2 × KLR E				

---

**H:** height  
**B:** width  
**R:** radius  
**W:** Weight per storage unit

## DETAIL AND APPLICATION IMAGES



## OPTIONAL ACCESSORIES

REB

