


SLB

Ship cable ladder bend, height = 30 mm



The ship cable ladder bend SLB allows the direction of cable routing to be changed horizontally by 90°. It is suitable for ship cable ladders with rails 30 mm high and is 75 to 500 mm wide. The bend is mounted on the cable ladders using SLV connectors (please order separately). We provide components in various materials and surface finishes to ensure that a wide range of corrosion requirements are met and that additional protective measures can be taken.

coated

Products	H	B	R			weight
SLB 075M	30 mm	75 mm	100 mm	90 °	HORIZONTAL	1,450 kg
SLB 100M	30 mm	100 mm	100 mm	90 °	HORIZONTAL	1,600 kg
SLB 150M	30 mm	150 mm	100 mm	90 °	HORIZONTAL	1,900 kg
SLB 200M	30 mm	200 mm	100 mm	90 °	HORIZONTAL	2,200 kg
SLB 250M	30 mm	250 mm	100 mm	90 °	HORIZONTAL	2,520 kg
SLB 300M	30 mm	300 mm	150 mm	90 °	HORIZONTAL	3,450 kg
SLB 400M	30 mm	400 mm	150 mm	90 °	HORIZONTAL	4,200 kg
SLB 500M	30 mm	500 mm	200 mm	90 °	HORIZONTAL	5,900 kg

steel, bright rolled

Products	H	B	R			weight
SLB 075B	30 mm	75 mm	100 mm	90 °	HORIZONTAL	1,450 kg
SLB 100B	30 mm	100 mm	100 mm	90 °	HORIZONTAL	1,600 kg
SLB 150B	30 mm	150 mm	100 mm	90 °	HORIZONTAL	1,900 kg
SLB 200B	30 mm	200 mm	100 mm	90 °	HORIZONTAL	2,200 kg
SLB 250B	30 mm	250 mm	100 mm	90 °	HORIZONTAL	2,520 kg
SLB 300B	30 mm	300 mm	150 mm	90 °	HORIZONTAL	3,450 kg
SLB 400B	30 mm	400 mm	150 mm	90 °	HORIZONTAL	4,200 kg
SLB 500B	30 mm	500 mm	200 mm	90 °	HORIZONTAL	5,900 kg



OPTIONAL ACCESSORIES

SLW, SLV, SLVV

