


UEBDSM VP WD

Stainless steel heavy-duty tube cover unit, 3x, angular, flat



UEBDSM VP WD components are square heavy-duty tube cover units. They consist of a heavy-duty tube outlet cartridge with bolted tube mounting kit and rubber seal and are suitable for mounting in floor sockets in wet-cleaned rooms with high traffic loads. Placed on levelling units, they can accommodate max. 3 mounting boxes with installation devices. The units are made of stainless steel V2A. They have a flat, blasted surface with a slip resistance class of R9, an IP protection rating of IP 54 in an unused condition, an IP protection rating of when used and a max. load capacity of 20 kN. UEBDSM VP WD have a min. installation height of 85 mm and installation dimensions of 261 x 261 mm.



Products	H	H _{min}	E	P _{max}	IP _n	T	mounting box	W
UEBDSM 15-VP8-WD	19 mm	85 mm	261 x 261 mm	20,00 kN	IP-54	0 mm	3	6,719 kg
incl.:								
1 x UGD3-V 2, 1 x UKS M4X16E								

H: height

H_{min}: minimum installation height

E: fitting dimension

P_{max}: maximum load

IP_n: IP protection level in unused condition

T: Depth of flooring recess



mounting box: maximum number of installable device casings

W: Weight per storage unit

DETAIL AND APPLICATION IMAGES



PRODUCT INFORMATION



wet maintained



Load requirements according to, DIN EN 50085

