

WPRF 150

Wide-span cable tray riser, height = 150 mm

The wide-span cable tray riser WPRF 150 with integrated connectors allows the direction of cable routing to be changed vertically by 90° downwards. It is suitable for wide-span cable trays with rails 150 mm high and is 200 to 600 mm wide. The riser is pushed into the wide-span cable tray and then bolted in place. The connecting cable tray is then mounted on the riser. It has a radius of 470 mm.

steel, batch/hot-dip galvanized

Products	H	B	L	R			W
WPRF 150-20F	150 mm	200 mm	510 mm	470 mm	90 °	VERTIKAL-FALLEND	11,240 kg
incl.:							
8 × FRSV 10X20F, 8 × SEM 10F, 8 × US 10X21F							
WPRF 150-30F	150 mm	300 mm	510 mm	470 mm	90 °	VERTIKAL-FALLEND	11,880 kg
incl.:							
8 × FRSV 10X20F, 8 × SEM 10F, 8 × US 10X21F							
WPRF 150-40F	150 mm	400 mm	510 mm	470 mm	90 °	VERTIKAL-FALLEND	12,540 kg
incl.:							
8 × FRSV 10X20F, 8 × SEM 10F, 8 × US 10X21F							
WPRF 150-50F	150 mm	500 mm	510 mm	470 mm	90 °	VERTIKAL-FALLEND	13,210 kg
incl.:							
8 × FRSV 10X20F, 8 × SEM 10F, 8 × US 10X21F							
WPRF 150-60F	150 mm	600 mm	510 mm	470 mm	90 °	VERTIKAL-FALLEND	13,870 kg
incl.:							
8 × FRSV 10X20F, 8 × SEM 10F, 8 × US 10X21F							

Stainless steel, according to ASTM 304 / BS 304 S 3

Products	H	B	L	R			W
WPRF 150-20E	150 mm	200 mm	510 mm	470 mm	90 °	VERTIKAL-FALLEND	10,574 kg

Page 1




PRODUCT INFORMATION

Products	H	B	L	R			W
incl.: 8 × FRSV 10X20E, 8 × SEMS 10E							
WPRF 150-30E	150 mm	300 mm	510 mm	470 mm	90 °	VERTIKAL-FALLEND	11,174 kg
incl.: 8 × FRSV 10X20E, 8 × SEMS 10E							
WPRF 150-40E	150 mm	400 mm	510 mm	470 mm	90 °	VERTIKAL-FALLEND	11,784 kg
incl.: 8 × FRSV 10X20E, 8 × SEMS 10E							
WPRF 150-50E	150 mm	500 mm	510 mm	470 mm	90 °	VERTIKAL-FALLEND	12,424 kg
incl.: 8 × FRSV 10X20E, 8 × SEMS 10E							
WPRF 150-60E	150 mm	600 mm	510 mm	470 mm	90 °	VERTIKAL-FALLEND	13,044 kg
incl.: 8 × FRSV 10X20E, 8 × SEMS 10E							

H: height
B: width
L: length
R: radius
W: Weight per storage unit

DETAIL AND APPLICATION IMAGES



Page 2



OPTIONAL ACCESSORIES

WPFD

