


BKGL 100

floor duct with mitre cut, left, height = 100 mm

From a width \geq 300 mm, one separating strip must be installed. From a width of \geq 500 mm, two separating strips must be installed.



Continuously hot galvanized (Sendzimir process) (DIN EN 10346)


| Product | H | B | t | G |
|----------------|---|--------|---------|---------|
| BKGL 100-10S | 100 mm | 100 mm | 2,00 mm | 2,79 kg |
| incl.: | | | | |
| 8x KLR | clamp fastening set | | | |
| 2x BKV 100S | floor duct connector, height = 95 mm | | | |
| 1x BKV45 100S | floor duct connector 45°, height = 95 mm | | | |
| 1x BKV135 100S | floor duct connector 135°, height = 95 mm | | | |
| BKGL 100-15S | 100 mm | 150 mm | 2,00 mm | 3,15 kg |
| incl.: | | | | |
| 8x KLR | clamp fastening set | | | |
| 2x BKV 100S | floor duct connector, height = 95 mm | | | |
| 1x BKV45 100S | floor duct connector 45°, height = 95 mm | | | |
| 1x BKV135 100S | floor duct connector 135°, height = 95 mm | | | |
| BKGL 100-20S | 100 mm | 200 mm | 2,00 mm | 3,56 kg |
| incl.: | | | | |
| 8x KLR | clamp fastening set | | | |
| 2x BKV 100S | floor duct connector, height = 95 mm | | | |
| 1x BKV45 100S | floor duct connector 45°, height = 95 mm | | | |
| 1x BKV135 100S | floor duct connector 135°, height = 95 mm | | | |
| BKGL 100-30S | 100 mm | 300 mm | 2,00 mm | 4,39 kg |
| incl.: | | | | |
| 8x KLR | clamp fastening set | | | |
| 2x BKV 100S | floor duct connector, height = 95 mm | | | |
| 1x BKV45 100S | floor duct connector 45°, height = 95 mm | | | |
| 1x BKV135 100S | floor duct connector 135°, height = 95 mm | | | |
| BKGL 100-40S | 100 mm | 400 mm | 2,00 mm | 5,57 kg |



| Product | H | B | t | G |
|----------------|--------|---|---------|---------|
| incl.: | | | | |
| 8x KLR | | clamp fastening set | | |
| 2x BKV 100S | | floor duct connector, height = 95 mm | | |
| 1x BKV45 100S | | floor duct connector 45°, height = 95 mm | | |
| 1x BKV135 100S | | floor duct connector 135°, height = 95 mm | | |
| BKGL 100-50S | 100 mm | 500 mm | 2,00 mm | 6,84 kg |
| incl.: | | | | |
| 8x KLR | | clamp fastening set | | |
| 2x BKV 100S | | floor duct connector, height = 95 mm | | |
| 1x BKV45 100S | | floor duct connector 45°, height = 95 mm | | |
| 1x BKV135 100S | | floor duct connector 135°, height = 95 mm | | |
| BKGL 100-60S | 100 mm | 600 mm | 2,00 mm | 8,19 kg |
| incl.: | | | | |
| 8x KLR | | clamp fastening set | | |
| 2x BKV 100S | | floor duct connector, height = 95 mm | | |
| 1x BKV45 100S | | floor duct connector 45°, height = 95 mm | | |
| 1x BKV135 100S | | floor duct connector 135°, height = 95 mm | | |

H: height
B: width
t: material thickness
G: weight

DETAILS / APPLICATIONS



OPTIONAL ACCESSORIES

BKGLDR, BKGLDR-RHP, BKGLDR-WZB AL, BKRTV 100, BKDS 100

