


## RB45 110

cable tray bend, height = 110 mm

cable tray bend 45°, for horizontal change of direction, with integrated connectors

This article is available made in material No. 1.4571/1.4404 (V4A) stainless steel finish.



Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

| Product                              | H      | B      | G       |
|--------------------------------------|--------|--------|---------|
| RB45 110-10S                         | 110 mm | 100 mm | 1,37 kg |
| incl.:<br>4x KLR clamp fastening set |        |        |         |
| RB45 110-20S                         | 110 mm | 200 mm | 1,58 kg |
| incl.:<br>4x KLR clamp fastening set |        |        |         |
| RB45 110-30S                         | 110 mm | 300 mm | 2,26 kg |
| incl.:<br>4x KLR clamp fastening set |        |        |         |
| RB45 110-40S                         | 110 mm | 400 mm | 2,74 kg |
| incl.:<br>4x KLR clamp fastening set |        |        |         |
| RB45 110-50S                         | 110 mm | 500 mm | 3,32 kg |
| incl.:<br>4x KLR clamp fastening set |        |        |         |
| RB45 110-60S                         | 110 mm | 600 mm | 3,96 kg |
| incl.:<br>4x KLR clamp fastening set |        |        |         |


Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)



| Product                                | H      | B      | G       |
|--|--------|--------|---------|
| RB45 110-10F                           | 110 mm | 100 mm | 1,47 kg |
| incl.:<br>4x KLR E clamp fastening set |        |        |         |
| RB45 110-20F                           | 110 mm | 200 mm | 1,92 kg |
| incl.:<br>4x KLR E clamp fastening set |        |        |         |
| RB45 110-30F                           | 110 mm | 300 mm | 2,44 kg |
| incl.:<br>4x KLR E clamp fastening set |        |        |         |
| RB45 110-40F                           | 110 mm | 400 mm | 2,94 kg |
| incl.:<br>4x KLR E clamp fastening set |        |        |         |
| RB45 110-50F                           | 110 mm | 500 mm | 3,56 kg |
| incl.:<br>4x KLR E clamp fastening set |        |        |         |
| RB45 110-60F                           | 110 mm | 600 mm | 4,24 kg |
| incl.:<br>4x KLR E clamp fastening set |        |        |         |

**H:** height  
**B:** width  
**G:** weight

## DETAILS / APPLICATIONS



## OPTIONAL ACCESSORIES

VB, RBD45, RBDR45, RTRV 110



UL classified

