


RB45 60

cable tray bend, height = 60 mm

cable tray bend 45°, for horizontal change of direction, with integrated connectors

This article is available made in material No. 1.4571/1.4404 (V4A) stainless steel finish.



Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	G
RB45 60-10S	60 mm	100 mm	0,72 kg
incl.: 2x KLR	clamp fastening set		
RB45 60-20S	60 mm	200 mm	1,00 kg
incl.: 2x KLR	clamp fastening set		
RB45 60-30S	60 mm	300 mm	1,34 kg
incl.: 2x KLR	clamp fastening set		
RB45 60-40S	60 mm	400 mm	1,85 kg
incl.: 2x KLR	clamp fastening set		
RB45 60-50S	60 mm	500 mm	2,39 kg
incl.: 2x KLR	clamp fastening set		
RB45 60-60S	60 mm	600 mm	3,00 kg
incl.: 2x KLR	clamp fastening set		

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)



Product	H	B	G
RB45 60-10F	60 mm	100 mm	0,77 kg
incl.: 2x KLR E	clamp fastening set		
RB45 60-20F	60 mm	200 mm	1,07 kg
incl.: 2x KLR E	clamp fastening set		
RB45 60-30F	60 mm	300 mm	1,44 kg
incl.: 2x KLR E	clamp fastening set		
RB45 60-40F	60 mm	400 mm	1,98 kg
incl.: 2x KLR E	clamp fastening set		
RB45 60-50F	60 mm	500 mm	2,56 kg
incl.: 2x KLR E	clamp fastening set		
RB45 60-60F	60 mm	600 mm	3,21 kg
incl.: 2x KLR E	clamp fastening set		

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	G
RB45 60-10E	60 mm	100 mm	0,69 kg
incl.: 2x KLR E	clamp fastening set		
RB45 60-20E	60 mm	200 mm	0,97 kg
incl.: 2x KLR E	clamp fastening set		
RB45 60-30E	60 mm	300 mm	1,42 kg
incl.: 2x KLR E	clamp fastening set		
RB45 60-40E	60 mm	400 mm	1,87 kg
incl.: 2x KLR E	clamp fastening set		
RB45 60-50E	60 mm	500 mm	2,40 kg


Page 2



Product	H	B	G
incl.: 2x KLR E			
	clamp fastening set		
RB45 60-60E	60 mm	600 mm	3,01 kg
incl.: 2x KLR E			
	clamp fastening set		

H: height
B: width
G: weight

DETAILS / APPLICATIONS



OPTIONAL ACCESSORIES

VB, RBD45, RBDR45, RTRV 60



UL classified

