



RKAB

drop-out plate

Drop-out plate for cable trays.

Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	L	R	t	G
RKAB 05S	129 mm	40 mm	110 mm	100 mm	1,5 mm	0,10 kg
incl.:						
1x FRSV 6X12	round-head screw with short square, DIN 603					
1x SEMS 6	hexagon-nut with flange, DIN EN 1661					
RKAB 10S	129 mm	90 mm	110 mm	100 mm	1,5 mm	0,22 kg
incl.:						
1x FRSV 6X12	round-head screw with short square, DIN 603					
1x SEMS 6	hexagon-nut with flange, DIN EN 1661					
RKAB 15S	129 mm	140 mm	110 mm	100 mm	1,5 mm	0,35 kg
incl.:						
1x FRSV 6X12	round-head screw with short square, DIN 603					
1x SEMS 6	hexagon-nut with flange, DIN EN 1661					
RKAB 20S	129 mm	190 mm	110 mm	100 mm	1,5 mm	0,46 kg
incl.:						
2x FRSV 6X12	round-head screw with short square, DIN 603					
2x SEMS 6	hexagon-nut with flange, DIN EN 1661					
RKAB 30S	129 mm	290 mm	110 mm	100 mm	1,5 mm	0,69 kg
incl.:						
2x FRSV 6X12	round-head screw with short square, DIN 603					
2x SEMS 6	hexagon-nut with flange, DIN EN 1661					
RKAB 40S	129 mm	390 mm	110 mm	100 mm	1,5 mm	0,93 kg
incl.:						
2x FRSV 6X12	round-head screw with short square, DIN 603					
2x SEMS 6	hexagon-nut with flange, DIN EN 1661					

Page 1



Product	H	B	L	R	t	G
RKAB 50S	129 mm	490 mm	110 mm	100 mm	1,5 mm	1,16 kg
incl.: 3x FRSV 6X12 round-head screw with short square, DIN 603 3x SEMS 6 hexagon-nut with flange, DIN EN 1661						
RKAB 60S	129 mm	590 mm	110 mm	100 mm	1,5 mm	1,40 kg
incl.: 3x FRSV 6X12 round-head screw with short square, DIN 603 3x SEMS 6 hexagon-nut with flange, DIN EN 1661						

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	L	R	t	G
RKAB 05F	129 mm	40 mm	110 mm	100 mm	1,5 mm	0,11 kg
incl.: 1x FRSV 6X12E round-head screw with short square, DIN 603 1x SEMS 6E hexagon-nut with flange, DIN EN 1661						
RKAB 10F	129 mm	90 mm	110 mm	100 mm	1,5 mm	0,24 kg
incl.: 1x FRSV 6X12E round-head screw with short square, DIN 603 1x SEMS 6E hexagon-nut with flange, DIN EN 1661						
RKAB 15F	129 mm	140 mm	110 mm	100 mm	1,5 mm	0,37 kg
incl.: 1x FRSV 6X12E round-head screw with short square, DIN 603 1x SEMS 6E hexagon-nut with flange, DIN EN 1661						
RKAB 20F	129 mm	190 mm	110 mm	100 mm	1,5 mm	0,49 kg
incl.: 2x FRSV 6X12E round-head screw with short square, DIN 603 2x SEMS 6E hexagon-nut with flange, DIN EN 1661						
RKAB 30F	129 mm	290 mm	110 mm	100 mm	1,5 mm	0,74 kg
incl.: 2x FRSV 6X12E round-head screw with short square, DIN 603 2x SEMS 6E hexagon-nut with flange, DIN EN 1661						
RKAB 40F	129 mm	390 mm	110 mm	100 mm	1,5 mm	0,99 kg
incl.: 2x FRSV 6X12E round-head screw with short square, DIN 603 2x SEMS 6E hexagon-nut with flange, DIN EN 1661						
RKAB 50F	129 mm	490 mm	110 mm	100 mm	1,5 mm	1,25 kg



Product	H	B	L	R	t	G
incl.:						
3x FRSV 6X12E		round-head screw with short square, DIN 603				
3x SEMS 6E		hexagon-nut with flange, DIN EN 1661				
RKAB 60F	129 mm	590 mm	110 mm	100 mm	1,5 mm	1,50 kg
incl.:						
3x FRSV 6X12E		round-head screw with short square, DIN 603				
3x SEMS 6E		hexagon-nut with flange, DIN EN 1661				

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	R	t	G
RKAB 05E	129 mm	40 mm	110 mm	100 mm	1,5 mm	0,10 kg
incl.:						
1x FRSV 6X12E		round-head screw with short square, DIN 603				
1x SEMS 6E		hexagon-nut with flange, DIN EN 1661				
RKAB 10E	129 mm	90 mm	110 mm	100 mm	1,5 mm	0,23 kg
incl.:						
2x FRSV 6X12E		round-head screw with short square, DIN 603				
2x SEMS 6E		hexagon-nut with flange, DIN EN 1661				
RKAB 15E	129 mm	140 mm	110 mm	100 mm	1,5 mm	0,35 kg
incl.:						
2x FRSV 6X12E		round-head screw with short square, DIN 603				
2x SEMS 6E		hexagon-nut with flange, DIN EN 1661				
RKAB 20E	129 mm	190 mm	110 mm	100 mm	1,5 mm	0,47 kg
incl.:						
2x FRSV 6X12E		round-head screw with short square, DIN 603				
2x SEMS 6E		hexagon-nut with flange, DIN EN 1661				
RKAB 30E	129 mm	290 mm	110 mm	100 mm	1,5 mm	0,71 kg
incl.:						
2x FRSV 6X12E		round-head screw with short square, DIN 603				
2x SEMS 6E		hexagon-nut with flange, DIN EN 1661				
RKAB 40E	129 mm	390 mm	110 mm	100 mm	1,5 mm	0,94 kg
incl.:						
2x FRSV 6X12E		round-head screw with short square, DIN 603				
2x SEMS 6E		hexagon-nut with flange, DIN EN 1661				
RKAB 50E	129 mm	490 mm	110 mm	100 mm	1,5 mm	1,19 kg



