


RR 110

cable tray reducer, height = 110 mm

cable tray reducer with integrated connectors



Please quote the design (left, centred, right) and the side width with your order. The illustration with dimensioning shows the design on the left. This article is available made in material No. 1.4571/1.4404 (V4A) stainless steel finish.



Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	L	G
RR 110-20S	110 mm	200 mm	500 mm	1,9 kg
incl.: 4x KLR clamp fastening set				
RR 110-30S	110 mm	300 mm	500 mm	2,4 kg
incl.: 4x KLR clamp fastening set				
RR 110-40S	110 mm	400 mm	500 mm	2,9 kg
incl.: 4x KLR clamp fastening set				
RR 110-50S	110 mm	500 mm	500 mm	3,4 kg
incl.: 4x KLR clamp fastening set				
RR 110-60S	110 mm	600 mm	500 mm	3,9 kg
incl.: 4x KLR clamp fastening set				

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

Product	H	B	L	G
RR 110-20F	110 mm	200 mm	500 mm	2,2 kg



Product	H	B	L	G
incl.: 4x KLR E				
				clamp fastening set
RR 110-30F	110 mm	300 mm	500 mm	2,7 kg
incl.: 4x KLR E				
				clamp fastening set
RR 110-40F	110 mm	400 mm	500 mm	3,2 kg
incl.: 4x KLR E				
				clamp fastening set
RR 110-50F	110 mm	500 mm	500 mm	3,8 kg
incl.: 4x KLR E				
				clamp fastening set
RR 110-60F	110 mm	600 mm	500 mm	4,3 kg
incl.: 4x KLR E				
				clamp fastening set

Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	G
RR 110-20E	110 mm	200 mm	500 mm	2 kg
incl.: 4x KLR E				
				clamp fastening set
RR 110-30E	110 mm	300 mm	500 mm	2,5 kg
incl.: 4x KLR E				
				clamp fastening set
RR 110-40E	110 mm	400 mm	500 mm	2,8 kg
incl.: 4x KLR E				
				clamp fastening set
RR 110-50E	110 mm	500 mm	500 mm	3,4 kg
incl.: 4x KLR E				
				clamp fastening set
RR 110-60E	110 mm	600 mm	500 mm	3,8 kg
incl.: 4x KLR E				
				clamp fastening set



H: height
B: width
L: length
G: weight

OPTIONAL ACCESSORIES

VB, RRD, RRDR, RTRV 110



UL classified

