


RR 60

cable tray reducer, height = 60 mm

Cable tray reducer with integrated connectors



Please quote the design (left, centred, right) and the side width with your order. The first illustration with dimensions shows the centred design. This article is available made in material No. 1.4571/1.4404 (V4A) stainless steel finish.



Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

| Product | H | B | L | G |
|--------------------------------------|-------|--------|--------|--------|
| RR 60-20S | 60 mm | 200 mm | 500 mm | 1,4 kg |
| incl.: 2x KLR clamp fastening set | | | | |
| RR 60-30S | 60 mm | 300 mm | 500 mm | 1,8 kg |
| incl.: 2x KLR clamp fastening set | | | | |
| RR 60-40S | 60 mm | 400 mm | 500 mm | 2,2 kg |
| incl.: 2x KLR clamp fastening set | | | | |
| RR 60-50S | 60 mm | 500 mm | 500 mm | 2,6 kg |
| incl.: 2x KLR clamp fastening set | | | | |
| RR 60-60S | 60 mm | 600 mm | 500 mm | 2,9 kg |
| incl.: 2x KLR clamp fastening set | | | | |

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)

| Product | H | B | L | G |
|-----------|-------|--------|--------|--------|
| RR 60-20F | 60 mm | 200 mm | 500 mm | 1,6 kg |



| Product | H | B | L | G |
|--------------------|-------|--------|--------|---------------------|
| incl.: 2x KLR E | | | | |
| | | | | clamp fastening set |
| RR 60-30F | 60 mm | 300 mm | 500 mm | 2 kg |
| incl.: 2x KLR E | | | | |
| | | | | clamp fastening set |
| RR 60-40F | 60 mm | 400 mm | 500 mm | 2,4 kg |
| incl.: 2x KLR E | | | | |
| | | | | clamp fastening set |
| RR 60-50F | 60 mm | 500 mm | 500 mm | 2,9 kg |
| incl.: 2x KLR E | | | | |
| | | | | clamp fastening set |
| RR 60-60F | 60 mm | 600 mm | 500 mm | 3,3 kg |
| incl.: 2x KLR E | | | | |
| | | | | clamp fastening set |

Stainless steel, according to ASTM 304 / BS 304 S 3

| Product | H | B | L | G |
|--------------------|-------|--------|--------|---------------------|
| RR 60-20E | 60 mm | 200 mm | 500 mm | 1,4 kg |
| incl.: 2x KLR E | | | | |
| | | | | clamp fastening set |
| RR 60-30E | 60 mm | 300 mm | 500 mm | 1,8 kg |
| incl.: 2x KLR E | | | | |
| | | | | clamp fastening set |
| RR 60-40E | 60 mm | 400 mm | 500 mm | 2,2 kg |
| incl.: 2x KLR E | | | | |
| | | | | clamp fastening set |
| RR 60-50E | 60 mm | 500 mm | 500 mm | 2,6 kg |
| incl.: 2x KLR E | | | | |
| | | | | clamp fastening set |
| RR 60-60E | 60 mm | 600 mm | 500 mm | 3 kg |
| incl.: 2x KLR E | | | | |
| | | | | clamp fastening set |



H: height
B: width
L: length
G: weight

OPTIONAL ACCESSORIES

VB, RRD, RRDR, RTRV 60



UL classified

