



## WPRKAB

drop-out plate

Drop-out plate for wide-span cable trays.

Continuously hot galvanized (Sendzimir process) (DIN EN 10346)

Product	H	B	L	R	t	G
WPRKAB 20S	129 mm	190 mm	110 mm	100 mm	1,5 mm	0,47 kg
incl.:						
2x FRSV 6X12	round-head screw with short square, DIN 603					
2x SEMS 6	hexagon-nut with flange, DIN EN 1661					
WPRKAB 30S	129 mm	290 mm	110 mm	100 mm	1,5 mm	0,71 kg
incl.:						
2x FRSV 6X12	round-head screw with short square, DIN 603					
2x SEMS 6	hexagon-nut with flange, DIN EN 1661					
WPRKAB 40S	129 mm	390 mm	110 mm	100 mm	1,5 mm	0,95 kg
incl.:						
2x FRSV 6X12	round-head screw with short square, DIN 603					
2x SEMS 6	hexagon-nut with flange, DIN EN 1661					
WPRKAB 50S	129 mm	490 mm	110 mm	100 mm	1,5 mm	1,19 kg
incl.:						
3x FRSV 6X12	round-head screw with short square, DIN 603					
3x SEMS 6	hexagon-nut with flange, DIN EN 1661					
WPRKAB 60S	129 mm	590 mm	110 mm	100 mm	1,5 mm	1,43 kg
incl.:						
3x FRSV 6X12	round-head screw with short square, DIN 603					
3x SEMS 6	hexagon-nut with flange, DIN EN 1661					

Hot-dip galvanized, according to BS 729 (DIN EN ISO 1461)



Product	H	B	L	R	t	G
WPRKAB 20F	129 mm	190 mm	110 mm	100 mm	1,5 mm	0,37 kg
incl.: 2x FRSV 6X12E round-head screw with short square, DIN 603 2x SEMS 6E hexagon-nut with flange, DIN EN 1661						
WPRKAB 30F	129 mm	290 mm	110 mm	100 mm	1,5 mm	0,76 kg
incl.: 2x FRSV 6X12E round-head screw with short square, DIN 603 2x SEMS 6E hexagon-nut with flange, DIN EN 1661						
WPRKAB 40F	129 mm	390 mm	110 mm	100 mm	1,5 mm	1,01 kg
incl.: 2x FRSV 6X12E round-head screw with short square, DIN 603 2x SEMS 6E hexagon-nut with flange, DIN EN 1661						
WPRKAB 50F	129 mm	490 mm	110 mm	100 mm	1,5 mm	1,28 kg
incl.: 3x FRSV 6X12E round-head screw with short square, DIN 603 3x SEMS 6E hexagon-nut with flange, DIN EN 1661						
WPRKAB 60F	129 mm	590 mm	110 mm	100 mm	1,5 mm	1,53 kg
incl.: 3x FRSV 6X12E round-head screw with short square, DIN 603 3x SEMS 6E hexagon-nut with flange, DIN EN 1661						

## Stainless steel, according to ASTM 304 / BS 304 S 3

Product	H	B	L	R	t	G
WPRKAB 20E	129 mm	190 mm	110 mm	100 mm	1,5 mm	0,48 kg
incl.: 2x FRSV 6X12E round-head screw with short square, DIN 603 2x SEMS 6E hexagon-nut with flange, DIN EN 1661						
WPRKAB 30E	129 mm	290 mm	110 mm	100 mm	1,5 mm	0,72 kg
incl.: 2x FRSV 6X12E round-head screw with short square, DIN 603 2x SEMS 6E hexagon-nut with flange, DIN EN 1661						
WPRKAB 40E	129 mm	390 mm	110 mm	100 mm	1,5 mm	0,97 kg
incl.: 2x FRSV 6X12E round-head screw with short square, DIN 603 2x SEMS 6E hexagon-nut with flange, DIN EN 1661						
WPRKAB 50E	129 mm	490 mm	110 mm	100 mm	1,5 mm	1,22 kg



Product	H	B	L	R	t	G
incl.:						
3x FRSV 6X12E	round-head screw with short square, DIN 603					
3x SEMS 6E	hexagon-nut with flange, DIN EN 1661					
WPRKAB 60E	129 mm	590 mm	110 mm	100 mm	1,5 mm	1,46 kg
incl.:						
3x FRSV 6X12E	round-head screw with short square, DIN 603					
3x SEMS 6E	hexagon-nut with flange, DIN EN 1661					

**H:** height  
**B:** width  
**L:** length  
**R:** radius  
**t:** material thickness  
**G:** weight

## DETAILS / APPLICATIONS

