




Floor Ducts

Floor Ducts	276
Formed Parts	279
Covers	293
Accessories	316





Floor Ducts

BK 100

Floor duct, height = 100 mm

Article	H mm	B mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process					
BK 1-100-10S	100	100	1000	2.00	4.880
BK 1-100-15S	100	150	1000	2.00	5.647
BK 1-100-20S	100	200	1000	2.00	6.316
BK 1-100-30S	100	300	1000	2.00	7.874
BK 1-100-40S	100	400	1000	2.00	9.418
BK 1-100-50S	100	500	1000	2.00	10.962
BK 1-100-60S	100	600	1000	2.00	12.506
BK 1.5-100-10S	100	100	1500	2.00	7.325
BK 1.5-100-15S	100	150	1500	2.00	8.477
BK 1.5-100-20S	100	200	1500	2.00	9.574
BK 1.5-100-30S	100	300	1500	2.00	11.809
BK 1.5-100-40S	100	400	1500	2.00	14.126
BK 1.5-100-50S	100	500	1500	2.00	16.442
BK 1.5-100-60S	100	600	1500	2.00	18.759
BK 100-10S	100	100	3000	2.00	14.661
BK 100-15S	100	150	3000	2.00	16.864
BK 100-20S	100	200	3000	2.00	18.946
BK 100-30S	100	300	3000	2.00	23.617
BK 100-40S	100	400	3000	2.00	28.250
BK 100-50S	100	500	3000	2.00	32.883
BK 100-60S	100	600	3000	2.00	37.516



optional accessories

BKTE 100	Floor duct telescopic insert, height = 100 mm	279
BKDR	Floor duct cover with turning bolts	295
BKD-RHP	Floor duct cover with anti-slip embossing	293
BKDR-WZB AL	Floor duct cover made of aluminium diamond plate	294
BKV 100	Floor duct connector, height = 95 mm	316
BKRT 100	Floor duct divider, height = 100 mm	317
BKZ	Floor duct Z profile	319
BKEB 100	Floor duct end plate, height = 100 mm	320
BKHR	Floor duct stand-off bracket, height = 110 mm	322
BKHC	Floor duct stand-off bracket, height = 90 mm	323
KHZ	Z profile	325
BKRKK 100	Floor duct reducer, height = 95 mm	292
BKRKS 100	Floor duct reducer, height = 95 mm	292
BKMT	Multitool for floor ducts	326
KSB	Edge protection strip	98, 329
BKPA	Floor duct equipotential bonding terminal block	325



BK 110

Floor duct, height = 110 mm

Article	H	B	L	t	G
	mm	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process					
BK 1-110-10S	110	100	1000	2.00	5.194
BK 1-110-15S	110	150	1000	2.00	5.961
BK 1-110-20S	110	200	1000	2.00	6.630
BK 1-110-30S	110	300	1000	2.00	8.188
BK 1-110-40S	110	400	1000	2.00	9.732
BK 1-110-50S	110	500	1000	2.00	11.276
BK 1-110-60S	110	600	1000	2.00	12.820
BK 1.5-110-10S	110	100	1500	2.00	7.796
BK 1.5-110-15S	110	150	1500	2.00	8.947
BK 1.5-110-20S	110	200	1500	2.00	9.945
BK 1.5-110-30S	110	300	1500	2.00	12.280
BK 1.5-110-40S	110	400	1500	2.00	14.597
BK 1.5-110-50S	110	500	1500	2.00	16.913
BK 1.5-110-60S	110	600	1500	2.00	19.230
BK 110-10S	110	100	3000	2.00	15.603
BK 110-15S	110	150	3000	2.00	17.609
BK 110-20S	110	200	3000	2.00	19.888
BK 110-30S	110	300	3000	2.00	24.559
BK 110-40S	110	400	3000	2.00	29.192
BK 110-50S	110	500	3000	2.00	33.825
BK 110-60S	110	600	3000	2.00	38.458

optional accessories

BKTE 110	Floor duct telescopic insert, height = 110 mm	279
BKDR	Floor duct cover with turning bolts	295
BKD-RHP	Floor duct cover with anti-slip embossing	293
BKDR-WZB AL	Floor duct cover made of aluminium diamond plate	294
BKV 110	Floor duct connector, height = 95 mm	316
BKRT 110	Floor duct divider, height = 110 mm	317
BKZ	Floor duct Z profile	319
BKEB 110	Floor duct end plate, height = 110 mm	320
BKHR	Floor duct stand-off bracket, height = 110 mm	322
BKHC	Floor duct stand-off bracket, height = 90 mm	323
KHZ	Z profile	325
BKRKK 110	Floor duct reducer, height = 105 mm	292
BKRKS 110	Floor duct reducer, height = 105 mm	292
BKMT	Multitool for floor ducts	326
KSB	Edge protection strip	98, 329
BKPA	Floor duct equipotential bonding terminal block	325





KLK

Cable duct with cover

Article	H	B	L	t	G
	mm	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process					
KLK 30-03S	30	30	3000	1.00	3.670
KLK 30-05S	30	50	3000	1.00	4.620
KLK 40-04S	40	40	3000	1.00	4.620
KLK 60-06S	60	60	3000	1.00	6.500

optional accessories

BKRKK 100	Floor duct reducer, height = 95 mm	292
KLKV	Cable duct connector	316




KLKR

Cable duct with cover with turnbuckles

Article	H	B	L	t	G
	mm	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process					
KLKR 30-05S	30	50	3000	1.00	4.730
KLKR 60-06S	60	60	3000	1.00	6.620

optional accessories

BKRKK 100	Floor duct reducer, height = 95 mm	292
KLKV	Cable duct connector	316



Formed Parts



BKTE 100

Floor duct telescopic insert, height = 100 mm

Article	H mm	B mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process					
BKTE 100-700-10S	100	100	700	1.50	2.620
BKTE 100-700-15S	100	150	700	1.50	3.080
BKTE 100-700-20S	100	200	700	1.50	3.520
BKTE 100-700-30S	100	300	700	1.50	4.460
BKTE 100-700-40S	100	400	700	1.50	5.370
BKTE 100-700-50S	100	500	700	1.50	6.280
BKTE 100-700-60S	100	600	700	1.50	7.190

optional accessories

BKDR	Floor duct cover with turning bolts	295
BKD-RHP	Floor duct cover with anti-slip embossing	293
BKDR-WZB AL	Floor duct cover made of aluminium diamond plate	294
BKV 100	Floor duct connector, height = 95 mm	316
BKRT 100	Floor duct divider, height = 100 mm	317
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKEB 100	Floor duct end plate, height = 100 mm	320





BKTE 110

Floor duct telescopic insert, height = 110 mm

Article	H mm	B mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process					
BKTE 110-700-10S	110	100	700	1.50	2.800
BKTE 110-700-15S	110	150	700	1.50	3.260
BKTE 110-700-20S	110	200	700	1.50	3.720
BKTE 110-700-30S	110	300	700	1.50	4.640
BKTE 110-700-40S	110	400	700	1.50	5.550
BKTE 110-700-50S	110	500	700	1.50	6.460
BKTE 110-700-60S	110	600	700	1.50	7.470

optional accessories

BKDR	Floor duct cover with turning bolts	295
BKD-RHP	Floor duct cover with anti-slip embossing	293
BKDR-WZB AL	Floor duct cover made of aluminium diamond plate	294
BKV 110	Floor duct connector, height = 95 mm	316
BKRT 110	Floor duct divider, height = 110 mm	317
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKEB 110	Floor duct end plate, height = 110 mm	320





BKB 100

Floor duct bend, height = 100 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKB 100-10S	100	100	2.00	90°	1.841
BKB 100-15S	100	100	2.00	90°	2.306
BKB 100-20S	100	200	2.00	90°	2.710
BKB 100-30S	100	300	2.00	90°	3.820
BKB 100-40S	100	400	2.00	90°	5.210
BKB 100-50S	100	500	2.00	90°	6.830
BKB 100-60S	100	600	2.00	90°	8.740

optional accessories

BKBDR	Floor duct cover with turnbuckles	296
BKBDR-RHP	Floor duct bend cover with anti-slip embossing	295
BKBDR-WZB AL	Floor duct bend cover made of aluminium diamond plate	296
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKDS 100	Floor duct support profile, height = 100 mm	318





BKB 110

Floor duct bend, height = 110 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKB 110-10S	110	100	2.00	90°	1.891
BKB 110-15S	110	150	2.00	90°	2.356
BKB 110-20S	110	200	2.00	90°	2.780
BKB 110-30S	110	300	2.00	90°	3.920
BKB 110-40S	110	400	2.00	90°	5.340
BKB 110-50S	110	500	2.00	90°	7.000
BKB 110-60S	110	600	2.00	90°	8.930

optional accessories

BKBDR	Floor duct cover with turnbuckles	296
BKBDR-RHP	Floor duct bend cover with anti-slip embossing	295
BKBDR-WZB AL	Floor duct bend cover made of aluminium diamond plate	296
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKDS 110	Floor duct support profile, height = 110 mm	319





BKBG 100

Floor duct with mitre cut, height = 100 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKBG 100-10S	100	100	2.00	90°	4.874
BKBG 100-15S	100	150	2.00	90°	5.594
BKBG 100-20S	100	200	2.00	90°	6.414
BKBG 100-30S	100	300	2.00	90°	8.074
BKBG 100-40S	100	400	2.00	90°	10.434
BKBG 100-50S	100	500	2.00	90°	12.974
BKBG 100-60S	100	600	2.00	90°	15.674

optional accessories

BKBGDR	Floor duct bend cover with mitre cut and turnbuckles	298
BKBGDR-RHP	Floor duct bend cover with mitre cut and anti-slip embossing	297
BKBGDR-WZB AL	Floor duct bend cover made of aluminium diamond plate with mitre cut	297
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKDS 100	Floor duct support profile, height = 100 mm	318





BKBG 110

Floor duct with mitre cut, height = 110 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKBG 110-10S	110	100	2.00	90°	5.054
BKBG 110-15S	110	150	2.00	90°	5.794
BKBG 110-20S	110	200	2.00	90°	6.614
BKBG 110-30S	110	300	2.00	90°	8.494
BKBG 110-40S	110	400	2.00	90°	10.714
BKBG 110-50S	110	500	2.00	90°	13.274
BKBG 110-60S	110	600	2.00	90°	16.014

optional accessories

BKBGDR	Floor duct bend cover with mitre cut and turnbuckles	298
BKBGDR-RHP	Floor duct bend cover with mitre cut and anti-slip embossing	297
BKBGDR-WZB AL	Floor duct bend cover made of aluminium diamond plate with mitre cut	297
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKDS 110	Floor duct support profile, height = 110 mm	319





BKBR 100

Floor duct bend with radius, height = 100 mm

Article	H	B	t	R	W	G
	mm	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process						
BKBR 100-10S	100	100	2.00	95	90°	3.500
BKBR 100-15S	100	150	2.00	95	90°	4.130
BKBR 100-20S	100	200	2.00	95	90°	4.870
BKBR 100-30S	100	300	2.00	95	90°	6.530
BKBR 100-40S	100	400	2.00	95	90°	8.510
BKBR 100-50S	100	500	2.00	95	90°	10.800
BKBR 100-60S	100	600	2.00	95	90°	13.410

optional accessories

BKBRDR	Floor duct bend cover with radius and turnbuckles	299
BKBRDR-RHP	Floor duct bend cover with radius and anti-slip embossing	298
BKBRDR-WZB AL	Floor duct bend cover with radius, made of aluminium diamond plate	299
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKDS 100	Floor duct support profile, height = 100 mm	318





BKBR 110

Floor duct bend with radius, height = 110 mm

Article	H	B	t	R	W	G
	mm	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process						
BKBR 110-10S	110	100	2.00	95	90°	3.870
BKBR 110-15S	110	150	2.00	95	90°	4.520
BKBR 110-20S	110	200	2.00	95	90°	5.250
BKBR 110-30S	110	300	2.00	95	90°	6.940
BKBR 110-40S	110	400	2.00	95	90°	8.960
BKBR 110-50S	110	500	2.00	95	90°	11.280
BKBR 110-60S	110	600	2.00	95	90°	13.920

optional accessories

BKBRDR	Floor duct bend cover with radius and turnbuckles	299
BKBRDR-RHP	Floor duct bend cover with radius and anti-slip embossing	298
BKBRDR-WZB AL	Floor duct bend cover with radius, made of aluminium diamond plate	299
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKDS 110	Floor duct support profile, height = 110 mm	319





BKVB 100

Floor duct bend, variable, height = 100 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKVB 100-10S	100	100	2.00	var.	1.405
BKVB 100-15S	100	150	2.00	var.	1.865
BKVB 100-20S	100	200	2.00	var.	2.375
BKVB 100-30S	100	300	2.00	var.	3.525
BKVB 100-40S	100	400	2.00	var.	4.945
BKVB 100-50S	100	500	2.00	var.	6.585
BKVB 100-60S	100	600	2.00	var.	8.475

optional accessories

BKVBDR	Floor duct bend cover, variable with turnbuckles	301
BKVBDR-RHP	Floor duct branch cover, variable with anti-slip embossing	300
BKVBDR-WZB AL	Floor duct bend cover, variable made of aluminium diamond plate	300
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKDS 100	Floor duct support profile, height = 100 mm	318
KSB	Edge protection strip	98, 329





BKVB 110

Floor duct bend, variable, height = 110 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKVB 110-10S	110	100	2.00	var.	1.504
BKVB 110-15S	110	150	2.00	var.	1.974
BKVB 110-20S	110	200	2.00	var.	2.484
BKVB 110-30S	110	300	2.00	var.	3.664
BKVB 110-40S	110	400	2.00	var.	5.094
BKVB 110-50S	110	500	2.00	var.	6.754
BKVB 110-60S	110	600	2.00	var.	8.654

optional accessories

BKVBDR	Floor duct bend cover, variable with turnbuckles	301
BKVBDR-RHP	Floor duct branch cover, variable with anti-slip embossing	300
BKVBDR-WZB AL	Floor duct bend cover, variable made of aluminium diamond plate	300
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKDS 110	Floor duct support profile, height = 110 mm	319
KSB	Edge protection strip	98, 329





BKB45 100

Floor duct bend 45°, height = 100 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKB45 100-10S	100	100	2.00	45°	1.700
BKB45 100-15S	100	150	2.00	45°	1.940
BKB45 100-20S	100	200	2.00	45°	2.200
BKB45 100-30S	100	300	2.00	45°	2.820
BKB45 100-40S	100	400	2.00	45°	3.590
BKB45 100-50S	100	500	2.00	45°	4.470
BKB45 100-60S	100	600	2.00	45°	5.486

optional accessories

BKBDR45	Floor duct cover with turnbuckles	302
BKBDR45-RHP	Floor duct bend cover with anti-slip embossing	301
BKBDR45-WZB AL	Floor duct bend cover made of aluminium diamond plate	302
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKDS 100	Floor duct support profile, height = 100 mm	318





BKB45 110

Floor duct bend 45°, height = 110 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKB45 110-10S	110	100	2.00	45°	1.740
BKB45 110-15S	110	150	2.00	45°	2.000
BKB45 110-20S	110	200	2.00	45°	2.250
BKB45 110-30S	110	300	2.00	45°	2.890
BKB45 110-40S	110	400	2.00	45°	3.670
BKB45 110-50S	110	500	2.00	45°	4.560
BKB45 110-60S	110	600	2.00	45°	5.680

optional accessories

BKBDR45	Floor duct cover with turnbuckles	302
BKBDR45-RHP	Floor duct bend cover with anti-slip embossing	301
BKBDR45-WZB AL	Floor duct bend cover made of aluminium diamond plate	302
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKDS 110	Floor duct support profile, height = 110 mm	319





BKK 100

Floor duct crossing, height = 100 mm

Article	H mm	B mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKK 100-10S	100	100	2.00	3.202
BKK 100-15S	100	150	2.00	3.582
BKK 100-20S	100	200	2.00	4.042
BKK 100-30S	100	300	2.00	5.112
BKK 100-40S	100	400	2.00	6.572
BKK 100-50S	100	500	2.00	8.332
BKK 100-60S	100	600	2.00	10.422

optional accessories

BKKDR	Floor duct crossing cover with turnbuckles	304
BKKDR-RHP	Floor duct crossing cover with anti-slip embossing	303
BKKDR-WZB AL	Floor duct crossing cover made of aluminium diamond plate	303
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKDS 100	Floor duct support profile, height = 100 mm	318





BKK 110

Floor duct crossing, height = 110 mm

Article	H mm	B mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKK 110-10S	110	100	2.00	3.602
BKK 110-15S	110	150	2.00	3.982
BKK 110-20S	110	200	2.00	4.442
BKK 110-30S	110	300	2.00	5.512
BKK 110-40S	110	400	2.00	6.972
BKK 110-50S	110	500	2.00	8.732
BKK 110-60S	110	600	2.00	10.822

optional accessories

BKKDR	Floor duct crossing cover with turnbuckles	304
BKKDR-RHP	Floor duct crossing cover with anti-slip embossing	303
BKKDR-WZB AL	Floor duct crossing cover made of aluminium diamond plate	303
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKDS 110	Floor duct support profile, height = 110 mm	319





BA 100

Floor duct tee, height = 100 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BA 100-10S	100	100	2.00	90°	2.924
BA 100-15S	100	150	2.00	90°	3.324
BA 100-20S	100	200	2.00	90°	3.824
BA 100-30S	100	300	2.00	90°	5.064
BA 100-40S	100	400	2.00	90°	6.654
BA 100-50S	100	500	2.00	90°	8.504
BA 100-60S	100	600	2.00	90°	10.714

optional accessories

BAADR	Floor duct tee cover with turning bolts	305
BAADR-RHP	Floor duct tee cover with anti-slip embossing	304
BAADR-WZB AL	Floor duct tee cover made of aluminium diamond plate	305
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKDS 100	Floor duct support profile, height = 100 mm	318





BA 110

Floor duct tee, height = 110 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BA 110-10S	110	100	2.00	90°	2.934
BA 110-15S	110	150	2.00	90°	3.384
BA 110-20S	110	200	2.00	90°	3.894
BA 110-30S	110	300	2.00	90°	5.144
BA 110-40S	110	400	2.00	90°	6.754
BA 110-50S	110	500	2.00	90°	8.624
BA 110-60S	110	600	2.00	90°	10.844

optional accessories

BAADR	Floor duct tee cover with turning bolts	305
BAADR-RHP	Floor duct tee cover with anti-slip embossing	304
BAADR-WZB AL	Floor duct tee cover made of aluminium diamond plate	305
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKDS 110	Floor duct support profile, height = 110 mm	319





BKAA 100

Floor duct add-on tee, height = 100 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKAA 100-10S	100	100	2.00	90°	1.316
BKAA 100-15S	100	150	2.00	90°	1.456
BKAA 100-20S	100	200	2.00	90°	1.536
BKAA 100-30S	100	300	2.00	90°	1.756
BKAA 100-40S	100	400	2.00	90°	1.966
BKAA 100-50S	100	500	2.00	90°	2.186
BKAA 100-60S	100	600	2.00	90°	2.406

optional accessories

BKAADR	Floor duct add-on tee cover with turnbuckles	307
BKAADR-RHP	Floor duct add-on tee cover with anti-slip embossing	306
BKAADR-WZB AL	Floor duct add-on tee cover made of aluminium diamond plate	306
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKDS 100	Floor duct support profile, height = 100 mm	318





BKAA 110

Floor duct add-on tee, height = 110 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKAA 110-10S	110	100	2.00	90°	1.348
BKAA 110-15S	110	150	2.00	90°	1.488
BKAA 110-20S	110	200	2.00	90°	1.568
BKAA 110-30S	110	300	2.00	90°	1.788
BKAA 110-40S	110	400	2.00	90°	1.998
BKAA 110-50S	110	500	2.00	90°	2.218
BKAA 110-60S	110	600	2.00	90°	2.438

optional accessories

BKAADR	Floor duct add-on tee cover with turnbuckles	307
BKAADR-RHP	Floor duct add-on tee cover with anti-slip embossing	306
BKAADR-WZB AL	Floor duct add-on tee cover made of aluminium diamond plate	306
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKDS 110	Floor duct support profile, height = 110 mm	319





BKVAA 100

Floor duct attachment branch, variable, height = 100 mm

Article	H mm	B mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKVAA 100-10S	100	100	2.00	1.241
BKVAA 100-15S	100	150	2.00	1.463
BKVAA 100-20S	100	200	2.00	1.726
BKVAA 100-30S	100	300	2.00	2.316
BKVAA 100-40S	100	400	2.00	3.106
BKVAA 100-50S	100	500	2.00	4.059
BKVAA 100-60S	100	600	2.00	5.211

optional accessories

BKVAADR	Floor duct add-on tee cover, variable with turnbuckles	308
BKVAADR-RHP	Floor duct add-on tee cover, variable with anti-slip embossing	307
BKVAADR-WZB AL	Floor duct add-on tee cover, variable made of aluminium diamond plate	308
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKDS 100	Floor duct support profile, height = 100 mm	318





BKVAA 110

Floor duct add-on tee, variable, height = 110 mm

Article	H mm	B mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKVAA 110-10S	110	100	2.00	1.310
BKVAA 110-15S	110	150	2.00	1.535
BKVAA 110-20S	110	200	2.00	1.800
BKVAA 110-30S	110	300	2.00	2.393
BKVAA 110-40S	110	400	2.00	3.188
BKVAA 110-50S	110	500	2.00	3.960
BKVAA 110-60S	110	600	2.00	5.304

optional accessories

BKVAADR	Floor duct add-on tee cover, variable with turnbuckles	308
BKVAADR-RHP	Floor duct add-on tee cover, variable with anti-slip embossing	307
BKVAADR-WZB AL	Floor duct add-on tee cover, variable made of aluminium diamond plate	308
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKDS 110	Floor duct support profile, height = 110 mm	319





BKGR 100

Floor duct with miter cut, right, height = 100 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKGR 100-10S	100	100	2.00	45°	2.782
BKGR 100-15S	100	150	2.00	45°	3.142
BKGR 100-20S	100	200	2.00	45°	3.552
BKGR 100-30S	100	300	2.00	45°	4.382
BKGR 100-40S	100	400	2.00	45°	5.562
BKGR 100-50S	100	500	2.00	45°	6.832
BKGR 100-60S	100	600	2.00	45°	8.182

optional accessories

BKGRDR	Floor duct cover, right, with mitre cut and turnbuckles	310
BKGRDR-RHP	Floor duct cover, right, with mitre cut and anti-slip embossing	309
BKGRDR-WZB AL	Floor duct cover, right, made of aluminium diamond plate with mitre cut	309
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKDS 100	Floor duct support profile, height = 100 mm	318





BKGR 110

Floor duct with miter cut, right, height = 110 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKGR 110-10S	110	100	2.00	45°	2.872
BKGR 110-15S	110	150	2.00	45°	3.242
BKGR 110-20S	110	200	2.00	45°	3.652
BKGR 110-30S	110	300	2.00	45°	4.592
BKGR 110-40S	110	400	2.00	45°	5.702
BKGR 110-50S	110	500	2.00	45°	6.982
BKGR 110-60S	110	600	2.00	45°	8.352

optional accessories

BKGRDR	Floor duct cover, right, with mitre cut and turnbuckles	310
BKGRDR-RHP	Floor duct cover, right, with mitre cut and anti-slip embossing	309
BKGRDR-WZB AL	Floor duct cover, right, made of aluminium diamond plate with mitre cut	309
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKDS 110	Floor duct support profile, height = 110 mm	319





BKGL 100

Floor duct with miter cut, left, height = 100 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKGL 100-10S	100	100	2.00	45°	2.782
BKGL 100-15S	100	150	2.00	45°	3.142
BKGL 100-20S	100	200	2.00	45°	3.552
BKGL 100-30S	100	300	2.00	45°	4.382
BKGL 100-40S	100	400	2.00	45°	5.562
BKGL 100-50S	100	500	2.00	45°	6.832
BKGL 100-60S	100	600	2.00	45°	8.182

optional accessories

BKGLDR	Floor duct bend cover, mitre cut on left and turnbuckles	311
BKGLDR-RHP	Floor duct cover, mitre cut on left and anti-slip embossing	310
BKGLDR-WZB AL	Floor duct cover, left, made of aluminium diamond plate with mitre cut	311
BKRTV 100	Floor duct divider, variable, height = 100 mm	318
BKDS 100	Floor duct support profile, height = 100 mm	318





BKGL 110

Floor duct with miter cut, left, height = 110 mm

Article	H	B	t	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
BKGL 110-10S	110	100	2.00	45°	2.872
BKGL 110-15S	110	150	2.00	45°	3.242
BKGL 110-20S	110	200	2.00	45°	3.652
BKGL 110-30S	110	300	2.00	45°	4.592
BKGL 110-40S	110	400	2.00	45°	5.702
BKGL 110-50S	110	500	2.00	45°	6.982
BKGL 110-60S	110	600	2.00	45°	8.352

optional accessories

BKGLDR	Floor duct bend cover, mitre cut on left and turnbuckles	311
BKGLDR-RHP	Floor duct cover, mitre cut on left and anti-slip embossing	310
BKGLDR-WZB AL	Floor duct cover, left, made of aluminium diamond plate with mitre cut	311
BKRTV 110	Floor duct divider, variable, height = 110 mm	318
BKDS 110	Floor duct support profile, height = 110 mm	319





BKS 100

Floor duct riser, height = 100 mm

Article	H	B	L	t	W	G
	mm	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process						
BKS 100-10S	100	100	495	2.00	90°	3.623
BKS 100-15S	100	150	495	2.00	90°	4.034
BKS 100-20S	100	200	495	2.00	90°	4.419
BKS 100-30S	100	300	495	2.00	90°	5.244
BKS 100-40S	100	400	495	2.00	90°	6.044
BKS 100-50S	100	500	495	2.00	90°	6.832
BKS 100-60S	100	600	495	2.00	90°	7.658

optional accessories

BKSDR	Floor duct riser cover with turnbuckles	313
BKSDR-RHP	Floor duct riser cover with anti-slip embossing	312
BKSDR-WZB AL	Floor duct riser cover made of aluminium diamond plate	312





BKS 110

Floor duct riser, height = 110 mm

Article	H	B	L	t	W	G
	mm	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process						
BKS 110-10S	110	100	495	2.00	90°	3.810
BKS 110-15S	110	150	495	2.00	90°	4.234
BKS 110-20S	110	200	495	2.00	90°	4.631
BKS 110-30S	110	300	495	2.00	90°	5.482
BKS 110-40S	110	400	495	2.00	90°	6.308
BKS 110-50S	110	500	495	2.00	90°	7.158
BKS 110-60S	110	600	495	2.00	90°	7.983

optional accessories


BKSDR	Floor duct riser cover with turnbuckles	313
BKSDR-RHP	Floor duct riser cover with anti-slip embossing	312
BKSDR-WZB AL	Floor duct riser cover made of aluminium diamond plate	312



BKRKK 100

Floor duct reducer, height = 95 mm


Article	B mm	B2 mm	L2 mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process					
BKRKK 100-30-30S	150	27.5	28	1.00	0.135
BKRKK 100-30-50S	150	47.5	28	1.00	0.135
BKRKK 100-40-40S	150	37.5	38	1.00	0.135
BKRKK 100-50-50S	175	47	47	1.00	0.153
BKRKK 100-60-60S	175	57	57	1.00	0.153
BKRKK 100-75-75S	175	72	72	1.00	0.153



BKRKK 110

Floor duct reducer, height = 105 mm


Article	B mm	B2 mm	L2 mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process					
BKRKK 110-30-30S	150	27.5	28	1.00	0.147
BKRKK 110-30-50S	150	47.5	28	1.00	0.147
BKRKK 110-40-40S	150	37.5	38	1.00	0.147
BKRKK 110-50-50S	175	47	47	1.00	0.167
BKRKK 110-60-60S	175	57	57	1.00	0.167
BKRKK 110-75-75S	175	72	72	1.00	0.167



BKRKS 100

Floor duct reducer, height = 95 mm


Article	H mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process			
BKRKS 100S	95	1.50	0.206



BKRKS 110

Floor duct reducer, height = 105 mm

Article	H mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process			
BKRKS 110S	105	1.50	0.226



Covers



BKD-RHP

Floor duct cover with anti-slip embossing

Article	B mm	L mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process					
BKD-RHP 1-10S	100	1000	2.00	5.00	2.010
BKD-RHP 1-15S	150	1000	2.00	5.00	2.790
BKD-RHP 1-20S	200	1000	2.00	5.00	3.580
BKD-RHP 1-30S	300	1000	2.00	5.00	5.150
BKD-RHP 1-40S	400	1000	2.00	5.00	6.720
BKD-RHP 1-50S	500	1000	2.00	5.00	8.290
BKD-RHP 1-60S	600	1000	2.00	5.00	9.860
BKD-RHP 1.5-10S	100	1500	2.00	5.00	3.010
BKD-RHP 1.5-15S	150	1500	2.00	5.00	4.190
BKD-RHP 1.5-20S	200	1500	2.00	5.00	5.370
BKD-RHP 1.5-30S	300	1500	2.00	5.00	7.720
BKD-RHP 1.5-40S	400	1500	2.00	5.00	10.080
BKD-RHP 1.5-50S	500	1500	2.00	5.00	12.430
BKD-RHP 1.5-60S	600	1500	2.00	5.00	14.790
BKD-RHP 10S	100	3000	2.00	5.00	6.030
BKD-RHP 15S	150	3000	2.00	5.00	8.380
BKD-RHP 20S	200	3000	2.00	5.00	10.740
BKD-RHP 30S	300	3000	2.00	5.00	15.450
BKD-RHP 40S	400	3000	2.00	5.00	20.160
BKD-RHP 50S	500	3000	2.00	5.00	24.870
BKD-RHP 60S	600	3000	2.00	5.00	29.580

optional accessories

BKD-S	Floor channel lid hinge	315
DR-BK	Floor duct turnbuckle	314
BKDHK	Floor duct cover clamp	314
BKDH	Floor duct cover lifter	314
BKDSL	Floor duct cover protection strip	313
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKDR-WZB AL

Floor duct cover made of aluminium diamond plate

Article	B	L	t	P _{max}	G
	mm	mm	mm	kN	kg
aluminium					
BKDR-WZB 1-10AL	100	1000	4.00	3.00	1.030
BKDR-WZB 1-15AL	150	1000	4.00	3.00	1.500
BKDR-WZB 1-20AL	200	1000	4.00	3.00	1.770
BKDR-WZB 1-30AL	300	1000	4.00	3.00	2.500
BKDR-WZB 1-40AL	400	1000	4.00	3.00	3.240
BKDR-WZB 1-50AL	500	1000	4.00	3.00	3.980
BKDR-WZB 1-60AL	600	1000	4.00	3.00	4.710
BKDR-WZB 1.5-10AL	100	1500	4.00	3.00	1.510
BKDR-WZB 1.5-15AL	150	1500	4.00	3.00	2.060
BKDR-WZB 1.5-20AL	200	1500	4.00	3.00	2.610
BKDR-WZB 1.5-30AL	300	1500	4.00	3.00	3.720
BKDR-WZB 1.5-40AL	400	1500	4.00	3.00	4.820
BKDR-WZB 1.5-50AL	500	1500	4.00	3.00	5.930
BKDR-WZB 1.5-60AL	600	1500	4.00	3.00	7.030
BKDR-WZB 10AL	100	3000	4.00	3.00	2.990
BKDR-WZB 15AL	150	3000	4.00	3.00	4.130
BKDR-WZB 20AL	200	3000	4.00	3.00	5.260
BKDR-WZB 30AL	300	3000	4.00	3.00	7.530
BKDR-WZB 40AL	400	3000	4.00	3.00	9.790
BKDR-WZB 50AL	500	3000	4.00	3.00	12.060
BKDR-WZB 60AL	600	3000	4.00	3.00	14.330

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDSL	Floor duct cover protection strip	313
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321



BKDR

Floor duct cover with turning bolts

Article	B mm	L mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process					
BKDR 1-10S	100	1000	2.00	5.00	2.090
BKDR 1-15S	150	1000	2.00	5.00	2.870
BKDR 1-20S	200	1000	2.00	5.00	3.660
BKDR 1-30S	300	1000	2.00	5.00	5.230
BKDR 1-40S	400	1000	2.00	5.00	6.800
BKDR 1-50S	500	1000	2.00	5.00	8.370
BKDR 1-60S	600	1000	2.00	5.00	9.940
BKDR 1.5-10S	100	1500	2.00	5.00	3.090
BKDR 1.5-15S	150	1500	2.00	5.00	4.270
BKDR 1.5-20S	200	1500	2.00	5.00	5.450
BKDR 1.5-30S	300	1500	2.00	5.00	7.800
BKDR 1.5-40S	400	1500	2.00	5.00	10.160
BKDR 1.5-50S	500	1500	2.00	5.00	12.510
BKDR 1.5-60S	600	1500	2.00	5.00	14.870
BKDR 10S	100	3000	2.00	5.00	6.210
BKDR 15S	150	3000	2.00	5.00	8.560
BKDR 20S	200	3000	2.00	5.00	10.930
BKDR 30S	300	3000	2.00	5.00	15.630
BKDR 40S	400	3000	2.00	5.00	20.340
BKDR 50S	500	3000	2.00	5.00	25.050
BKDR 60S	600	3000	2.00	5.00	29.760

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDSL	Floor duct cover protection strip	313
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKBDR-RHP

Floor duct bend cover with anti-slip embossing

Article	B mm	t mm	P _{max} kN	W	G kg
Steel, pre-galvanised/Sendzimir process					
BKBDR-RHP 10S	100	2.00	5.00	90°	0.360
BKBDR-RHP 15S	150	2.00	5.00	90°	0.650
BKBDR-RHP 20S	200	2.00	5.00	90°	0.940
BKBDR-RHP 30S	300	2.00	5.00	90°	1.750
BKBDR-RHP 40S	400	2.00	5.00	90°	2.840
BKBDR-RHP 50S	500	2.00	5.00	90°	4.180
BKBDR-RHP 60S	600	2.00	5.00	90°	5.780

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKBDR-WZB AL

Floor duct bend cover made of aluminium diamond plate

Article	B mm	t mm	P _{max} kN	W	G kg
aluminium					
BKBDR-WZB 10AL	100	4.00	3.00	90°	0.190
BKBDR-WZB 15AL	150	4.00	3.00	90°	0.330
BKBDR-WZB 20AL	200	4.00	3.00	90°	0.470
BKBDR-WZB 30AL	300	4.00	3.00	90°	0.860
BKBDR-WZB 40AL	400	4.00	3.00	90°	1.370
BKBDR-WZB 50AL	500	4.00	3.00	90°	1.990
BKBDR-WZB 60AL	600	4.00	3.00	90°	2.740

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKBDR

Floor duct cover with turnbuckles

Article	B mm	t mm	P _{max} kN	W	G kg
Steel, pre-galvanised/Sendzimir process					
BKBDR 10S	100	2.00	5.00	90°	0.360
BKBDR 15S	150	2.00	5.00	90°	0.650
BKBDR 20S	200	2.00	5.00	90°	0.940
BKBDR 30S	300	2.00	5.00	90°	1.750
BKBDR 40S	400	2.00	5.00	90°	2.840
BKBDR 50S	500	2.00	5.00	90°	4.180
BKBDR 60S	600	2.00	5.00	90°	5.780

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKBGDR-RHP

Floor duct bend cover with mitre cut and anti-slip embossing

Article	B mm	t mm	P _{max} kN	W	G kg
Steel, pre-galvanised/Sendzimir process					
BKBGDR-RHP 10S	100	2.00	5.00	90°	1.260
BKBGDR-RHP 15S	150	2.00	5.00	90°	1.860
BKBGDR-RHP 20S	200	2.00	5.00	90°	2.523
BKBGDR-RHP 30S	300	2.00	5.00	90°	4.080
BKBGDR-RHP 40S	400	2.00	5.00	90°	5.980
BKBGDR-RHP 50S	500	2.00	5.00	90°	8.180
BKBGDR-RHP 60S	600	2.00	5.00	90°	10.700

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321




BKBGDR-WZB AL

Floor duct bend cover made of aluminium diamond plate with mitre cut

Article	B mm	t mm	P _{max} kN	W	G kg
aluminium					
BKBGDR-WZB 10AL	100	2.50	3.00	90°	0.656
BKBGDR-WZB 15AL	150	2.50	3.00	90°	0.934
BKBGDR-WZB 20AL	200	2.50	3.00	90°	1.248
BKBGDR-WZB 30AL	300	2.50	3.00	90°	1.986
BKBGDR-WZB 40AL	400	2.50	3.00	90°	2.872
BKBGDR-WZB 50AL	500	2.50	3.00	90°	3.904
BKBGDR-WZB 60AL	600	2.50	3.00	90°	5.084

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKBGDR

Floor duct bend cover with mitre cut and turnbuckles

Article	B mm	t mm	P _{max} kN	W	G kg
Steel, pre-galvanised/Sendzimir process					
BKBGDR 10S	100	2.00	5.00	90°	1.264
BKBGDR 15S	150	2.00	5.00	90°	1.860
BKBGDR 20S	200	2.00	5.00	90°	2.523
BKBGDR 30S	300	2.00	5.00	90°	4.080
BKBGDR 40S	400	2.00	5.00	90°	5.980
BKBGDR 50S	500	2.00	5.00	90°	8.180
BKBGDR 60S	600	2.00	5.00	90°	10.700

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKBRDR-RHP

Floor duct bend cover with radius and anti-slip embossing

Article	B mm	t mm	P _{max} kN	W	G kg
Steel, pre-galvanised/Sendzimir process					
BKBRDR-RHP 10S	100	2.00	5.00	90°	0.990
BKBRDR-RHP 15S	150	2.00	5.00	90°	1.480
BKBRDR-RHP 20S	200	2.00	5.00	90°	2.050
BKBRDR-RHP 30S	300	2.00	5.00	90°	3.420
BKBRDR-RHP 40S	400	2.00	5.00	90°	5.110
BKBRDR-RHP 50S	500	2.00	5.00	90°	7.110
BKBRDR-RHP 60S	600	2.00	5.00	90°	9.430

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKBRDR-WZB AL

Floor duct bend cover with radius, made of aluminium diamond plate

Article	B mm	t mm	P _{max} kN	W	G kg
aluminium					
BKBRDR-WZB 10AL	100	2.50	3.00	90°	0.520
BKBRDR-WZB 15AL	150	2.50	3.00	90°	0.750
BKBRDR-WZB 20AL	200	2.50	3.00	90°	1.020
BKBRDR-WZB 30AL	300	2.50	3.00	90°	1.660
BKBRDR-WZB 40AL	400	2.50	3.00	90°	2.450
BKBRDR-WZB 50AL	500	2.50	3.00	90°	3.390
BKBRDR-WZB 60AL	600	2.50	3.00	90°	4.480

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKBRDR

Floor duct bend cover with radius and turnbuckles

Article	B mm	t mm	P _{max} kN	W	G kg
Steel, pre-galvanised/Sendzimir process					
BKBRDR 10S	100	2.00	5.00	90°	0.990
BKBRDR 15S	150	2.00	5.00	90°	1.480
BKBRDR 20S	200	2.00	5.00	90°	2.050
BKBRDR 30S	300	2.00	5.00	90°	3.420
BKBRDR 40S	400	2.00	5.00	90°	5.110
BKBRDR 50S	500	2.00	5.00	90°	7.110
BKBRDR 60S	600	2.00	5.00	90°	9.430

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKVBDR-RHP

Floor duct branch cover, variable with anti-slip embossing

Article	B mm	t mm	P _{max} kN	W	G kg
Steel, pre-galvanised/Sendzimir process					
BKVBDR-RHP 10S	100	2.00	5.00	var.	0.350
BKVBDR-RHP 15S	150	2.00	5.00	var.	0.570
BKVBDR-RHP 20S	200	2.00	5.00	var.	0.850
BKVBDR-RHP 30S	300	2.00	5.00	var.	1.600
BKVBDR-RHP 40S	400	2.00	5.00	var.	2.590
BKVBDR-RHP 50S	500	2.00	5.00	var.	3.830
BKVBDR-RHP 60S	600	2.00	5.00	var.	5.310

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKVBDR-WZB AL

Floor duct bend cover, variable made of aluminium diamond plate

Article	B mm	t mm	P _{max} kN	W	G kg
aluminium					
BKVBDR-WZB 10AL	100	2.50	3.00	var.	0.280
BKVBDR-WZB 15AL	150	2.50	3.00	var.	0.370
BKVBDR-WZB 20AL	200	2.50	3.00	var.	0.410
BKVBDR-WZB 30AL	300	2.50	3.00	var.	0.760
BKVBDR-WZB 40AL	400	2.50	3.00	var.	1.220
BKVBDR-WZB 50AL	500	2.50	3.00	var.	1.800
BKVBDR-WZB 60AL	600	2.50	3.00	var.	2.490

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKVBDR

Floor duct bend cover, variable with turnbuckles

Article	B mm	t mm	P _{max} kN	W	G kg
Steel, pre-galvanised/Sendzimir process					
BKVBDR 10S	100	2.00	5.00	var.	0.350
BKVBDR 15S	150	2.00	5.00	var.	0.570
BKVBDR 20S	200	2.00	5.00	var.	0.850
BKVBDR 30S	300	2.00	5.00	var.	1.600
BKVBDR 40S	400	2.00	5.00	var.	2.590
BKVBDR 50S	500	2.00	5.00	var.	3.830
BKVBDR 60S	600	2.00	5.00	var.	5.310

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKBDR45-RHP

Floor duct bend cover with anti-slip embossing

Article	B mm	t mm	P _{max} kN	W	G kg
Steel, pre-galvanised/Sendzimir process					
BKBDR45-RHP 10S	100	2.00	5.00	45°	0.330
BKBDR45-RHP 15S	150	2.00	5.00	45°	0.490
BKBDR45-RHP 20S	200	2.00	5.00	45°	0.690
BKBDR45-RHP 30S	300	2.00	5.00	45°	1.180
BKBDR45-RHP 40S	400	2.00	5.00	45°	1.790
BKBDR45-RHP 50S	500	2.00	5.00	45°	2.540
BKBDR45-RHP 60S	600	2.00	5.00	45°	3.420

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKBDR45-WZB AL

Floor duct bend cover made of aluminium diamond plate

Article	B mm	t mm	P _{max} kN	W	G kg
aluminium					
BKBDR45-WZB 10AL	100	2.50	3.00	45°	0.190
BKBDR45-WZB 15AL	150	2.50	3.00	45°	0.260
BKBDR45-WZB 20AL	200	2.50	3.00	45°	0.360
BKBDR45-WZB 30AL	300	2.50	3.00	45°	0.580
BKBDR45-WZB 40AL	400	2.50	3.00	45°	0.930
BKBDR45-WZB 50AL	500	2.50	3.00	45°	1.220
BKBDR45-WZB 60AL	600	2.50	3.00	45°	1.640

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKBDR45

Floor duct cover with turnbuckles

Article	B mm	t mm	P _{max} kN	W	G kg
Steel, pre-galvanised/Sendzimir process					
BKBDR45 10S	100	2.00	5.00	45°	0.330
BKBDR45 15S	150	2.00	5.00	45°	0.490
BKBDR45 20S	200	2.00	5.00	45°	0.690
BKBDR45 30S	300	2.00	5.00	45°	1.180
BKBDR45 40S	400	2.00	5.00	45°	1.790
BKBDR45 50S	500	2.00	5.00	45°	2.540
BKBDR45 60S	600	2.00	5.00	45°	3.420

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKKDR-RHP

Floor duct crossing cover with anti-slip embossing

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
BKKDR-RHP 10S	100	2.00	5.00	0.760
BKKDR-RHP 15S	150	2.00	5.00	1.140
BKKDR-RHP 20S	200	2.00	5.00	1.600
BKKDR-RHP 30S	300	2.00	5.00	2.750
BKKDR-RHP 40S	400	2.00	5.00	4.210
BKKDR-RHP 50S	500	2.00	5.00	5.990
BKKDR-RHP 60S	600	2.00	5.00	8.080

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKKDR-WZB AL

Floor duct crossing cover made of aluminium diamond plate

Article	B mm	t mm	P _{max} kN	G kg
aluminium				
BKKDR-WZB 10AL	100	2.50	3.00	0.400
BKKDR-WZB 15AL	150	2.50	3.00	0.600
BKKDR-WZB 20AL	200	2.50	3.00	0.790
BKKDR-WZB 30AL	300	2.50	3.00	1.330
BKKDR-WZB 40AL	400	2.50	3.00	2.020
BKKDR-WZB 50AL	500	2.50	3.00	2.850
BKKDR-WZB 60AL	600	2.50	3.00	3.830

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKKDR

Floor duct crossing cover with turnbuckles

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
BKKDR 10S	100	2.00	5.00	0.760
BKKDR 15S	150	2.00	5.00	1.140
BKKDR 20S	200	2.00	5.00	1.600
BKKDR 30S	300	2.00	5.00	2.750
BKKDR 40S	400	2.00	5.00	4.210
BKKDR 50S	500	2.00	5.00	5.990
BKKDR 60S	600	2.00	5.00	8.080

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKADR-RHP

Floor duct tee cover with anti-slip embossing

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
BKADR-RHP 10S	100	2.00	5.00	0.630
BKADR-RHP 15S	150	2.00	5.00	0.980
BKADR-RHP 20S	200	2.00	5.00	1.400
BKADR-RHP 30S	300	2.00	5.00	2.490
BKADR-RHP 40S	400	2.00	5.00	3.880
BKADR-RHP 50S	500	2.00	5.00	5.580
BKADR-RHP 60S	600	2.00	5.00	7.720

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKADR-WZB AL

Floor duct tee cover made of aluminium diamond plate

Article	B mm	t mm	P _{max} kN	G kg
aluminium				
BKADR-WZB 10AL	100	2.50	3.00	0.330
BKADR-WZB 15AL	150	2.50	3.00	0.500
BKADR-WZB 20AL	200	2.50	3.00	0.710
BKADR-WZB 30AL	300	2.50	3.00	1.220
BKADR-WZB 40AL	400	2.50	3.00	1.870
BKADR-WZB 50AL	500	2.50	3.00	2.670
BKADR-WZB 60AL	600	2.50	3.00	3.620

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKADR

Floor duct tee cover with turning bolts

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
BKADR 10S	100	2.00	5.00	0.633
BKADR 15S	150	2.00	5.00	0.976
BKADR 20S	200	2.00	5.00	1.400
BKADR 30S	300	2.00	5.00	2.490
BKADR 40S	400	2.00	5.00	3.880
BKADR 50S	500	2.00	5.00	5.580
BKADR 60S	600	2.00	5.00	7.612

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





KAADR-RHP

Floor duct add-on tee cover with anti-slip embossing

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
KAADR-RHP 10S	100	2.00	5.00	0.240
KAADR-RHP 15S	150	2.00	5.00	0.290
KAADR-RHP 20S	200	2.00	5.00	0.340
KAADR-RHP 30S	300	2.00	5.00	0.440
KAADR-RHP 40S	400	2.00	5.00	0.540
KAADR-RHP 50S	500	2.00	5.00	0.650
KAADR-RHP 60S	600	2.00	5.00	0.750

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321




KAADR-WZB AL

Floor duct add-on tee cover made of aluminium diamond plate

Article	B mm	t mm	P _{max} kN	G kg
aluminium				
KAADR-WZB 10AL	100	2.50	3.00	0.130
KAADR-WZB 15AL	150	2.50	3.00	0.160
KAADR-WZB 20AL	200	2.50	3.00	0.180
KAADR-WZB 30AL	300	2.50	3.00	0.230
KAADR-WZB 40AL	400	2.50	3.00	0.280
KAADR-WZB 50AL	500	2.50	3.00	0.330
KAADR-WZB 60AL	600	2.50	3.00	0.370

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





KAADR

Floor duct add-on tee cover with turnbuckles

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
KAADR 10S	100	2.00	5.00	0.230
KAADR 15S	150	2.00	5.00	0.280
KAADR 20S	200	2.00	5.00	0.330
KAADR 30S	300	2.00	5.00	0.430
KAADR 40S	400	2.00	5.00	0.530
KAADR 50S	500	2.00	5.00	0.640
KAADR 60S	600	2.00	5.00	0.740

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKVAADR-RHP

Floor duct add-on tee cover, variable with anti-slip embossing

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
BKVAADR-RHP 10S	100	2.00	5.00	0.350
BKVAADR-RHP 15S	150	2.00	5.00	0.490
BKVAADR-RHP 20S	200	2.00	5.00	0.740
BKVAADR-RHP 30S	300	2.00	5.00	1.220
BKVAADR-RHP 40S	400	2.00	5.00	1.930
BKVAADR-RHP 50S	500	2.00	5.00	2.820
BKVAADR-RHP 60S	600	2.00	5.00	3.890

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKVAADR-WZB AL

Floor duct add-on tee cover, variable made of aluminium diamond plate

Article	B mm	t mm	P _{max} kN	G kg
aluminium				
BKVAADR-WZB 10AL	100	2.50	3.00	0.180
BKVAADR-WZB 15AL	150	2.50	3.00	0.240
BKVAADR-WZB 20AL	200	2.50	3.00	0.350
BKVAADR-WZB 30AL	300	2.50	3.00	0.560
BKVAADR-WZB 40AL	400	2.50	3.00	0.870
BKVAADR-WZB 50AL	500	2.50	3.00	1.260
BKVAADR-WZB 60AL	600	2.50	3.00	1.730

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKVAADR

Floor duct add-on tee cover, variable with turnbuckles

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
BKVAADR 10S	100	2.00	5.00	0.350
BKVAADR 15S	150	2.00	5.00	0.490
BKVAADR 20S	200	2.00	5.00	0.740
BKVAADR 30S	300	2.00	5.00	1.220
BKVAADR 40S	400	2.00	5.00	1.930
BKVAADR 50S	500	2.00	5.00	2.820
BKVAADR 60S	600	2.00	5.00	3.890

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKGRDR-RHP

Floor duct cover, right, with mitre cut and anti-slip embossing

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
BKGRDR-RHP 10S	100	2.00	5.00	0.630
BKGRDR-RHP 15S	150	2.00	5.00	0.930
BKGRDR-RHP 20S	200	2.00	5.00	1.260
BKGRDR-RHP 30S	300	2.00	5.00	2.040
BKGRDR-RHP 40S	400	2.00	5.00	2.990
BKGRDR-RHP 50S	500	2.00	5.00	4.090
BKGRDR-RHP 60S	600	2.00	5.00	5.350

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKGRDR-WZB AL

Floor duct cover, right, made of aluminium diamond plate with mitre cut

Article	B mm	t mm	P _{max} kN	G kg
aluminium				
BKGRDR-WZB 10AL	100	2.50	3.00	0.328
BKGRDR-WZB 15AL	150	2.50	3.00	0.467
BKGRDR-WZB 20AL	200	2.50	3.00	0.624
BKGRDR-WZB 30AL	300	2.50	3.00	0.993
BKGRDR-WZB 40AL	400	2.50	3.00	1.436
BKGRDR-WZB 50AL	500	2.50	3.00	1.952
BKGRDR-WZB 60AL	600	2.50	3.00	2.542

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKGRDR

Floor duct cover, right, with mitre cut and turnbuckles

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
BKGRDR 10S	100	2.00	5.00	0.630
BKGRDR 15S	150	2.00	5.00	0.930
BKGRDR 20S	200	2.00	5.00	1.260
BKGRDR 30S	300	2.00	5.00	2.040
BKGRDR 40S	400	2.00	5.00	2.990
BKGRDR 50S	500	2.00	5.00	4.090
BKGRDR 60S	600	2.00	5.00	5.350

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKGLDR-RHP

Floor duct cover, mitre cut on left and anti-slip embossing

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
BKGLDR-RHP 10S	100	2.00	5.00	0.630
BKGLDR-RHP 15S	150	2.00	5.00	0.930
BKGLDR-RHP 20S	200	2.00	5.00	1.263
BKGLDR-RHP 30S	300	2.00	5.00	2.040
BKGLDR-RHP 40S	400	2.00	5.00	2.990
BKGLDR-RHP 50S	500	2.00	5.00	4.090
BKGLDR-RHP 60S	600	2.00	5.00	5.350

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKGLDR-WZB AL

Floor duct cover, left, made of aluminium diamond plate with mitre cut

Article	B mm	t mm	P _{max} kN	G kg
aluminium				
BKGLDR-WZB 10AL	100	2.50	3.00	0.328
BKGLDR-WZB 15AL	150	2.50	3.00	0.467
BKGLDR-WZB 20AL	200	2.50	3.00	0.624
BKGLDR-WZB 30AL	300	2.50	3.00	0.993
BKGLDR-WZB 40AL	400	2.50	3.00	1.436
BKGLDR-WZB 50AL	500	2.50	3.00	1.952
BKGLDR-WZB 60AL	600	2.50	3.00	2.542

optional accessories

DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321





BKGLDR

Floor duct bend cover, mitre cut on left and turnbuckles

Article	B mm	t mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process				
BKGLDR 10S	100	2.00	5.00	0.634
BKGLDR 15S	150	2.00	5.00	0.930
BKGLDR 20S	200	2.00	5.00	1.263
BKGLDR 30S	300	2.00	5.00	2.040
BKGLDR 40S	400	2.00	5.00	2.990
BKGLDR 50S	500	2.00	5.00	4.090
BKGLDR 60S	600	2.00	5.00	5.350

optional accessories



DR-BK	Floor duct turnbuckle	314
BKDU 100	Floor duct cover support, height = 100 mm	321
BKDU 110	Floor duct cover support, height = 110 mm	321



BKSDR-RHP

Floor duct riser cover with anti-slip embossing



Article	B mm	t mm	P _{max} kN	W	G kg
Steel, pre-galvanised/Sendzimir process					
BKSDR-RHP 10S	100	2.00	5.00	90°	0.417
BKSDR-RHP 15S	150	2.00	5.00	90°	0.596
BKSDR-RHP 20S	200	2.00	5.00	90°	0.753
BKSDR-RHP 30S	300	2.00	5.00	90°	1.067
BKSDR-RHP 40S	400	2.00	5.00	90°	1.381
BKSDR-RHP 50S	500	2.00	5.00	90°	1.695
BKSDR-RHP 60S	600	2.00	5.00	90°	2.009



BKSDR-WZB AL

Floor duct riser cover made of aluminium diamond plate



Article	B mm	t mm	P _{max} kN	W	G kg
aluminium					
BKSDR-WZB 10AL	100	2.50	3.00	90°	0.227
BKSDR-WZB 15AL	150	2.50	3.00	90°	0.316
BKSDR-WZB 20AL	200	2.50	3.00	90°	0.394
BKSDR-WZB 30AL	300	2.50	3.00	90°	0.549
BKSDR-WZB 40AL	400	2.50	3.00	90°	0.705
BKSDR-WZB 50AL	500	2.50	3.00	90°	0.861
BKSDR-WZB 60AL	600	2.50	3.00	90°	1.017



BKSDR

Floor duct riser cover with turnbuckles


Article	B mm	t mm	P _{max} kN	W °	G kg
Steel, pre-galvanised/Sendzimir process					
BKSDR 10S	100	2.00	5.00	90°	0.417
BKSDR 15S	150	2.00	5.00	90°	0.596
BKSDR 20S	200	2.00	5.00	90°	0.753
BKSDR 30S	300	2.00	5.00	90°	1.067
BKSDR 40S	400	2.00	5.00	90°	1.381
BKSDR 50S	500	2.00	5.00	90°	1.695
BKSDR 60S	600	2.00	5.00	90°	2.009



BKDSL

Floor duct cover protection strip



Article	B mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process			
BKDSL 10S	100	0.75	0.026
BKDSL 15S	150	0.75	0.040
BKDSL 20S	200	0.75	0.053
BKDSL 30S	300	0.75	0.079
BKDSL 40S	400	0.75	0.106
BKDSL 50S	500	0.75	0.132
BKDSL 60S	600	0.75	0.159



DR-BK

Floor duct turnbuckle

Article	G
	kg
Steel, hot-dip galvanised	
DR-BK S	0.020




BKDHK

Floor duct cover clamp

Article	t	G
	mm	kg
Steel, pre-galvanised/Sendzimir process		
BKDHK S	0.70	0.006

optional accessories


BKDH	Floor duct cover lifter	314
------	-------------------------	-----



BKDH

Floor duct cover lifter

Article	L	D	G
	mm	mm	kg
steel, galvanic zinc plated			
BKDH GV	400	10	0.344





BKD-S

Floor channel lid hinge

Article	t mm	G kg
Steel, pre-galvanised/Sendzimir process		
BKD-S S	2.00	0.108

optional accessories

KLR	Clamp fastening set	477
-----	---------------------	-----




Accessories

BKV 100

Floor duct connector, height = 95 mm


Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKV 100S	95	230	2.00	0.342



BKV 110

Floor duct connector, height = 95 mm


Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKV 110S	95	230	2.00	0.342



KLKV

Cable duct connector



Article	H mm	B mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process					
KLKV 30-03S	30	30	150	1.00	0.093
KLKV 30-05S	30	50	150	1.00	0.117
KLKV 40-04S	40	40	150	1.00	0.128
KLKV 60-06S	60	60	150	1.00	0.199



BKRT 100

Floor duct divider, height = 100 mm



Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKRT 100S	100	3000	2.00	6.300



BKRT 110

Floor duct divider, height = 110 mm


Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKRT 110S	108	3000	2.00	6.677



BKRTV 100

Floor duct divider, variable, height = 100 mm


Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKRTV 100S	100	900	2.00	1.887



BKRTV 110

Floor duct divider, variable, height = 110 mm



Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKRTV 110S	110	900	2.00	2.026



BKDS 100

Floor duct support profile, height = 100 mm



Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKDS 100S	100	100	2.00	0.220



BKDS 110

Floor duct support profile, height = 110 mm



Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKDS 110S	110	100	2.00	0.237



BKZ

Floor duct Z profile



Article	L mm	G kg
Steel, pre-galvanised/Sendzimir process		
BKZ S	3000	2.149



BKEB 100

Floor duct end plate, height = 100 mm



Article	H mm	B mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKEB 100-10S	95	100	1.00	0.218
BKEB 100-15S	95	150	1.00	0.258
BKEB 100-20S	95	200	1.00	0.298
BKEB 100-30S	95	300	1.00	0.378
BKEB 100-40S	95	400	1.00	0.468
BKEB 100-50S	95	500	1.00	0.548
BKEB 100-60S	95	600	1.00	0.628



BKEB 110

Floor duct end plate, height = 110 mm


Article	H mm	B mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKEB 110-10S	105	100	1.00	0.238
BKEB 110-15S	105	150	1.00	0.278
BKEB 110-20S	105	200	1.00	0.328
BKEB 110-30S	105	300	1.00	0.418
BKEB 110-40S	105	400	1.00	0.508
BKEB 110-50S	105	500	1.00	0.598
BKEB 110-60S	105	600	1.00	0.698



BKDU 100

Floor duct cover support, height = 100 mm


Article	H mm	B mm	t mm	G kg
Steel, hot-dip galvanised				
BKDU 100-20F	100	200	2.00	0.433
BKDU 100-30F	100	300	2.00	0.550
BKDU 100-40F	100	400	2.00	0.668
BKDU 100-50F	100	500	2.00	0.786
BKDU 100-60F	100	600	2.00	0.903



BKDU 110

Floor duct cover support, height = 110 mm

Article	H mm	B mm	t mm	G kg
Steel, hot-dip galvanised				
BKDU 110-20F	110	200	2.00	0.456
BKDU 110-30F	110	300	2.00	0.574
BKDU 110-40F	110	400	2.00	0.691
BKDU 110-50F	110	500	2.00	0.809
BKDU 110-60F	110	600	2.00	0.927



BKH



Floor duct holder, height = 110 mm

Article	H mm	L mm	G kg
Steel, hot-dip galvanised			
BKH 10F	110	100	0.880
BKH 20F	110	200	1.050
BKH 30F	110	300	1.210

optional accessories

AC Cable clamp for fastening to C profile rails

248, 257





BKHR

Floor duct stand-off bracket, height = 110 mm

Article	L mm	G kg
steel, galvanic zinc plated		
BKHR 10GV	100	0.940
BKHR 20GV	200	1.040
BKHR 30GV	300	1.260
BKHR 40GV	400	1.430
BKHR 50GV	500	1.590
BKHR 60GV	600	1.760

optional accessories

BKH RU	Floor duct bracket support	322
BKH RSV	Floor duct side trim	322




BKHRSV

Floor duct side trim

Article	H mm	B mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process					
BKHRSV 1S	108	8	1000	1.00	0.900
BKHRSV 1.5S	108	8	1500	1.00	1.350
BKHRSV S	108	8	3000	1.00	2.690

optional accessories

BS	Self-drilling screw	326
-----------	---------------------	-----




BKH RU

Floor duct bracket support

Article	H mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process			
BKH RU S	88	2.00	0.166

optional accessories

BKHR	Floor duct stand-off bracket, height = 110 mm	322
-------------	---	-----



BKHC

Floor duct stand-off bracket, height = 90 mm

Article	H mm	B mm	L mm	G kg
Steel, hot-dip galvanised				
BKHC 010F	90	100	40	0.500
BKHC 020F	90	200	40	0.670
BKHC 030F	90	300	40	0.830
BKHC 040F	90	400	40	1.000
BKHC 050F	90	500	40	1.170
BKHC 060F	90	600	40	1.340

optional accessories

BKHCSV Floor duct side trim 323



BKHCSV

Floor duct side trim

Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
BKHCSV 1.5S	90	1500	1.00	1.060
BKHCSV 1S	90	1000	1.00	0.710
BKHCSV S	90	3000	1.00	2.120

optional accessories



BS Self-drilling screw 326



KHA 41

41x41 mm profile rail, perforated

Article	L	B _p	H _p	t	G
	mm	mm	mm	mm	kg
Steel, hot-dip galvanised					
KHA 41-01F	100	41	41	2.50	0.260
KHA 41-02F	200	41	41	2.50	0.500
KHA 41-03F	300	41	41	2.50	0.700
KHA 41-04F	400	41	41	2.50	1.000
KHA 41-05F	500	41	41	2.50	1.300
KHA 41-06F	600	41	41	2.50	1.600
KHA 41-07F	700	41	41	2.50	1.800
KHA 41-08F	800	41	41	2.50	2.100
KHA 41-09F	900	41	41	2.50	2.400
KHA 41-10F	1000	41	41	2.50	2.600
KHA 41-11F	1100	41	41	2.50	2.900
KHA 41-12F	1200	41	41	2.50	3.200
KHA 41-13F	1300	41	41	2.50	3.400
KHA 41-14F	1400	41	41	2.50	3.700
KHA 41-15F	1500	41	41	2.50	4.000
KHA 41-20F	2000	41	41	2.50	5.200
KHA 41-30F	3000	41	41	2.50	7.800
KHA 41-60F	6000	41	41	2.50	15.600





optional accessories

AKL 41	Rail clamp	451
AM 22	Channel nut	515
AMF 22	Channel nut with spring	515
BGA 41	Screw-on head plate, KHA 41	449
BGA 41/2	Screw-on head plate, KHA 41/82	450
RUS 41	U-shaped washer, A/KHA 21/41/42/82	513
SKS A	Clamping claw, heavy, A/KHA 21/41/42/82	479
SA 2	Protection cap, cadmium yellow RAL 1021	455
SAI 41	Protection cap, white/black	456
KA 41	Stem support, standard, KDAG 41, A/KHA 21/41/42/82	449
KA 30	Bracket, light	448
AV 41	Connector, A/KHA 21/41/42/82	451,470
BL 5	Mounting bracket	450
AVL	Rail connector	452,470
AVE	Rail connector, corner	452,471
AVA	Rail connector, branch	453
AVB	Rail connector bracket	453,471
AVLW	Channel connector, 90°	454,472
AVAW	Rail connector bracket	454,472
RP	Back plate for wall bracket KW/KWF	485

KHZ

Z profile



Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
KHZ 100-01S	100	100	3.00	0.370
KHZ 100-02S	100	200	3.00	0.740
KHZ 100-03S	100	300	3.00	1.120
KHZ 100-04S	100	400	3.00	1.490
KHZ 100-05S	100	500	3.00	1.860
KHZ 100-06S	100	600	3.00	2.230
KHZ 100-30S	100	3000	3.00	11.180
KHZ 120-01S	120	3000	3.00	0.440
KHZ 120-02S	120	200	3.00	0.880
KHZ 120-03S	120	300	3.00	1.320
KHZ 120-04S	120	400	3.00	1.760
KHZ 120-05S	120	500	3.00	2.200
KHZ 120-06S	120	600	3.00	2.640
KHZ 120-30S	120	3000	3.00	13.190
KHZ 80-01S	80	100	3.00	0.320
KHZ 80-02S	80	200	3.00	0.650
KHZ 80-03S	80	300	3.00	0.980
KHZ 80-04S	80	400	3.00	1.310
KHZ 80-05S	80	500	3.00	1.640
KHZ 80-06S	80	600	3.00	1.970
KHZ 80-30S	80	3000	3.00	9.880



BKPA

Floor duct equipotential bonding terminal block


Article	H mm	B mm	L mm	G kg
brass				
BKPA	45	20	24	0.122



ARB

Non-slip tape


Article	t mm	G kg
Ethylene-propylene-caoutchouc		
ARB 2X8	2.00	0.022



BKMT

Multitool for floor ducts


Article	G kg
Stainless steel, acc. to AISI 304 (BS 304S31)	
BKMT E	0.052



STB

Step drill bit


Article	D mm	Ø mm	G kg
steel, galvanic zinc plated			
STB 9/18	9	18.0	0.120



BS

Self-drilling screw



Article	L mm	D mm	G kg
steel, galvanic zinc plated			
BS 4.2X13GV	13	4.2	0.002
BS 5.5X19GV	19	5.5	0.004



FRSS

Truss-head bolt with square neck, DIN 603



Article	L mm	D mm	G kg
steel, galvanic zinc plated			
FRSS 6X12	12	16.6	0.006



SEMSS

Hexagon nut, self-locking, DIN 985



Article	t mm	Ø mm	SW mm	G kg
steel, galvanic zinc plated				
SEMSS 5	5.00	5.0	8	0.002
SEMSS 6	6.00	6.0	10	0.002
SEMSS 8	8.00	8.0	13	0.005
SEMSS 10	10.00	10.0	17	0.010
Stainless steel, acc. to AISI 304 (BS 304S31)				
SEMSS 6E	8.00	6.0	13	0.002
SEMSS 8E	8.00	8.0	13	0.005
SEMSS 10E	10.00	10.0	17	0.010
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
SEMSS 6E4	6.00	6.0	10	0.002
SEMSS 8E4	8.00	8.0	13	0.005
SEMSS 10E4	10.00	10.0	17	0.010



FRIK

Round head screw with hexagon socket


Article	L mm	D mm	G kg
steel, galvanic zinc plated			
FRIK 6X12	12	16.6	0.004
FRIK 6X25	25	16.6	0.006



KZS

Cold zinc spray


Article	G kg
KZS	0.403



KZF

Cold zinc paint

Article	G kg
KZF	1.035



KSB

Edge protection strip

Article	L mm	k mm	colour	G kg
Polyvinyl chloride				
KSB-G	1000	0,5 - 1,5	gray	0.072
KSB-S	1000	0,5 - 1,5	black	0.072
KSB 2-G	1000	0,5 - 2,0	gray	0.090
KSB 4-S	1000	1,0 - 4,0	black	0.140

