



Cable Trays	8
Fittings	39
Covers	67
Accessories	83

Cable Trays

R 35



Cable tray, unperforated, height = 35 mm





Article	H mm	B mm	L mm	t mm	A cm ²	Q _{SK} kN/m	G kg
Steel, pre-galvanised/Sendzimir process							
R 35-05S	35	50	3000	0.75	15	0.02	2.850
R 35-10S	35	100	3000	0.75	32	0.05	3.731
R 35-20S	35	200	3000	0.75	67	0.10	5.498
R 35-30S	35	300	3000	0.75	102	0.15	7.264
Steel, hot-dip galvanised							
R 35-05F	35	50	3000	0.75	15	0.02	3.200
R 35-10F	35	100	3000	0.75	32	0.05	4.183
R 35-20F	35	200	3000	0.75	67	0.10	6.164
R 35-30F	35	300	3000	0.75	102	0.15	8.144

optional accessories

MA 35	Middle suspending bracket, internal	408
RA 35	Cable tray tee, height = 35 mm	53
RAA 35	Cable tray add-on tee, height = 35 mm	51
RAB 35	Cable tray end plate, height = 20 mm	84
RAE 35	Cable tray attachment corner, height = 35 mm	47
RB 35	Cable tray bend, height = 35 mm	39
RB45 35	Cable tray bend, height = 35 mm	42
RBV 35	Cable tray bend, variable, height = 35 mm	44
RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
REB	Cable tray end plate	89
RGV 35	Cable tray side connector, height = 20 mm	86
RK 35	Cable tray crossing, height = 35 mm	56
RR 35	Cable tray reducer, height = 35 mm	61
RTR 35	Cable tray divider, height = 33 mm	91
RVB 35	Cable tray vertical bend, height = 35 mm	59
VB	Bottom plate	88, 216



Load diagram R 35



R 60

Cable tray, unperforated, height = 60 mm



Article	H mm	B mm	L mm	t mm	A cm ²	Q _{SK} kN/m	G kg
Steel, pre-galvanised/Sendzimir process							
R 60-05S	60	50	3000	0.75	27	0.04	3.730
R 60-10S	60	100	3000	0.75	57	0.09	4.601
R 60-20S	60	200	3000	0.75	117	0.17	6.368
R 60-30S	60	300	3000	0.75	177	0.26	8.134
R 60-40S	60	400	3000	0.88	237	0.34	11.595
R 60-50S	60	500	3000	1.00	297	0.43	15.508
R 60-60S	60	600	3000	1.00	357	0.52	17.863



Steel, hot-dip galvanised							
R 60-05F	60	50	3000	0.75	27	0.04	4.180
R 60-10F	60	100	3000	0.75	57	0.09	5.159
R 60-20F	60	200	3000	0.75	117	0.17	7.139
R 60-30F	60	300	3000	0.75	177	0.26	9.119
R 60-40F	60	400	3000	0.88	237	0.34	12.793
R 60-50F	60	500	3000	1.00	297	0.43	16.917
R 60-60F	60	600	3000	1.00	357	0.52	19.486

Stainless steel, acc. to AISI 304 (BS 304S31)							
R 60-05E	60	50	3000	0.80	27	0.04	4.000
R 60-10E	60	100	3000	0.80	57	0.09	4.900
R 60-20E	60	200	3000	0.80	117	0.17	6.800
R 60-30E	60	300	3000	0.80	177	0.26	8.800
R 60-40E	60	400	3000	0.80	237	0.34	10.600
R 60-50E	60	500	3000	1.00	297	0.43	15.600
R 60-60E	60	600	3000	1.00	357	0.52	17.900



Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)							
R 60-10E4	60	100	3000	0.80	57	0.09	5.002
R 60-20E4	60	200	3000	0.80	117	0.17	6.835
R 60-30E4	60	300	3000	0.80	177	0.26	8.731
R 60-40E4	60	400	3000	0.80	237	0.34	10.790
R 60-50E4	60	500	3000	1.00	297	0.43	15.840
R 60-60E4	60	600	3000	1.00	357	0.52	20.568

optional accessories

MA 60	Middle suspending bracket, internal	408
RA 60	Cable tray tee, height = 60 mm	54
RAA 60	Cable tray add-on tee, height = 60 mm	51
RAB 60	Cable tray end plate, height = 45 mm	84
RAE 60	Cable tray attachment corner, height = 60 mm	47
RB45 60	Cable tray bend, height = 60 mm	42
RB 60	Cable tray bend, height = 60 mm	39
RBV 60	Cable tray bend, variable, height = 60 mm	45
RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
REB	Cable tray end plate	89
RGV 60	Cable tray side connector, height = 45 mm	86
RGVS 60	Cable tray side snap-in connector, height = 60 mm	87
RK 60	Cable tray crossing, height = 60 mm	57
RR 60	Cable tray reducer, height = 60 mm	62
RTR 60	Cable tray divider, height = 50 mm	91
RVB 60	Cable tray vertical bend, height = 60 mm	60
VB	Bottom plate	88, 216



Load diagram R 60



R 85



Cable tray, unperforated, height = 85 mm





Article	H mm	B mm	L mm	t mm	A cm ²	Q _{SK} kN/m	G kg
Steel, pre-galvanised/Sendzimir process							
R 85-10S	85	100	3000	0.75	82	0.12	5.471
R 85-20S	85	200	3000	0.75	167	0.25	7.238
R 85-30S	85	300	3000	0.88	252	0.38	10.554
R 85-40S	85	400	3000	0.88	337	0.51	12.616
R 85-50S	85	500	3000	1.00	422	0.63	16.668
R 85-60S	85	600	3000	1.00	507	0.76	19.023
Steel, hot-dip galvanised							
R 85-10F	85	100	3000	0.75	82	0.12	6.134
R 85-20F	85	200	3000	0.75	167	0.25	8.114
R 85-30F	85	300	3000	0.88	252	0.38	11.636
R 85-40F	85	400	3000	0.88	337	0.51	13.919
R 85-50F	85	500	3000	1.00	422	0.63	18.183
R 85-60F	85	600	3000	1.00	507	0.76	20.751

optional accessories

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RB 85	Cable tray bend, height = 85 mm	40
RB45 85	Cable tray bend, height = 85 mm	43
RBV 85	Cable tray bend, variable, height = 85 mm	46
RAE 85	Cable tray attachment corner, height = 85 mm	48
RAA 85	Cable tray add-on tee, height = 85 mm	52
RA 85	Cable tray tee, height = 85 mm	55
RK 85	Cable tray crossing, height = 85 mm	58
RVB 85	Cable tray vertical bend, height = 85 mm	60
RR 85	Cable tray reducer, height = 85 mm	62
RAB 85	Cable tray end plate, height = 70 mm	85
REB	Cable tray end plate	89
RGV 85	Cable tray side connector, height = 70 mm	86
VB	Bottom plate	88, 216
RTR 85	Cable tray divider, height = 80 mm	92



Load diagram R 85





R 110

Cable tray, unperforated, height = 110 mm





Article	H	B	L	t	A	Q _{SK}	G
	mm	mm	mm	mm	cm ²	kN/m	kg
Steel, pre-galvanised/Sendzimir process							
R 110-10S	110	100	3000	0.75	107	0.16	6.341
R 110-20S	110	200	3000	0.75	217	0.33	8.108
R 110-30S	110	300	3000	0.88	327	0.49	11.565
R 110-40S	110	400	3000	1.00	437	0.66	15.473
R 110-50S	110	500	3000	1.00	547	0.82	17.828
R 110-60S	110	600	3000	1.00	657	0.99	20.183
Steel, hot-dip galvanised							
R 110-10F	110	100	3000	0.75	107	0.16	7.110
R 110-20F	110	200	3000	0.75	217	0.33	9.090
R 110-30F	110	300	3000	0.88	327	0.49	12.759
R 110-40F	110	400	3000	1.00	437	0.66	16.879
R 110-50F	110	500	3000	1.00	547	0.82	19.448
R 110-60F	110	600	3000	1.00	657	0.99	22.017
Stainless steel, acc. to AISI 304 (BS 304S31)							
R 110-10E	110	100	3000	0.80	107	0.16	6.700
R 110-20E	110	200	3000	0.80	217	0.33	8.800
R 110-30E	110	300	3000	0.80	327	0.49	10.800
R 110-40E	110	400	3000	1.00	437	0.66	14.900
R 110-50E	110	500	3000	1.00	547	0.82	17.941
R 110-60E	110	600	3000	1.00	657	0.99	20.311



optional accessories

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RB 110	Cable tray bend, height = 110 mm	41
RB45 110	Cable tray bend, height = 110 mm	44
RBV 110	Cable tray bend, variable, height = 110 mm	46
RAE 110	Cable tray attachment corner, height = 110 mm	48
RAA 110	Cable tray add-on tee, height = 110 mm	53
RA 110	Cable tray tee, height = 110 mm	56
RK 110	Cable tray crossing, height = 110 mm	59
RVB 110	Cable tray vertical bend, height = 110 mm	61
RR 110	Cable tray reducer, height = 110 mm	63
RAB 110	Cable tray end plate, height = 95 mm	85
REB	Cable tray end plate	89
RGV 110	Cable tray side connector, height = 95 mm	87
VB	Bottom plate	88, 216
RTR 110	Cable tray divider, height = 100 mm	92

Load diagram R 110



RS 60



Cable tray, unperforated, heavy, height = 60 mm





Article	H mm	B mm	L mm	t mm	A cm ²	Q _{SK} kN/m	G kg
Steel, pre-galvanised/Sendzimir process							
RS 60-10S	60	100	3000	1.50	57	0.09	9.200
RS 60-20S	60	200	3000	1.50	117	0.17	12.600
RS 60-30S	60	300	3000	1.50	177	0.26	15.900
RS 60-40S	60	400	3000	1.50	237	0.34	18.900
RS 60-50S	60	500	3000	1.50	297	0.43	22.100
RS 60-60S	60	600	3000	1.50	357	0.52	25.600
Steel, hot-dip galvanised							
RS 60-10F	60	100	3000	1.50	57	0.09	9.573
RS 60-20F	60	200	3000	1.50	117	0.17	13.319
RS 60-30F	60	300	3000	1.50	177	0.26	17.066
RS 60-40F	60	400	3000	1.50	237	0.34	20.812
RS 60-50F	60	500	3000	1.50	297	0.43	24.559
RS 60-60F	60	600	3000	1.50	357	0.52	28.305

optional accessories

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RDS	Cable tray cover, heavy	69
RDSR	Cable tray cover with turnbuckles, heavy	69
RB 60	Cable tray bend, height = 60 mm	39
RB45 60	Cable tray bend, height = 60 mm	42
MA 60	Middle suspending bracket, internal	408
RBV 60	Cable tray bend, variable, height = 60 mm	45
RAE 60	Cable tray attachment corner, height = 60 mm	47
RAA 60	Cable tray add-on tee, height = 60 mm	51
RA 60	Cable tray tee, height = 60 mm	54
RK 60	Cable tray crossing, height = 60 mm	57
RVB 60	Cable tray vertical bend, height = 60 mm	60
RR 60	Cable tray reducer, height = 60 mm	62
RAB 60	Cable tray end plate, height = 45 mm	84
REB	Cable tray end plate	89
RGV 60	Cable tray side connector, height = 45 mm	86
VB	Bottom plate	88, 216
RTR 60	Cable tray divider, height = 50 mm	91



Load diagram RS 60



RS 110



Cable tray, unperforated, heavy, height = 110 mm





Article	H	B	L	t	A	Q _{SK}	G
	mm	mm	mm	mm	cm ²	kN/m	kg
Steel, pre-galvanised/Sendzimir process							
RS 110-10S	110	100	3000	1.50	107	0.16	12.600
RS 110-20S	110	200	3000	1.50	217	0.33	15.895
RS 110-30S	110	300	3000	1.50	327	0.49	19.125
RS 110-40S	110	400	3000	1.50	437	0.66	23.200
RS 110-50S	110	500	3000	1.50	547	0.82	26.000
RS 110-60S	110	600	3000	1.50	657	0.99	29.900
Steel, hot-dip galvanised							
RS 110-10F	110	100	3000	1.50	107	0.16	13.264
RS 110-20F	110	200	3000	1.50	217	0.33	17.010
RS 110-30F	110	300	3000	1.50	327	0.49	19.800
RS 110-40F	110	400	3000	1.50	437	0.66	24.503
RS 110-50F	110	500	3000	1.50	547	0.82	28.149
RS 110-60F	110	600	3000	1.50	657	0.99	31.996

optional accessories

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RDS	Cable tray cover, heavy	69
RDSR	Cable tray cover with turnbuckles, heavy	69
RB 110	Cable tray bend, height = 110 mm	41
RB45 110	Cable tray bend, height = 110 mm	44
RBV 110	Cable tray bend, variable, height = 110 mm	46
RAE 110	Cable tray attachment corner, height = 110 mm	48
RAA 110	Cable tray add-on tee, height = 110 mm	53
RA 110	Cable tray tee, height = 110 mm	56
RK 110	Cable tray crossing, height = 110 mm	59
RVB 110	Cable tray vertical bend, height = 110 mm	61
RR 110	Cable tray reducer, height = 110 mm	63
RAB 110	Cable tray end plate, height = 95 mm	85
REB	Cable tray end plate	89
RGV 110	Cable tray side connector, height = 95 mm	87
VB	Bottom plate	88, 216
RTR 110	Cable tray divider, height = 100 mm	92



Load diagram RS 110



RG 35



Cable tray, perforated, height = 35 mm





Article	H mm	B mm	L mm	t mm	A cm ²	Q _{SK} kN/m	G kg
Steel, pre-galvanised/Sendzimir process							
RG 35-05S	35	50	3000	0.75	15	0.02	2.620
RG 35-10S	35	100	3000	0.75	32	0.05	3.500
RG 35-20S	35	200	3000	0.75	67	0.10	5.200
RG 35-30S	35	300	3000	0.75	102	0.15	6.000
Steel, hot-dip galvanised							
RG 35-05F	35	50	3000	0.75	15	0.02	2.937
RG 35-10F	35	100	3000	0.75	32	0.05	3.820
RG 35-20F	35	200	3000	0.75	67	0.10	5.600
RG 35-30F	35	300	3000	0.75	102	0.15	7.600

optional accessories

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RB 35	Cable tray bend, height = 35 mm	39
RB45 35	Cable tray bend, height = 35 mm	42
RBV 35	Cable tray bend, variable, height = 35 mm	44
RAE 35	Cable tray attachment corner, height = 35 mm	47
RAA 35	Cable tray add-on tee, height = 35 mm	51
RA 35	Cable tray tee, height = 35 mm	53
RK 35	Cable tray crossing, height = 35 mm	56
RVB 35	Cable tray vertical bend, height = 35 mm	59
RR 35	Cable tray reducer, height = 35 mm	61
RAB 35	Cable tray end plate, height = 20 mm	84
REB	Cable tray end plate	89
RGV 35	Cable tray side connector, height = 20 mm	86
VB	Bottom plate	88, 216
RTR 35	Cable tray divider, height = 33 mm	91
RKAB	Cable tray drop-out plate	95



Load diagram RG 35





RG 60

Cable tray, perforated, height = 60 mm



Article	H mm	B mm	L mm	t mm	A cm ²	Q _{SK} kN/m	G kg
Steel, pre-galvanised/Sendzimir process							
RG 60-05S	60	50	3000	0.75	27	0.04	3.372
RG 60-10S	60	100	3000	0.75	57	0.09	4.300
RG 60-15S	60	150	3000	0.75	87	0.13	5.200
RG 60-20S	60	200	3000	0.75	117	0.17	5.800
RG 60-30S	60	300	3000	0.75	177	0.26	7.400
RG 60-40S	60	400	3000	0.88	237	0.34	10.600
RG 60-50S	60	500	3000	1.00	297	0.43	14.200
RG 60-60S	60	600	3000	1.00	357	0.52	16.400
Steel, hot-dip galvanised							
RG 60-05F	60	50	3000	0.75	27	0.04	3.780
RG 60-10F	60	100	3000	0.75	57	0.09	4.800
RG 60-15F	60	150	3000	0.75	87	0.13	5.611
RG 60-20F	60	200	3000	0.75	117	0.17	6.500
RG 60-30F	60	300	3000	0.75	177	0.26	8.300
RG 60-40F	60	400	3000	0.88	237	0.34	11.700
RG 60-50F	60	500	3000	1.00	297	0.43	15.700
RG 60-60F	60	600	3000	1.00	357	0.52	18.100
Stainless steel, acc. to AISI 304 (BS 304S31)							
RG 60-05E	60	50	3000	0.80	27	0.04	3.619
RG 60-10E	60	100	3000	0.80	57	0.09	4.600
RG 60-20E	60	200	3000	0.80	117	0.17	6.200
RG 60-30E	60	300	3000	0.80	177	0.26	8.000
RG 60-40E	60	400	3000	0.80	237	0.34	9.900
RG 60-50E	60	500	3000	1.00	297	0.43	14.300
RG 60-60E	60	600	3000	1.00	357	0.52	16.600



optional accessories

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RB 60	Cable tray bend, height = 60 mm	39
RB45 60	Cable tray bend, height = 60 mm	42
MA 60	Middle suspending bracket, internal	408
RBV 60	Cable tray bend, variable, height = 60 mm	45
RAE 60	Cable tray attachment corner, height = 60 mm	47
RAA 60	Cable tray add-on tee, height = 60 mm	51
RA 60	Cable tray tee, height = 60 mm	54
RK 60	Cable tray crossing, height = 60 mm	57
RVB 60	Cable tray vertical bend, height = 60 mm	60
RR 60	Cable tray reducer, height = 60 mm	62
RAB 60	Cable tray end plate, height = 45 mm	84
REB	Cable tray end plate	89
RGV 60	Cable tray side connector, height = 45 mm	86
RGVS 60	Cable tray side snap-in connector, height = 60 mm	87
VB	Bottom plate	88, 216
RTR 60	Cable tray divider, height = 50 mm	91
RKAB	Cable tray drop-out plate	95

RG 60



Cable tray, perforated, height = 60 mm






Article	H mm	B mm	L mm	t mm	A cm ²	Q _{SK} kN/m	G kg
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)							
RG 60-10E4	60	100	3000	0.80	57	0.09	4.567
RG 60-20E4	60	200	3000	0.80	117	0.17	6.400
RG 60-30E4	60	300	3000	0.80	177	0.26	7.837
RG 60-40E4	60	400	3000	0.80	237	0.34	9.075
RG 60-50E4	60	500	3000	1.00	297	0.43	14.800
RG 60-60E4	60	600	3000	1.00	357	0.52	16.000

optional accessories

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RB 60	Cable tray bend, height = 60 mm	39
RB45 60	Cable tray bend, height = 60 mm	42
MA 60	Middle suspending bracket, internal	408
RBV 60	Cable tray bend, variable, height = 60 mm	45
RAE 60	Cable tray attachment corner, height = 60 mm	47
RAA 60	Cable tray add-on tee, height = 60 mm	51
RA 60	Cable tray tee, height = 60 mm	54
RK 60	Cable tray crossing, height = 60 mm	57
RVB 60	Cable tray vertical bend, height = 60 mm	60
RR 60	Cable tray reducer, height = 60 mm	62
RAB 60	Cable tray end plate, height = 45 mm	84
REB	Cable tray end plate	89
RGV 60	Cable tray side connector, height = 45 mm	86
RGVS 60	Cable tray side snap-in connector, height = 60 mm	87
VB	Bottom plate	88, 216
RTR 60	Cable tray divider, height = 50 mm	91
RKAB	Cable tray drop-out plate	95



Load diagram RG 60





RG 85

Cable tray, perforated, height = 85 mm



Article	H mm	B mm	L mm	t mm	A cm ²	Q _{SK} kN/m	G kg
Steel, pre-galvanised/Sendzimir process							
RG 85-10S	85	100	3000	0.75	82	0.12	5.010
RG 85-20S	85	200	3000	0.75	167	0.25	6.500
RG 85-30S	85	300	3000	0.88	252	0.38	9.600
RG 85-40S	85	400	3000	0.88	337	0.51	11.600
RG 85-50S	85	500	3000	1.00	422	0.63	15.250
RG 85-60S	85	600	3000	1.00	507	0.76	17.600
Steel, hot-dip galvanised							
RG 85-10F	85	100	3000	0.75	82	0.12	6.000
RG 85-20F	85	200	3000	0.75	167	0.25	7.150
RG 85-30F	85	300	3000	0.88	252	0.38	10.550
RG 85-40F	85	400	3000	0.88	337	0.51	12.900
RG 85-50F	85	500	3000	1.00	422	0.63	16.600
RG 85-60F	85	600	3000	1.00	507	0.76	18.400

optional accessories

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RB 85	Cable tray bend, height = 85 mm	40
RB45 85	Cable tray bend, height = 85 mm	43
RBV 85	Cable tray bend, variable, height = 85 mm	46
RAE 85	Cable tray attachment corner, height = 85 mm	48
RAA 85	Cable tray add-on tee, height = 85 mm	52
RA 85	Cable tray tee, height = 85 mm	55
RK 85	Cable tray crossing, height = 85 mm	58
RVB 85	Cable tray vertical bend, height = 85 mm	60
RR 85	Cable tray reducer, height = 85 mm	62
RAB 85	Cable tray end plate, height = 70 mm	85
REB	Cable tray end plate	89
RGV 85	Cable tray side connector, height = 70 mm	86
VB	Bottom plate	88, 216
RTR 85	Cable tray divider, height = 80 mm	92
RKAB	Cable tray drop-out plate	95



Load diagram R 85





RG 110

Cable tray, perforated, height = 110 mm





Article	H mm	B mm	L mm	t mm	A cm ²	Q _{SK} kN/m	G kg
Steel, pre-galvanised/Sendzimir process							
RG 110-10S	110	100	3000	0.75	107	0.16	5.820
RG 110-20S	110	200	3000	0.75	217	0.33	7.700
RG 110-30S	110	300	3000	0.88	327	0.49	10.440
RG 110-40S	110	400	3000	1.00	437	0.66	13.900
RG 110-50S	110	500	3000	1.00	547	0.82	16.250
RG 110-60S	110	600	3000	1.00	657	0.99	18.450
Steel, hot-dip galvanised							
RG 110-10F	110	100	3000	0.75	107	0.16	6.380
RG 110-20F	110	200	3000	0.75	217	0.33	8.250
RG 110-30F	110	300	3000	0.88	327	0.49	11.220
RG 110-40F	110	400	3000	1.00	437	0.66	14.650
RG 110-50F	110	500	3000	1.00	547	0.82	17.100
RG 110-60F	110	600	3000	1.00	657	0.99	19.400
Stainless steel, acc. to AISI 304 (BS 304S31)							
RG 110-10E	110	100	3000	0.80	107	0.16	6.200
RG 110-20E	110	200	3000	0.80	217	0.33	7.680
RG 110-30E	110	300	3000	0.80	327	0.49	9.250
RG 110-40E	110	400	3000	1.00	437	0.66	13.600
RG 110-50E	110	500	3000	1.00	547	0.82	16.100
RG 110-60E	110	600	3000	1.00	657	0.99	18.570
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)							
RG 110-10E4	110	100	3000	0.80	107	0.16	6.181
RG 110-20E4	110	200	3000	0.80	217	0.33	7.889
RG 110-30E4	110	300	3000	0.80	327	0.49	9.688
RG 110-40E4	110	400	3000	1.00	437	0.66	14.130
RG 110-50E4	110	500	3000	1.00	547	0.82	16.557
RG 110-60E4	110	600	3000	1.00	657	0.99	18.570



optional accessories

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RB 110	Cable tray bend, height = 110 mm	41
RB45 110	Cable tray bend, height = 110 mm	44
RBV 110	Cable tray bend, variable, height = 110 mm	46
RAE 110	Cable tray attachment corner, height = 110 mm	48
RAA 110	Cable tray add-on tee, height = 110 mm	53
RA 110	Cable tray tee, height = 110 mm	56
RK 110	Cable tray crossing, height = 110 mm	59
RVB 110	Cable tray vertical bend, height = 110 mm	61
RR 110	Cable tray reducer, height = 110 mm	63
RAB 110	Cable tray end plate, height = 95 mm	85
REB	Cable tray end plate	89
RGV 110	Cable tray side connector, height = 95 mm	87
VB	Bottom plate	88, 216
RTR 110	Cable tray divider, height = 100 mm	92
RKAB	Cable tray drop-out plate	95

Load diagram RG 110



RGS 60



Cable tray, perforated, heavy, height = 60 mm





Article	H mm	B mm	L mm	t mm	A cm ²	Q _{SK} kN/m	G kg
Steel, pre-galvanised/Sendzimir process							
RGS 60-10S	60	100	3000	1.50	57	0.09	8.333
RGS 60-20S	60	200	3000	1.50	117	0.17	11.332
RGS 60-30S	60	300	3000	1.50	177	0.26	14.640
RGS 60-40S	60	400	3000	1.50	237	0.34	17.948
RGS 60-50S	60	500	3000	1.50	297	0.43	21.257
RGS 60-60S	60	600	3000	1.50	357	0.52	24.565
Steel, hot-dip galvanised							
RGS 60-10F	60	100	3000	1.50	57	0.09	8.888
RGS 60-20F	60	200	3000	1.50	117	0.17	12.087
RGS 60-30F	60	300	3000	1.50	177	0.26	15.616
RGS 60-40F	60	400	3000	1.50	237	0.34	19.144
RGS 60-50F	60	500	3000	1.50	297	0.43	22.673
RGS 60-60F	60	600	3000	1.50	357	0.52	26.202
Stainless steel, acc. to AISI 304 (BS 304S31)							
RGS 60-10E	60	100	3000	1.50	57	0.09	8.386
RGS 60-20E	60	200	3000	1.50	117	0.17	11.404
RGS 60-30E	60	300	3000	1.50	177	0.26	14.733
RGS 60-40E	60	400	3000	1.50	237	0.34	18.063
RGS 60-50E	60	500	3000	1.50	297	0.43	21.392
RGS 60-60E	60	600	3000	1.50	357	0.52	24.722
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)							
RGS 60-10E4	60	100	3000	1.50	57	0.09	8.492
RGS 60-20E4	60	200	3000	1.50	117	0.17	11.548
RGS 60-30E4	60	300	3000	1.50	177	0.26	14.919
RGS 60-40E4	60	400	3000	1.50	237	0.34	18.292
RGS 60-50E4	60	500	3000	1.50	297	0.43	21.662
RGS 60-60E4	60	600	3000	1.50	357	0.52	25.035

optional accessories

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RDS	Cable tray cover, heavy	69
RDSR	Cable tray cover with turnbuckles, heavy	69
RB 60	Cable tray bend, height = 60 mm	39
RB45 60	Cable tray bend, height = 60 mm	42
MA 60	Middle suspending bracket, internal	408
RBV 60	Cable tray bend, variable, height = 60 mm	45
RAE 60	Cable tray attachment corner, height = 60 mm	47
RAA 60	Cable tray add-on tee, height = 60 mm	51
RA 60	Cable tray tee, height = 60 mm	54
RK 60	Cable tray crossing, height = 60 mm	57
RVB 60	Cable tray vertical bend, height = 60 mm	60
RR 60	Cable tray reducer, height = 60 mm	62
RAB 60	Cable tray end plate, height = 45 mm	84
REB	Cable tray end plate	89
RGV 60	Cable tray side connector, height = 45 mm	86
VB	Bottom plate	88, 216
RTR 60	Cable tray divider, height = 50 mm	91
RKAB	Cable tray drop-out plate	95



Load diagram RGS 60





RGS 85

Cable tray, perforated, heavy, height = 85 mm

Article	H	B	L	t	A	Q _{SK}	G
	mm	mm	mm	mm	cm ²	kN/m	kg
Steel, pre-galvanised/Sendzimir process							
RGS 85-10S	85	100	3000	1.50	82	0.12	9.837
RGS 85-20S	85	200	3000	1.50	167	0.25	12.835
RGS 85-30S	85	300	3000	1.50	252	0.38	16.144
RGS 85-40S	85	400	3000	1.50	337	0.51	19.452
RGS 85-50S	85	500	3000	1.50	422	0.63	22.760
RGS 85-60S	85	600	3000	1.50	507	0.76	26.069

optional accessories

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RDS	Cable tray cover, heavy	69
RDSR	Cable tray cover with turnbuckles, heavy	69
RB 85	Cable tray bend, height = 85 mm	40
RB45 85	Cable tray bend, height = 85 mm	43
RBV 85	Cable tray bend, variable, height = 85 mm	46
RAE 85	Cable tray attachment corner, height = 85 mm	48
RAA 85	Cable tray add-on tee, height = 85 mm	52
RA 85	Cable tray tee, height = 85 mm	55
RK 85	Cable tray crossing, height = 85 mm	58
RVB 85	Cable tray vertical bend, height = 85 mm	60
RR 85	Cable tray reducer, height = 85 mm	62
RAB 85	Cable tray end plate, height = 70 mm	85
REB	Cable tray end plate	89
RGV 85	Cable tray side connector, height = 70 mm	86
VB	Bottom plate	88, 216
RTR 85	Cable tray divider, height = 80 mm	92
RKAB	Cable tray drop-out plate	95





Cable tray, perforated, heavy, height = 110 mm

The technical drawing illustrates the construction of a metal grate (Gitter) with the following details:

- Isometric View (Top):** Shows the grate's dimensions: L (length), B (width), and H (height). It features a grid of horizontal bars with oval-shaped openings.
- Side View (Middle):** Shows the profile of the grate with vertical dimensions: 50 (top flange height), 75 (main body height), and 75 (bottom flange height).
- Cross-sectional View (Bottom):** Shows the grate's profile with a hatched base. Dimensions include 50 (top flange height), 75 (main body height), and 75 (bottom flange height). The base is labeled A .
- Material Specifications:**
 - Horizontal bars: $\phi 5 \times 30$
 - Vertical bars: $\phi 5 \times 45$
 - Welding: $\phi 11$
 - Bottom flange: $\phi 5 \times 38$
- Detail View (Bottom Right):** A close-up of the corner joint showing the $\phi 5 \times 30$ bar, the $\phi 11$ weld, and the 50 dimension.

RD	Cable tray cover	67, 241
RDR	Cable tray cover with turnbuckles	68
RDS	Cable tray cover, heavy	69
RDSR	Cable tray cover with turnbuckles, heavy	69
RB 110	Cable tray bend, height = 110 mm	41
RB45 110	Cable tray bend, height = 110 mm	44
RBV 110	Cable tray bend, variable, height = 110 mm	46
RAE 110	Cable tray attachment corner, height = 110 mm	48
RAA 110	Cable tray add-on tee, height = 110 mm	53
RA 110	Cable tray tee, height = 110 mm	56
RK 110	Cable tray crossing, height = 110 mm	59
RVB 110	Cable tray vertical bend, height = 110 mm	61
RR 110	Cable tray reducer, height = 110 mm	63
RAB 110	Cable tray end plate, height = 95 mm	85
REB	Cable tray end plate	89
RGV 110	Cable tray side connector, height = 95 mm	87
VB	Bottom plate	88, 216
RTR 110	Cable tray divider, height = 100 mm	92
RKAB	Cable tray drop-out plate	95

Load diagram RGS 110



RGL 60



Cable tray, perforated, permeable to extinguishing water, height = 60 mm





Article	H	B	L	t	A	Q _{SK}	G
	mm	mm	mm	mm	cm ²	kN/m	kg
Steel, pre-galvanised/Sendzimir process							
RGL 60-20S	60	200	3000	0.75	117	0.17	5.118
RGL 60-30S	60	300	3000	0.75	177	0.27	6.237
RGL 60-40S	60	400	3000	0.88	237	0.34	8.610
RGL 60-50S	60	500	3000	1.00	297	0.43	11.253
RGL 60-60S	60	600	3000	1.00	357	0.52	12.745
Steel, hot-dip galvanised							
RGL 60-20F	60	200	3000	0.75	117	0.17	5.738
RGL 60-30F	60	300	3000	0.75	177	0.27	6.992
RGL 60-40F	60	400	3000	0.88	237	0.34	9.499
RGL 60-50F	60	500	3000	1.00	297	0.43	12.378
RGL 60-60F	60	600	3000	1.00	357	0.52	14.019

optional accessories

RD	Cable tray cover	67,241
RDR	Cable tray cover with turnbuckles	68
RB 60	Cable tray bend, height = 60 mm	39
RB45 60	Cable tray bend, height = 60 mm	42
MA 60	Middle suspending bracket, internal	408
RBV 60	Cable tray bend, variable, height = 60 mm	45
RAE 60	Cable tray attachment corner, height = 60 mm	47
RAA 60	Cable tray add-on tee, height = 60 mm	51
RA 60	Cable tray tee, height = 60 mm	54
RK 60	Cable tray crossing, height = 60 mm	57
RVB 60	Cable tray vertical bend, height = 60 mm	60
RR 60	Cable tray reducer, height = 60 mm	62
RAB 60	Cable tray end plate, height = 45 mm	84
REB	Cable tray end plate	89
RGV 60	Cable tray side connector, height = 45 mm	86
RGVS 60	Cable tray side snap-in connector, height = 60 mm	87
VB	Bottom plate	88,216
RTR 60	Cable tray divider, height = 50 mm	91
KSR 35	Cable protection ring	97
KSR 94	Cable protection ring	98
RKAB	Cable tray drop-out plate	95



Load diagram RGL 60





RI 60

Installation tray, perforated, height = 60 mm





Article	H	B	L	t	A	Q _{SK}	G
	mm	mm	mm	mm	cm ²	kN/m	kg
Steel, pre-galvanised/Sendzimir process							
RI 60-05S	60	50	3000	1.00	28	0.04	3.600
RI 60-10S	60	100	3000	1.00	58	0.09	4.635
RI 60-15S	60	150	3000	1.00	118	0.13	5.600
RI 60-20S	60	200	3000	1.00	178	0.17	6.200
RI 60-30S	60	300	3000	1.00	238	0.26	8.700
Steel, hot-dip galvanised							
RI 60-05F	60	50	3000	1.00	28	0.04	3.790
RI 60-10F	60	100	3000	1.00	58	0.09	4.850
RI 60-15F	60	150	3000	1.00	118	0.13	6.150
RI 60-20F	60	200	3000	1.00	178	0.17	6.780
RI 60-30F	60	300	3000	1.00	238	0.26	9.250
Stainless steel, acc. to AISI 304 (BS 304S31)							
RI 60-05E	60	50	3000	1.00	28	0.04	3.486
RI 60-10E	60	100	3000	1.00	58	0.09	4.510
RI 60-15E	60	150	3000	1.00	118	0.13	5.780
RI 60-20E	60	200	3000	1.00	178	0.17	6.200
RI 60-30E	60	300	3000	1.00	238	0.26	8.700
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)							
RI 60-05E4	60	50	3000	1.00	28	0.04	3.486
RI 60-10E4	60	100	3000	1.00	58	0.09	4.510
RI 60-15E4	60	150	3000	1.00	118	0.13	5.780
RI 60-20E4	60	200	3000	1.00	178	0.17	6.200
RI 60-30E4	60	300	3000	1.00	238	0.26	8.700



optional accessories

RID	Installation cable tray cover	70
RIDR	Installation cable tray cover with turnbuckles	70
RIK 60	Installation cable tray crossing, height = 60 mm	65
RIB 60	Installation cable tray bend, height = 60 mm	63
RIA 60	Installation cable tray tee, height = 60 mm	64
RTR 60	Cable tray divider, height = 50 mm	91
RIV 60	Installation cable tray connector, height = 45 mm	87
VB	Bottom plate	88, 216
REB	Cable tray end plate	89
KSR 50	Cable protection ring	97
SRI 60	Protection cap	99
KSB	Edge protection strip	98, 329
AHB	Suspension bracket	99
RKAB	Cable tray drop-out plate	95

Load diagram RI 60



RIS 60



Installation tray, perforated, heavy, height = 60 mm



Article	H	B	L	t	A	Q _{SK}	G
	mm	mm	mm	mm	cm ²	kN/m	kg
Steel, pre-galvanised/Sendzimir process							
RIS 60-05S	60	50	3000	1.50	27	0.04	5.000
RIS 60-10S	60	100	3000	1.50	56	0.09	6.800
RIS 60-15S	60	150	3000	1.50	85	0.13	8.400
RIS 60-20S	60	200	3000	1.50	113	0.17	9.100
RIS 60-30S	60	300	3000	1.50	171	0.26	13.000
Steel, hot-dip galvanised							
RIS 60-05F	60	50	3000	1.50	27	0.04	5.640
RIS 60-10F	60	100	3000	1.50	56	0.09	7.227
RIS 60-15F	60	150	3000	1.50	85	0.13	9.116
RIS 60-20F	60	200	3000	1.50	113	0.17	10.056
RIS 60-30F	60	300	3000	1.50	171	0.26	13.835

optional accessories

RID	Installation cable tray cover	70
RIDR	Installation cable tray cover with turnbuckles	70
RDS	Cable tray cover, heavy	69
RDSR	Cable tray cover with turnbuckles, heavy	69
RIK 60	Installation cable tray crossing, height = 60 mm	65
RIB 60	Installation cable tray bend, height = 60 mm	63
RIA 60	Installation cable tray tee, height = 60 mm	64
RITR 60	Installation cable tray divider, height = 58 mm	93
RIV 60	Installation cable tray connector, height = 45 mm	87
VB	Bottom plate	88, 216
REB	Cable tray end plate	89
KSR 50	Cable protection ring	97
SRI 60	Protection cap	99
AHB	Suspension bracket	99
RKAB	Cable tray drop-out plate	95



Fittings



RB 35

Cable tray bend, height = 35 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RB 35-05S	35	50	90°	0.311
RB 35-10S	35	100	90°	0.478
RB 35-20S	35	200	90°	0.894
RB 35-30S	35	300	90°	1.491
Steel, hot-dip galvanised				
RB 35-05F	35	50	90°	0.335
RB 35-10F	35	100	90°	0.514
RB 35-20F	35	200	90°	0.959
RB 35-30F	35	300	90°	1.682

optional accessories

RBD	Cable tray bend cover	71
RBDR	Cable tray cover with turnbuckles	72
VB	Bottom plate	88, 216
RTRV 35	Cable tray divider, variable, height = 33 mm	93





RB 60

Cable tray bend, height = 60 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RB 60-05S	60	50	90°	0.122
RB 60-10S	60	100	90°	0.760
RB 60-15S	60	150	90°	0.963
RB 60-20S	60	200	90°	1.209
RB 60-30S	60	300	90°	1.878
RB 60-40S	60	400	90°	2.656
RB 60-50S	60	500	90°	3.588
RB 60-60S	60	600	90°	4.692
Steel, hot-dip galvanised				
RB 60-05F	60	50	90°	0.597
RB 60-10F	60	100	90°	0.815
RB 60-20F	60	200	90°	1.296
RB 60-30F	60	300	90°	2.012
RB 60-40F	60	400	90°	2.844
RB 60-50F	60	500	90°	3.841
RB 60-60F	60	600	90°	5.022

optional accessories

RBD	Cable tray bend cover	71
RBDR	Cable tray cover with turnbuckles	72
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94



RB 60



Cable tray bend, height = 60 mm

Article	H mm	B mm	W	G kg
Stainless steel, acc. to AISI 304 (BS 304S31)				
RB 60-05E	60	50	90°	0.525
RB 60-10E	60	100	90°	0.685
RB 60-20E	60	200	90°	1.137
RB 60-30E	60	300	90°	1.796
RB 60-40E	60	400	90°	2.578
RB 60-50E	60	500	90°	3.517
RB 60-60E	60	600	90°	4.648

Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
RB 60-10E4	60	100	90°	0.696
RB 60-20E4	60	200	90°	1.154
RB 60-30E4	60	300	90°	1.644
RB 60-40E4	60	400	90°	2.437
RB 60-50E4	60	500	90°	3.387
RB 60-60E4	60	600	90°	4.533

optional accessories

RBD	Cable tray bend cover	71
RBDR	Cable tray cover with turnbuckles	72
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94



RB 85



Cable tray bend, height = 85 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RB 85-10S	85	100	90°	1.029
RB 85-20S	85	200	90°	1.511
RB 85-30S	85	300	90°	2.267
RB 85-40S	85	400	90°	3.077
RB 85-50S	85	500	90°	4.132
RB 85-60S	85	600	90°	5.179

Steel, hot-dip galvanised				
RB 85-10F	85	100	90°	1.105
RB 85-20F	85	200	90°	1.621
RB 85-30F	85	300	90°	2.430
RB 85-40F	85	400	90°	3.296
RB 85-50F	85	500	90°	4.425
RB 85-60F	85	600	90°	5.546

optional accessories

RBD	Cable tray bend cover	71
RBDR	Cable tray cover with turnbuckles	72
VB	Bottom plate	88, 216
RTRV 85	Cable tray divider, variable, height = 80 mm	94





RB 110

Cable tray bend, height = 110 mm

Article	H mm	B mm	W °	G kg
Steel, pre-galvanised/Sendzimir process				
RB 110-10S	110	100	90°	1.439
RB 110-20S	110	200	90°	1.953
RB 110-30S	110	300	90°	2.833
RB 110-40S	110	400	90°	3.677
RB 110-50S	110	500	90°	4.674
RB 110-60S	110	600	90°	5.843
Steel, hot-dip galvanised				
RB 110-10F	110	100	90°	1.544
RB 110-20F	110	200	90°	2.094
RB 110-30F	110	300	90°	3.035
RB 110-40F	110	400	90°	3.938
RB 110-50F	110	500	90°	5.005
RB 110-60F	110	600	90°	6.256
Stainless steel, acc. to AISI 304 (BS 304S31)				
RB 110-10E	110	100	90°	1.234
RB 110-20E	110	200	90°	1.751
RB 110-30E	110	300	90°	2.586
RB 110-40E	110	400	90°	3.434
RB 110-50E	110	500	90°	4.438
RB 110-60E	110	600	90°	5.635
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
RB 110-10E4	110	100	90°	1.252
RB 110-20E4	110	200	90°	1.776
RB 110-30E4	110	300	90°	2.621
RB 110-40E4	110	400	90°	3.481
RB 110-50E4	110	500	90°	4.496
RB 110-60E4	110	600	90°	5.710

optional accessories

RBD	Cable tray bend cover	71
RBDR	Cable tray cover with turnbuckles	72
VB	Bottom plate	88, 216
RTRV 110	Cable tray divider, variable, height = 100 mm	95





RB45 35

Cable tray bend, height = 35 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RB45 35-10S	35	100	45°	0.423
RB45 35-20S	35	200	45°	0.677
RB45 35-30S	35	300	45°	1.033
Steel, hot-dip galvanised				
RB45 35-10F	35	100	45°	0.455
RB45 35-20F	35	100	45°	0.726
RB45 35-30F	35	300	45°	1.107

optional accessories

RBD45	Cable tray bend cover	72
RBDR45	Cable tray cover with turnbuckles	73
VB	Bottom plate	88, 216
RTRV 35	Cable tray divider, variable, height = 33 mm	93





RB45 60

Cable tray bend, height = 60 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RB45 60-10S	60	100	45°	0.692
RB45 60-15S	60	150	45°	0.815
RB45 60-20S	60	200	45°	0.961
RB45 60-30S	60	300	45°	1.374
RB45 60-40S	60	400	45°	1.809
RB45 60-50S	60	500	45°	2.324
RB45 60-60S	60	600	45°	2.924
Steel, hot-dip galvanised				
RB45 60-10F	60	100	45°	0.742
RB45 60-20F	60	200	45°	1.030
RB45 60-30F	60	300	45°	1.472
RB45 60-40F	60	400	45°	1.938
RB45 60-50F	60	500	45°	2.489
RB45 60-60F	60	600	45°	3.131

optional accessories

RBD45	Cable tray bend cover	72
RBDR45	Cable tray cover with turnbuckles	73
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RB45 60

Cable tray bend, height = 60 mm

Article	H mm	B mm	W	G kg
Stainless steel, acc. to AISI 304 (BS 304S31)				
RB45 60-10E	60	100	45°	0.614
RB45 60-20E	60	200	45°	0.884
RB45 60-30E	60	300	45°	1.286
RB45 60-40E	60	400	45°	1.724
RB45 60-50E	60	500	45°	2.242
RB45 60-60E	60	600	45°	2.845
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
RB45 60-10E4	60	100	45°	0.625
RB45 60-20E4	60	200	45°	0.900
RB45 60-30E4	60	300	45°	1.306
RB45 60-40E4	60	400	45°	1.750
RB45 60-50E4	60	500	45°	2.274
RB45 60-60E4	60	600	45°	2.885

optional accessories

RBD45	Cable tray bend cover	72
RBDR45	Cable tray cover with turnbuckles	73
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RB45 85

Cable tray bend, height = 85 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RB45 85-10S	85	100	45°	0.948
RB45 85-20S	85	200	45°	1.233
RB45 85-30S	85	300	45°	1.717
RB45 85-40S	85	400	45°	2.168
RB45 85-50S	85	500	45°	2.699
RB45 85-60S	85	600	45°	3.315
Steel, hot-dip galvanised				
RB45 85-10F	85	100	45°	1.018
RB45 85-20F	85	200	45°	1.323
RB45 85-30F	85	300	45°	1.841
RB45 85-40F	85	400	45°	2.324
RB45 85-50F	85	500	45°	2.892
RB45 85-60F	85	600	45°	3.551

optional accessories

RBD45	Cable tray bend cover	72
RBDR45	Cable tray cover with turnbuckles	73
VB	Bottom plate	88, 216
RTRV 85	Cable tray divider, variable, height = 80 mm	94



RB45 110

Cable tray bend, height = 110 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RB45 110-10S	110	100	45°	1.345
RB45 110-20S	110	200	45°	1.646
RB45 110-30S	110	300	45°	2.238
RB45 110-40S	110	400	45°	2.705
RB45 110-50S	110	500	45°	3.253
RB45 110-60S	110	600	45°	3.868
Steel, hot-dip galvanised				
RB45 110-10F	110	100	45°	1.443
RB45 110-20F	110	200	45°	1.765
RB45 110-30F	110	300	45°	2.399
RB45 110-40F	110	400	45°	2.899
RB45 110-50F	110	500	45°	3.485
RB45 110-60F	110	600	45°	4.143
Stainless steel, acc. to AISI 304 (BS 304S31)				
RB45 110-10E	110	100	45°	1.139
RB45 110-20E	110	200	45°	1.442
RB45 110-30E	110	300	45°	1.987
RB45 110-40E	110	400	45°	2.456
RB45 110-50E	110	500	45°	3.008
RB45 110-60E	110	600	45°	3.644

optional accessories

RBD45	Cable tray bend cover	72
RBDR45	Cable tray cover with turnbuckles	73
VB	Bottom plate	88, 216
RTRV 110	Cable tray divider, variable, height = 100 mm	95





RBV 35

Cable tray bend, variable, height = 35 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RBV 35-05S	35	50	var.	0.150
RBV 35-10S	35	100	var.	0.234
RBV 35-20S	35	200	var.	0.477
RBV 35-30S	35	300	var.	1.075

optional accessories

RBVD	Cable tray bend cover, variable	73
RBVDR	Cable tray bend cover, variable with turnbuckles	74
RTRV 35	Cable tray divider, variable, height = 33 mm	93





RBV 60

Cable tray bend, variable, height = 60 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RBV 60-05S	60	50	var.	0.242
RBV 60-10S	60	100	var.	0.335
RBV 60-20S	60	200	var.	0.605
RBV 60-30S	60	300	var.	1.263
RBV 60-40S	60	400	var.	1.862
RBV 60-50S	60	500	var.	3.196
RBV 60-60S	60	600	var.	4.285
Stainless steel, acc. to AISI 304 (BS 304S31)				
RBV 60-05E	60	50	var.	0.264
RBV 60-10E	60	100	var.	0.364
RBV 60-20E	60	200	var.	0.653
RBV 60-30E	60	300	var.	1.281
RBV 60-40E	60	400	var.	1.883
RBV 60-50E	60	500	var.	3.227
RBV 60-60E	60	600	var.	4.323
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
RBV 60-05E4	60	50	var.	0.274
RBV 60-10E4	60	100	var.	0.376
RBV 60-20E4	60	200	var.	0.669
RBV 60-30E4	60	300	var.	1.306
RBV 60-40E4	60	400	var.	1.916
RBV 60-50E4	60	500	var.	3.279
RBV 60-60E4	60	600	var.	4.389

optional accessories

RBVD	Cable tray bend cover, variable	73
RBVDR	Cable tray bend cover, variable with turnbuckles	74
RTRV 60	Cable tray divider, variable, height = 50 mm	94
RI 60	Installation tray, perforated, height = 60 mm	36
RIS 60	Installation tray, perforated, heavy, height = 60 mm	38





RBV 85

Cable tray bend, variable, height = 85 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RBV 85-10S	85	100	var.	0.437
RBV 85-20S	85	200	var.	0.732
RBV 85-30S	85	300	var.	1.450
RBV 85-40S	85	400	var.	2.080
RBV 85-50S	85	500	var.	3.503
RBV 85-60S	85	600	var.	4.663

optional accessories

RBVD	Cable tray bend cover, variable	73
RBVDR	Cable tray bend cover, variable with turnbuckles	74
RTRV 85	Cable tray divider, variable, height = 80 mm	94



RBV 110

Cable tray bend, variable, height = 110 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RBV 110-10S	110	100	var.	0.539
RBV 110-20S	110	200	var.	0.861
RBV 110-30S	110	300	var.	1.639
RBV 110-40S	110	400	var.	2.300
RBV 110-50S	110	500	var.	3.808
RBV 110-60S	110	600	var.	5.029

Stainless steel, acc. to AISI 304 (BS 304S31)



RBV 110-10E	110	100	var.	0.586
RBV 110-20E	110	200	var.	0.932
RBV 110-30E	110	300	var.	1.667
RBV 110-40E	110	400	var.	2.332
RBV 110-50E	110	500	var.	3.851
RBV 110-60E	110	600	var.	5.080

Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)

RBV 110-10E4	110	100	var.	0.608
RBV 110-20E4	110	200	var.	0.958
RBV 110-30E4	110	300	var.	1.704
RBV 110-40E4	110	400	var.	2.378
RBV 110-50E4	110	500	var.	3.918
RBV 110-60E4	110	600	var.	5.163

optional accessories

RBVD	Cable tray bend cover, variable	73
RBVDR	Cable tray bend cover, variable with turnbuckles	74
RTRV 110	Cable tray divider, variable, height = 100 mm	95





RAE 35

Cable tray attachment corner, height = 35 mm

Article	H mm	G kg
Steel, pre-galvanised/Sendzimir process		
RAE 35S	35	0.145
Steel, hot-dip galvanised		
RAE 35F	35	0.157

optional accessories

RAED	Cable tray attachment corner cover	74
VB	Bottom plate	88, 216
RTRV 35	Cable tray divider, variable, height = 33 mm	93





RAE 60

Cable tray attachment corner, height = 60 mm

Article	H mm	G kg
Steel, pre-galvanised/Sendzimir process		
RAE 60S	60	0.281
Steel, hot-dip galvanised		
RAE 60F	60	0.304
Stainless steel, acc. to AISI 304 (BS 304S31)		
RAE 60E	60	0.249

optional accessories

RAED	Cable tray attachment corner cover	74
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RAE 85

Cable tray attachment corner, height = 85 mm

Article	H mm	G kg
Steel, pre-galvanised/Sendzimir process		
RAE 85S	85	0.397
Steel, hot-dip galvanised		
RAE 85F	85	0.428

optional accessories

RAED	Cable tray attachment corner cover	74
VB	Bottom plate	88, 216
RTRV 85	Cable tray divider, variable, height = 80 mm	94





RAE 110

Cable tray attachment corner, height = 110 mm

Article	H mm	G kg
Steel, pre-galvanised/Sendzimir process		
RAE 110S	110	0.583
Steel, hot-dip galvanised		
RAE 110F	110	0.627
Stainless steel, acc. to AISI 304 (BS 304S31)		
RAE 110E	110	0.478

optional accessories

RAED	Cable tray attachment corner cover	74
VB	Bottom plate	88, 216
RTRV 110	Cable tray divider, variable, height = 100 mm	95





RAEV 35

Cable tray attachment corner, variable, height = 35 mm

Article	H	B	L	t	G
	mm	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process					
RAEV 35S	35	50	265	1.00	0.101

optional accessories

RAED	Cable tray attachment corner cover	74
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RAEV 60

Cable tray attachment corner, variable, height = 60 mm

Article	H	B	L	t	G
	mm	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process					
RAEV 60S	60	50	265	1.00	0.162
Stainless steel, acc. to AISI 304 (BS 304S31)					
RAEV 60E	60	50	265	1.00	0.169
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)					
RAEV 60E4	60	50	265	1.00	0.177

optional accessories

RAED	Cable tray attachment corner cover	74
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RAEV 85

Cable tray attachment corner, variable, height = 85 mm

Article	H	B	L	t	G
	mm	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process					
RAEV 85S	85	50	265	1.00	0.214

optional accessories

RAED	Cable tray attachment corner cover	74
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RAEV 110

Cable tray attachment corner, variable, height = 110 mm

Article	H	B	L	t	G
	mm	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process					
RAEV 110S	110	50	265	1.00	0.265
Stainless steel, acc. to AISI 304 (BS 304S31)					
RAEV 110E	110	50	265	1.00	0.273
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)					
RAEV 110E4	110	50	265	1.00	0.282

optional accessories

RAED	Cable tray attachment corner cover	74
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RAA 35

Cable tray add-on tee, height = 35 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RAA 35-10S	35	100	0.478
RAA 35-20S	35	200	0.606
RAA 35-30S	35	300	0.738
Steel, hot-dip galvanised			
RAA 35-10F	35	100	0.514
RAA 35-20F	35	200	0.650
RAA 35-30F	35	300	0.792

optional accessories

RAAD	Cable tray add-on tee cover	75
RAADR	Cable tray add-on tee cover with turnbuckles	76
VB	Bottom plate	88, 216
RTRV 35	Cable tray divider, variable, height = 33 mm	93





RAA 60

Cable tray add-on tee, height = 60 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RAA 60-10S	60	100	0.724
RAA 60-20S	60	200	0.852
RAA 60-30S	60	300	0.984
RAA 60-40S	60	400	1.120
RAA 60-50S	60	500	1.246
RAA 60-60S	60	600	1.382
Steel, hot-dip galvanised			
RAA 60-10F	60	100	0.777
RAA 60-20F	60	200	0.914
RAA 60-30F	60	300	1.055
RAA 60-40F	60	400	1.200
RAA 60-50F	60	500	1.335
RAA 60-60F	60	600	1.481
Stainless steel, acc. to AISI 304 (BS 304S31)			
RAA 60-10E	60	100	0.651
RAA 60-20E	60	200	0.780
RAA 60-30E	60	300	0.913
RAA 60-40E	60	400	1.050
RAA 60-50E	60	500	1.177
RAA 60-60E	60	600	1.314

optional accessories

RAAD	Cable tray add-on tee cover	75
RAADR	Cable tray add-on tee cover with turnbuckles	76
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RAA 60

Cable tray add-on tee, height = 60 mm

Article	H mm	B mm	G kg
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)			
RAA 60-10E4	60	100	0.660
RAA 60-20E4	60	200	0.791
RAA 60-30E4	60	300	0.925
RAA 60-40E4	60	400	1.064
RAA 60-50E4	60	500	1.192
RAA 60-60E4	60	600	1.331

optional accessories

RAAD	Cable tray add-on tee cover	75
RAADR	Cable tray add-on tee cover with turnbuckles	76
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RAA 85

Cable tray add-on tee, height = 85 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RAA 85-10S	85	100	0.980
RAA 85-20S	85	200	1.108
RAA 85-30S	85	300	1.240
RAA 85-40S	85	400	1.376
RAA 85-50S	85	500	1.502
RAA 85-60S	85	600	1.638
Steel, hot-dip galvanised			
RAA 85-10F	85	100	1.053
RAA 85-20F	85	200	1.190
RAA 85-30F	85	300	1.331
RAA 85-40F	85	400	1.476
RAA 85-50F	85	500	1.621
RAA 85-60F	85	600	1.757

optional accessories

RAAD	Cable tray add-on tee cover	75
RAADR	Cable tray add-on tee cover with turnbuckles	76
VB	Bottom plate	88, 216
RTRV 85	Cable tray divider, variable, height = 80 mm	94



RAA 110

Cable tray add-on tee, height = 110 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RAA 110-10S	110	100	1.356
RAA 110-20S	110	200	1.484
RAA 110-30S	110	300	1.616
RAA 110-40S	110	400	1.752
RAA 110-50S	110	500	1.878
RAA 110-60S	110	600	2.014
Steel, hot-dip galvanised			
RAA 110-10F	110	100	1.455
RAA 110-20F	110	200	1.592
RAA 110-30F	110	300	1.733
RAA 110-40F	110	400	1.879
RAA 110-50F	110	500	2.014
RAA 110-60F	110	600	2.159
Stainless steel, acc. to AISI 304 (BS 304S31)			
RAA 110-10E	110	100	1.143
RAA 110-20E	110	200	1.272
RAA 110-30E	110	300	1.405
RAA 110-40E	110	400	1.542
RAA 110-50E	110	500	1.669
RAA 110-60E	110	600	1.806

optional accessories

RAAD	Cable tray add-on tee cover	75
RAADR	Cable tray add-on tee cover with turnbuckles	76
VB	Bottom plate	88, 216
RTRV 110	Cable tray divider, variable, height = 100 mm	95





RA 35

Cable tray tee, height = 35 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RA 35-05S	35	50	0.602
RA 35-10S	35	100	0.767
RA 35-20S	35	200	1.287
RA 35-30S	35	300	2.003
Steel, hot-dip galvanised			
RA 35-10F	35	100	0.824
RA 35-20F	35	200	1.380
RA 35-30F	35	300	2.146

optional accessories

RAD	Cable tray tee cover	76
RADR	Cable tray tee cover with turnbuckles	77
VB	Bottom plate	88, 216
RTRV 35	Cable tray divider, variable, height = 33 mm	93





RA 60

Cable tray tee, height = 60 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RA 60-10S	60	100	1.207
RA 60-15S	60	150	1.452
RA 60-20S	60	200	1.747
RA 60-30S	60	300	2.483
RA 60-40S	60	400	3.415
RA 60-50S	60	500	4.544
RA 60-60S	60	600	5.868
Steel, hot-dip galvanised			
RA 60-10F	60	100	1.295
RA 60-20F	60	200	1.872
RA 60-30F	60	300	2.660
RA 60-40F	60	400	3.657
RA 60-50F	60	500	4.865
RA 60-60F	60	600	6.282
Stainless steel, acc. to AISI 304 (BS 304S31)			
RA 60-10E	60	100	1.082
RA 60-20E	60	200	1.625
RA 60-30E	60	300	2.366
RA 60-40E	60	400	3.304
RA 60-50E	60	500	4.440
RA 60-60E	60	600	5.773
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)			
RA 60-10E4	60	100	1.098
RA 60-20E4	60	200	1.648
RA 60-30E4	60	300	2.378
RA 60-40E4	60	400	3.348
RA 60-50E4	60	500	4.498
RA 60-60E4	60	600	5.848

optional accessories

RAD	Cable tray tee cover	76
RADR	Cable tray tee cover with turnbuckles	77
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94



RA 85



Cable tray tee, height = 85 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RA 85-10S	85	100	1.653
RA 85-20S	85	200	2.213
RA 85-30S	85	300	2.968
RA 85-40S	85	400	3.920
RA 85-50S	85	500	5.068
RA 85-60S	85	600	6.412

Steel, hot-dip galvanised			
RA 85-10F	85	100	1.793
RA 85-20F	85	200	2.374
RA 85-30F	85	300	3.182
RA 85-40F	85	400	4.201
RA 85-50F	85	500	5.429
RA 85-60F	85	600	6.867

optional accessories

RAD	Cable tray tee cover	76
RADR	Cable tray tee cover with turnbuckles	77
VB	Bottom plate	88, 216
RTRV 85	Cable tray divider, variable, height = 80 mm	94



RA 110



Cable tray tee, height = 110 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RA 110-10S	110	100	2.237
RA 110-20S	110	200	2.916
RA 110-30S	110	300	3.691
RA 110-40S	110	400	4.663
RA 110-50S	110	500	5.831
RA 110-60S	110	600	7.194

Steel, hot-dip galvanised			
RA 110-10F	110	100	2.400
RA 110-20F	110	200	3.126
RA 110-30F	110	300	3.955
RA 110-40F	110	400	4.996
RA 110-50F	110	500	6.245
RA 110-60F	110	600	7.704

optional accessories

RAD	Cable tray tee cover	76
RADR	Cable tray tee cover with turnbuckles	77
VB	Bottom plate	88, 216
RTRV 110	Cable tray divider, variable, height = 100 mm	95





RA 110

Cable tray tee, height = 110 mm

Article	H mm	B mm	G kg
Stainless steel, acc. to AISI 304 (BS 304S31)			
RA 110-10E	110	100	1.898
RA 110-20E	110	200	2.557
RA 110-30E	110	300	3.337
RA 110-40E	110	400	4.315
RA 110-50E	110	500	5.490
RA 110-60E	110	600	6.863

optional accessories

RAD	Cable tray tee cover	76
RADR	Cable tray tee cover with turnbuckles	77
VB	Bottom plate	88, 216
RTRV 110	Cable tray divider, variable, height = 100 mm	95





RK 35

Cable tray crossing, height = 35 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RK 35-10S	35	100	0.891
RK 35-20S	35	200	1.410
RK 35-30S	35	300	2.124
Steel, hot-dip galvanised			
RK 35-10F	35	100	0.957
RK 35-20F	35	200	1.513
RK 35-30F	35	300	2.277

optional accessories

RKD	Cable tray crossing cover	78
RKDR	Cable tray crossing cover with turnbuckles	78
VB	Bottom plate	88, 216
RTRV 35	Cable tray divider, variable, height = 33 mm	93





RK 60

Cable tray crossing, height = 60 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RK 60-10S	60	100	1.383
RK 60-20S	60	200	1.902
RK 60-30S	60	300	2.616
RK 60-40S	60	400	3.527
RK 60-50S	60	500	4.633
RK 60-60S	60	600	5.936
Steel, hot-dip galvanised			
RK 60-10F	60	100	1.484
RK 60-20F	60	200	2.039
RK 60-30F	60	300	2.803
RK 60-40F	60	400	3.778
RK 60-50F	60	500	4.961
RK 60-60F	60	600	6.356
Stainless steel, acc. to AISI 304 (BS 304S31)			
RK 60-10E	60	100	1.238
RK 60-20E	60	200	1.759
RK 60-30E	60	300	2.478
RK 60-40E	60	400	3.379
RK 60-50E	60	500	4.485
RK 60-60E	60	600	5.788
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)			
RK 60-10E4	60	100	1.251
RK 60-20E4	60	200	1.779
RK 60-30E4	60	300	2.507
RK 60-40E4	60	400	3.435
RK 60-50E4	60	500	4.563
RK 60-60E4	60	600	5.891

optional accessories

RKD	Cable tray crossing cover	78
RKDR	Cable tray crossing cover with turnbuckles	78
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94



RK 85



Cable tray crossing, height = 85 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RK 85-10S	85	100	1.895
RK 85-20S	85	200	2.414
RK 85-30S	85	300	3.128
RK 85-40S	85	400	4.039
RK 85-50S	85	500	5.145
RK 85-60S	85	600	6.448

Steel, hot-dip galvanised			
RK 85-10F	85	100	2.036
RK 85-20F	85	200	2.591
RK 85-30F	85	300	3.355
RK 85-40F	85	400	4.330
RK 85-50F	85	500	5.513
RK 85-60F	85	600	6.908

optional accessories

RKD	Cable tray crossing cover	78
RKDR	Cable tray crossing cover with turnbuckles	78
VB	Bottom plate	88, 216
RTRV 85	Cable tray divider, variable, height = 80 mm	94



RK 110



Cable tray crossing, height = 110 mm

Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RK 110-10S	110	100	2.647
RK 110-20S	110	200	3.166
RK 110-30S	110	300	3.880
RK 110-40S	110	400	4.791
RK 110-50S	110	500	5.897
RK 110-60S	110	600	7.200

Steel, hot-dip galvanised			
RK 110-10F	110	100	2.840
RK 110-20F	110	200	3.396
RK 110-30F	110	300	4.160
RK 110-40F	110	400	5.135
RK 110-50F	110	500	6.318
RK 110-60F	110	600	7.712

optional accessories

RKD	Cable tray crossing cover	78
RKDR	Cable tray crossing cover with turnbuckles	78
VB	Bottom plate	88, 216
RTRV 110	Cable tray divider, variable, height = 100 mm	95





RK 110

Cable tray crossing, height = 110 mm

Article	H mm	B mm	G kg
Stainless steel, acc. to AISI 304 (BS 304S31)			
RK 110-10E	110	100	2.218
RK 110-20E	110	200	2.739
RK 110-30E	110	300	3.458
RK 110-40E	110	400	4.359
RK 110-50E	110	500	5.465
RK 110-60E	110	600	6.768

optional accessories

RKD	Cable tray crossing cover	78
RKDR	Cable tray crossing cover with turnbuckles	78
VB	Bottom plate	88, 216
RTRV 110	Cable tray divider, variable, height = 100 mm	95





RVB 35

Cable tray vertical bend, height = 35 mm

Article	H mm	B mm	R mm	W	G kg
Steel, pre-galvanised/Sendzimir process					
RVB 35-10S	35	100	280	var.	1.108
RVB 35-20S	35	200	280	var.	1.458
RVB 35-30S	35	300	280	var.	1.808
Steel, hot-dip galvanised					
RVB 35-10F	35	100	280	var.	1.342
RVB 35-20F	35	200	280	var.	1.722
RVB 35-30F	35	300	280	var.	2.092

optional accessories

REB	Cable tray end plate	89
------------	----------------------	----



RVB 60



Cable tray vertical bend, height = 60 mm

Article	H	B	R	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
RVB 60-05S	60	50	300	var.	1.902
RVB 60-10S	60	100	300	var.	2.076
RVB 60-20S	60	200	300	var.	2.426
RVB 60-30S	60	300	300	var.	2.776
RVB 60-40S	60	400	300	var.	3.124
RVB 60-50S	60	500	300	var.	3.474
RVB 60-60S	60	600	300	var.	3.822

Steel, hot-dip galvanised					
RVB 60-10F	60	100	300	var.	2.220
RVB 60-20F	60	200	300	var.	2.594
RVB 60-30F	60	300	300	var.	2.966
RVB 60-40F	60	400	300	var.	3.340
RVB 60-50F	60	500	300	var.	3.714
RVB 60-60F	60	600	300	var.	4.088

optional accessories

REB Cable tray end plate 89



RVB 85



Cable tray vertical bend, height = 85 mm

Article	H	B	R	W	G
	mm	mm	mm		kg
Steel, pre-galvanised/Sendzimir process					
RVB 85-10S	85	100	330	var.	3.032
RVB 85-20S	85	200	330	var.	3.382
RVB 85-30S	85	300	330	var.	3.732
RVB 85-40S	85	400	330	var.	4.080
RVB 85-50S	85	500	330	var.	4.490
RVB 85-60S	85	600	330	var.	4.778

Steel, hot-dip galvanised					
RVB 85-10F	85	100	330	var.	3.240
RVB 85-20F	85	200	330	var.	3.614
RVB 85-30F	85	300	330	var.	3.986
RVB 85-40F	85	400	330	var.	4.360
RVB 85-50F	85	500	330	var.	4.734
RVB 85-60F	85	600	330	var.	5.108

optional accessories

REB Cable tray end plate 89





RVB 110

Cable tray vertical bend, height = 110 mm

Article	H mm	B mm	R mm	W	G kg
Steel, pre-galvanised/Sendzimir process					
RVB 110-10S	110	100	375	var.	4.388
RVB 110-20S	110	200	375	var.	4.738
RVB 110-30S	110	300	375	var.	5.088
RVB 110-40S	110	400	375	var.	5.436
RVB 110-50S	110	500	375	var.	5.786
RVB 110-60S	110	600	375	var.	6.134
Steel, hot-dip galvanised					
RVB 110-10F	110	100	375	var.	4.692
RVB 110-20F	110	200	375	var.	5.066
RVB 110-30F	110	300	375	var.	5.438
RVB 110-40F	110	400	375	var.	5.812
RVB 110-50F	110	500	375	var.	6.186
RVB 110-60F	110	600	375	var.	6.560

optional accessories

REB	Cable tray end plate	89
-----	----------------------	----





RR 35

Cable tray reducer, height = 35 mm

Article	H mm	B1 mm	B2 mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process					
RR 35-20S	35	200	100	500	1.248
RR 35-30S	35	300	200	500	1.638
Steel, hot-dip galvanised					
RR 35-20F	35	200	100	500	1.372
RR 35-30F	35	300	200	500	1.802

optional accessories

RRD	Cable tray reducer cover	79
RRDR	Cable tray reducer cover with turnbuckles	79
VB	Bottom plate	88, 216
RTRV 35	Cable tray divider, variable, height = 33 mm	93





RR 60

Cable tray reducer, height = 60 mm

Article	H mm	B1 mm	B2 mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process					
RR 60-20S	60	200	100	500	1.438
RR 60-30S	60	300	200	500	1.838
RR 60-40S	60	400	300	500	2.228
RR 60-50S	60	500	400	500	2.628
RR 60-60S	60	600	500	500	3.018
Steel, hot-dip galvanised					
RR 60-20F	60	200	100	500	1.582
RR 60-30F	60	300	200	500	2.022
RR 60-40F	60	400	300	500	2.452
RR 60-50F	60	500	400	500	2.892
RR 60-60F	60	600	500	500	3.322
Stainless steel, acc. to AISI 304 (BS 304S31)					
RR 60-20E	60	200	100	500	1.442
RR 60-30E	60	300	200	500	1.842
RR 60-40E	60	400	300	500	2.232
RR 60-50E	60	500	400	500	2.632
RR 60-60E	60	600	500	500	3.022

optional accessories

RRD	Cable tray reducer cover	79
RRDR	Cable tray reducer cover with turnbuckles	79
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RR 85

Cable tray reducer, height = 85 mm

Article	H mm	B1 mm	B2 mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process					
RR 85-20S	85	200	100	500	1.816
RR 85-30S	85	300	200	500	2.306
RR 85-40S	85	400	300	500	2.796
RR 85-50S	85	500	400	500	3.286
RR 85-60S	85	600	500	500	3.776
Steel, hot-dip galvanised					
RR 85-20F	85	200	100	500	2.004
RR 85-30F	85	300	200	500	2.544
RR 85-40F	85	400	300	500	3.074
RR 85-50F	85	500	400	500	3.614
RR 85-60F	85	600	500	500	4.154

optional accessories

RRD	Cable tray reducer cover	79
RRDR	Cable tray reducer cover with turnbuckles	79
VB	Bottom plate	88, 216
RTRV 85	Cable tray divider, variable, height = 80 mm	94





RR 110

Cable tray reducer, height = 110 mm

Article	H mm	B1 mm	B2 mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process					
RR 110-20S	110	200	100	500	2.006
RR 110-30S	110	300	200	500	2.506
RR 110-40S	110	400	300	500	2.996
RR 110-50S	110	500	400	500	3.486
RR 110-60S	110	600	500	500	3.976
Steel, hot-dip galvanised					
RR 110-20F	110	200	100	500	2.214
RR 110-30F	110	300	200	500	2.754
RR 110-40F	110	400	300	500	3.294
RR 110-50F	110	500	400	500	3.834
RR 110-60F	110	600	500	500	4.374
Stainless steel, acc. to AISI 304 (BS 304S31)					
RR 110-20E	110	200	100	500	2.014
RR 110-30E	110	300	200	500	2.514
RR 110-40E	110	400	300	500	3.004
RR 110-50E	110	500	400	500	3.494
RR 110-60E	110	600	500	500	3.984

optional accessories

RRD	Cable tray reducer cover	79
RRDR	Cable tray reducer cover with turnbuckles	79
VB	Bottom plate	88, 216
RTRV 110	Cable tray divider, variable, height = 100 mm	95





RIB 60

Installation cable tray bend, height = 60 mm

Article	H mm	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RIB 60-05S	60	50	90°	0.518
RIB 60-10S	60	100	90°	0.731
RIB 60-20S	60	200	90°	1.183
RIB 60-30S	60	300	90°	1.863
Steel, hot-dip galvanised				
RIB 60-05F	60	50	90°	0.556
RIB 60-10F	60	100	90°	0.784
RIB 60-20F	60	200	90°	1.268
RIB 60-30F	60	300	90°	1.995

optional accessories

RBD	Cable tray bend cover	71
RBDR	Cable tray cover with turnbuckles	72
RIBDS	Installation cable tray bend cover, heavy	81
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RIB 60

Installation cable tray bend, height = 60 mm

Article	H mm	B mm	W	G kg
Stainless steel, acc. to AISI 304 (BS 304S31)				
RIB 60-05E	60	50	90°	0.451
RIB 60-10E	60	100	90°	0.856
RIB 60-20E	60	200	90°	1.311
RIB 60-30E	60	300	90°	1.977

optional accessories

RBD	Cable tray bend cover	71
RBDR	Cable tray cover with turnbuckles	72
RIBDS	Installation cable tray bend cover, heavy	81
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94



RIA 60



Installation cable tray tee, height = 60 mm

Article	H mm	B1 mm	B2 mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process					
RIA 60-05S	60	50	50	164	0.913
RIA 60-10-05S	60	100	50	164	0.994
RIA 60-10S	60	100	100	214	1.177
RIA 60-20-10S	60	200	100	214	1.388
RIA 60-20S	60	200	200	314	1.515
RIA 60-30-20S	60	300	200	314	2.027
RIA 60-30S	60	300	300	414	2.453

Steel, hot-dip galvanised					
RIA 60-05F	60	50	50	164	0.980
RIA 60-10-05F	60	100	50	164	1.067
RIA 60-10F	60	100	100	214	1.262
RIA 60-20-10F	60	200	100	214	1.488
RIA 60-20F	60	200	200	314	1.624
RIA 60-30-20F	60	300	200		2.044
RIA 60-30F	60	300	300	414	2.628

optional accessories

RIADS	Installation cable tray branch cover, heavy	81
RADR	Cable tray tee cover with turnbuckles	77
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94
RAD	Cable tray tee cover	76





RIA 60

Installation cable tray tee, height = 60 mm

Article	H	B1	B2	L	G
	mm	mm	mm	mm	kg
Stainless steel, acc. to AISI 304 (BS 304S31)					
RIA 60-05E	60	50	50	164	0.807
RIA 60-10-05E	60	100	50	164	0.888
RIA 60-10E	60	100	100	214	1.054
RIA 60-20-10E	60	200	100	214	1.265
RIA 60-20E	60	200	200	314	1.597
RIA 60-30-20E	60	300	200	314	1.907
RIA 60-30E	60	300	300	414	2.338

optional accessories

RIADS	Installation cable tray branch cover, heavy	81
RADR	Cable tray tee cover with turnbuckles	77
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94
RAD	Cable tray tee cover	76



RIK 60



Installation cable tray crossing, height = 60 mm

Article	H	B1	B2	G
	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process				
RIK 60-05S	60	50	50	1.174
RIK 60-10-05S	60	100	50	1.254
RIK 60-10S	60	100	100	1.359
RIK 60-20-10S	60	200	100	1.569
RIK 60-20S	60	200	200	1.878
RIK 60-30-20S	60	300	200	2.186
RIK 60-30S	60	300	300	2.592

Steel, hot-dip galvanised				
RIK 60-05F	60	50	50	1.260
RIK 60-10-05F	60	100	50	1.346
RIK 60-10F	60	100	100	1.458
RIK 60-20-10F	60	200	100	1.683
RIK 60-20F	60	200	200	2.014
RIK 60-30-20F	60	300	200	2.343
RIK 60-30F	60	300	300	2.778

optional accessories

RKD	Cable tray crossing cover	78
RKDR	Cable tray crossing cover with turnbuckles	78
RIKDS	Installation cable tray crossing cover, heavy	82
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94





RIK 60

Installation cable tray crossing, height = 60 mm

Article	H	B1	B2	G
	mm	mm	mm	kg
Stainless steel, acc. to AISI 304 (BS 304S31)				
RIK 60-05E	60	50	50	1.023
RIK 60-10-05E	60	100	50	1.104
RIK 60-10E	60	100	100	1.210
RIK 60-20-10E	60	200	100	1.421
RIK 60-20E	60	200	200	1.731
RIK 60-30-20E	60	300	200	2.041
RIK 60-30E	60	300	300	2.450

optional accessories

RKD	Cable tray crossing cover	78
RKDR	Cable tray crossing cover with turnbuckles	78
RIKDS	Installation cable tray crossing cover, heavy	82
VB	Bottom plate	88, 216
RTRV 60	Cable tray divider, variable, height = 50 mm	94



Covers


RD

Cable tray cover

Article	B mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
RD 05S	56	3000	0.75	1.520
RD 10S	106	3000	0.75	2.400
RD 15S	156	3000	0.75	3.290
RD 20S	206	3000	0.75	4.170
RD 30S	306	3000	1.00	7.910
RD 40S	406	3000	1.00	10.270
RD 50S	506	3000	1.25	15.780
RD 60S	606	3000	1.25	18.720
Steel, hot-dip galvanised				
RD 05F	56	3000	0.75	1.630
RD 10F	106	3000	0.75	2.570
RD 15F	156	3000	0.75	3.520
RD 20F	206	3000	0.75	4.460
RD 30F	306	3000	1.00	8.470
RD 40F	406	3000	1.00	10.990
RD 50F	506	3000	1.25	16.880
RD 60F	606	3000	1.25	20.000
Stainless steel, acc. to AISI 304 (BS 304S31)				
RD 05E	56	3000	0.80	1.630
RD 10E	106	3000	0.80	2.580
RD 20E	206	3000	0.80	4.470
RD 30E	306	3000	1.00	7.960
RD 40E	406	3000	1.00	10.330
RD 50E	506	3000	1.25	15.880
RD 60E	606	3000	1.25	18.840

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----





RDR

Cable tray cover with turnbuckles

Article	B mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
RDR 05S	56	3000	0.75	1.630
RDR 10S	106	3000	0.75	2.540
RDR 15S	156	3000	0.75	3.420
RDR 20S	206	3000	0.75	4.310
RDR 30S	306	3000	1.00	8.050
RDR 40S	406	3000	1.00	10.410
RDR 50S	506	3000	1.25	15.920
RDR 60S	606	3000	1.25	18.860
Steel, hot-dip galvanised				
RDR 05F	56	3000	0.75	1.760
RDR 10F	106	3000	0.75	2.710
RDR 15F	156	3000	0.75	3.650
RDR 20F	206	3000	0.75	4.600
RDR 30F	306	3000	1.00	8.600
RDR 40F	406	3000	1.00	11.120
RDR 50F	506	3000	1.25	17.020
RDR 60F	606	3000	1.25	20.170
Stainless steel, acc. to AISI 304 (BS 304S31)				
RDR 05E	56	3000	0.80	1.770
RDR 10E	106	3000	0.80	2.720
RDR 20E	206	3000	0.80	4.610
RDR 30E	306	3000	1.00	8.100
RDR 40E	406	3000	1.00	10.470
RDR 50E	506	3000	1.25	16.020
RDR 60E	606	3000	1.25	18.980

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----



RDS


Cable tray cover, heavy

Article	B	L	t	G
	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process				
RDS 05S	50	3000	1.50	3.030
RDS 10S	107	3000	1.50	4.800
RDS 20S	207	3000	1.50	8.330
RDS 30S	307	3000	1.50	11.870
RDS 40S	407	3000	1.50	15.400
RDS 50S	507	3000	1.50	18.930
RDS 60S	607	3000	1.50	22.460

Steel, hot-dip galvanised				
RDS 05F	50	3000	1.50	3.250
RDS 10F	107	3000	1.50	5.140
RDS 20F	207	3000	1.50	8.920
RDS 30F	307	3000	1.50	12.700
RDS 40F	407	3000	1.50	16.470
RDS 50F	507	3000	1.50	20.250
RDS 60F	607	3000	1.50	24.030

optional accessories

RD-SW Cable tray storm protection bracket 80




RDSR

Cable tray cover with turnbuckles, heavy

Article	B	L	t	G
	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process				
RDSR 10S	107	3000	1.50	4.970
RDSR 20S	207	3000	1.50	8.500
RDSR 30S	307	3000	1.50	12.030
RDSR 40S	407	3000	1.50	15.560
RDSR 50S	507	3000	1.50	19.100
RDSR 60S	607	3000	1.50	22.630

optional accessories

RD-SW Cable tray storm protection bracket 80





RID

Installation cable tray cover

Article	B mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
RID 05S	56	3000	0.75	1.520
RID 10S	106	3000	0.75	2.400
RID 15S	156	3000	0.75	3.290
RID 20S	206	3000	0.75	4.170
RID 30S	306	3000	1.00	7.910
Steel, hot-dip galvanised				
RID 05F	56	3000	0.75	1.630
RID 10F	106	3000	0.75	2.570
RID 15F	156	3000	0.75	3.520
RID 20F	206	3000	0.75	4.460
RID 30F	306	3000	1.00	8.470
Stainless steel, acc. to AISI 304 (BS 304S31)				
RID 05E	56	3000	0.80	1.501
RID 10E	106	3000	0.80	2.580
RID 15E	156	3000	0.80	3.530
RID 20E	206	3000	0.80	4.470
RID 30E	306	3000	1.00	7.960

optional accessories

RD-SW Cable tray storm protection bracket 80





RIDR

Installation cable tray cover with turnbuckles

Article	B mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
RIDR 05S	56	3000	0.75	1.630
RIDR 10S	106	3000	0.75	2.540
RIDR 15S	156	3000	0.75	3.420
RIDR 20S	206	3000	0.75	4.310
RIDR 30S	306	3000	1.00	8.050
Steel, hot-dip galvanised				
RIDR 05F	56	3000	0.75	1.760
RIDR 10F	106	3000	0.75	2.710
RIDR 15F	156	3000	0.75	3.650
RIDR 20F	206	3000	0.75	4.600
RIDR 30F	306	3000	1.00	8.600

optional accessories

RD-SW Cable tray storm protection bracket 80




RBD

Cable tray bend cover

Article	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process			
RBD 10S	106	90°	0.120
RBD 20S	206	90°	0.330
RBD 30S	306	90°	0.850
RBD 40S	406	90°	1.400
RBD 50S	506	90°	2.590
RBD 60S	606	90°	3.590
Steel, hot-dip galvanised			
RBD 10F	106	90°	0.130
RBD 20F	206	90°	0.350
RBD 30F	306	90°	0.910
RBD 40F	406	90°	1.500
RBD 50F	506	90°	2.770
RBD 60F	606	90°	3.840
Stainless steel, acc. to AISI 304 (BS 304S31)			
RBD 10E	106	90°	0.130
RBD 20E	206	90°	0.360
RBD 30E	306	90°	0.860
RBD 40E	406	90°	1.410
RBD 50E	506	90°	2.610
RBD 60E	606	90°	3.610

optional accessories

RD-SW Cable tray storm protection bracket 80





RBDR

Cable tray cover with turnbuckles

Article	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process			
RBDR 10S	106	90°	0.160
RBDR 20S	206	90°	0.390
RBDR 30S	306	90°	0.910
RBDR 40S	406	90°	1.460
RBDR 50S	506	90°	2.650
RBDR 60S	606	90°	3.650
Steel, hot-dip galvanised			
RBDR 10F	106	90°	0.180
RBDR 20F	206	90°	0.420
RBDR 30F	306	90°	0.980
RBDR 40F	406	90°	1.570
RBDR 50F	506	90°	2.840
RBDR 60F	606	90°	3.910

optional accessories

RD-SW Cable tray storm protection bracket 80





RBDR

Cable tray cover with turnbuckles

Article	B mm	W	G kg
Stainless steel, acc. to AISI 304 (BS 304S31)			
RBDR 10E	106	90°	0.180
RBDR 20E	206	90°	0.430
RBDR 30E	306	90°	0.930
RBDR 40E	406	90°	1.480
RBDR 50E	506	90°	2.680
RBDR 60E	606	90°	3.680

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----



RBD45

Cable tray bend cover

Article	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process			
RBD45 10S	106	45°	0.110
RBD45 20S	206	45°	0.245
RBD45 30S	306	45°	0.555
RBD45 40S	406	45°	1.005
RBD45 50S	506	45°	1.500
RBD45 60S	606	45°	1.995

Steel, hot-dip galvanised


RBD45 10F	106	45°	0.120
RBD45 20F	206	45°	0.265
RBD45 30F	306	45°	0.640
RBD45 40F	406	45°	0.980
RBD45 50F	506	45°	1.630
RBD45 60F	606	45°	2.175

Stainless steel, acc. to AISI 304 (BS 304S31)

RBD45 10E	106	45°	0.110
RBD45 20E	206	45°	0.260
RBD45 30E	306	45°	0.570
RBD45 40E	406	45°	0.880
RBD45 50E	506	45°	1.570
RBD45 60E	606	45°	2.130

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----





RBDR45

Cable tray cover with turnbuckles

Article	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process			
RBDR45 10S	106	45°	0.160
RBDR45 20S	206	45°	0.320
RBDR45 30S	306	45°	0.620
RBDR45 40S	406	45°	0.930
RBDR45 50S	506	45°	1.620
RBDR45 60S	606	45°	2.170
Steel, hot-dip galvanised			
RBDR45 10F	106	45°	0.180
RBDR45 20F	206	45°	0.350
RBDR45 30F	306	45°	0.670
RBDR45 40F	406	45°	1.000
RBDR45 50F	506	45°	1.740
RBDR45 60F	606	45°	2.330

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----




RBVD

Cable tray bend cover, variable

Article	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process			
RBVD 05S	48	var.	0.051
RBVD 10S	106	var.	0.128
RBVD 20S	206	var.	0.375
RBVD 30S	306	var.	0.746
RBVD 40S	406	var.	1.241
RBVD 50S	506	var.	1.860
RBVD 60S	606	var.	2.602
Stainless steel, acc. to AISI 304 (BS 304S31)			
RBVD 05E	48	var.	0.052
RBVD 10E	106	var.	0.130
RBVD 20E	206	var.	0.382
RBVD 30E	306	var.	0.760
RBVD 40E	406	var.	1.265
RBVD 50E	506	var.	1.896
RBVD 60E	606	var.	2.652
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)			
RBVD 05E4	48	var.	0.052
RBVD 10E4	106	var.	0.130
RBVD 20E4	206	var.	0.382
RBVD 30E4	306	var.	0.760
RBVD 40E4	406	var.	1.265
RBVD 50E4	506	var.	1.896
RBVD 60E4	606	var.	2.652

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----



RBVDR

Cable tray bend cover, variable with turnbuckles

Article	B mm	W	G kg
Steel, pre-galvanised/Sendzimir process			
RBVDR 05S	56	var.	0.091
RBVDR 10S	106	var.	0.168
RBVDR 20S	206	var.	0.415
RBVDR 30S	306	var.	0.786
RBVDR 40S	406	var.	1.281
RBVDR 50S	506	var.	1.900
RBVDR 60S	606	var.	2.642
Stainless steel, acc. to AISI 304 (BS 304S31)			
RBVDR 05E	56	var.	0.098
RBVDR 10E	106	var.	0.176
RBVDR 20E	206	var.	0.428
RBVDR 30E	306	var.	0.806
RBVDR 40E	406	var.	1.311
RBVDR 50E	506	var.	1.942
RBVDR 60E	606	var.	2.698
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)			
RBVDR 05E4	56	var.	0.098
RBVDR 10E4	106	var.	0.176
RBVDR 20E4	206	var.	0.428
RBVDR 30E4	306	var.	0.806
RBVDR 40E4	406	var.	1.311
RBVDR 50E4	506	var.	1.942
RBVDR 60E4	606	var.	2.698

optional accessories

RD-SW Cable tray storm protection bracket 80



RAED

Cable tray attachment corner cover

Article	G kg
Steel, pre-galvanised/Sendzimir process	
RAED S	0.055
Steel, hot-dip galvanised	
RAED F	0.059
Stainless steel, acc. to AISI 304 (BS 304S31)	
RAED E	0.057

optional accessories

RD-SW Cable tray storm protection bracket 80




RAAD

Cable tray add-on tee cover

Article	B mm	G kg
Steel, pre-galvanised/Sendzimir process		
RAAD 10S	106	0.076
RAAD 20S	206	0.110
RAAD 30S	306	0.200
RAAD 40S	406	0.250
RAAD 50S	506	0.380
RAAD 60S	606	0.440
Steel, hot-dip galvanised		
RAAD 10F	106	0.080
RAAD 20F	206	0.120
RAAD 30F	306	0.210
RAAD 40F	406	0.270
RAAD 50F	506	0.410
RAAD 60F	606	0.470
Stainless steel, acc. to AISI 304 (BS 304S31)		
RAAD 10E	106	0.080
RAAD 20E	206	0.120
RAAD 30E	306	0.200
RAAD 40E	406	0.260
RAAD 50E	506	0.380
RAAD 60E	606	0.450

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----





RAADR

Cable tray add-on tee cover with turnbuckles

Article	B mm	G kg
Steel, pre-galvanised/Sendzimir process		
RAADR 10S	106	0.106
RAADR 20S	206	0.154
RAADR 30S	306	0.243
RAADR 40S	406	0.294
RAADR 50S	506	0.422
RAADR 60S	606	0.485
Steel, hot-dip galvanised		
RAADR 10F	106	0.127
RAADR 20F	206	0.168
RAADR 30F	306	0.263
RAADR 40F	406	0.318
RAADR 50F	506	0.454
RAADR 60F	606	0.523

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----





RAADR

Cable tray add-on tee cover with turnbuckles

Article	B mm	G kg
Stainless steel, acc. to AISI 304 (BS 304S31)		
RAADR 10E	106	0.127
RAADR 20E	206	0.169
RAADR 30E	306	0.250
RAADR 40E	406	0.302
RAADR 50E	506	0.430
RAADR 60E	606	0.494

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----




RAD

Cable tray tee cover

Article	B mm	G kg
Steel, pre-galvanised/Sendzimir process		
RAD 10S	106	0.210
RAD 20S	206	0.500
RAD 30S	306	1.210
RAD 40S	406	1.910
RAD 50S	506	3.450
RAD 60S	606	4.720
Steel, hot-dip galvanised		
RAD 10F	106	0.220
RAD 20F	206	0.540
RAD 30F	306	1.290
RAD 40F	406	2.040
RAD 50F	506	3.690
RAD 60F	606	5.050
Stainless steel, acc. to AISI 304 (BS 304S31)		
RAD 10E	106	0.230
RAD 20E	206	0.540
RAD 30E	306	1.220
RAD 40E	406	1.920
RAD 50E	506	3.470
RAD 60E	606	4.750


optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----



Cable tray tee cover with turnbuckles

A diagram of a square plate with four circular holes, one at each corner. Three points are numbered: (1) is at the top-left corner, (2) is at the bottom-left corner, and (3) is at the bottom-right corner. A dimension line labeled 'B' indicates the side length of the square plate.



RD-SW	Cable tray storm protection bracket	80
--------------	-------------------------------------	----

Cable tray crossing cover

A diagram of a hexagonal cross-section of a bolt. The hexagon is divided into four regions by two parallel lines representing the bolt's internal structure. The regions are numbered 1, 2, 3, and 4. Region 1 is the top-left triangular area. Region 2 is the bottom-left triangular area. Region 3 is the bottom-right triangular area. Region 4 is the top-right triangular area. A dimension line labeled 'B' indicates the width of the hexagon.

RD-SW	Cable tray storm protection bracket	80
--------------	-------------------------------------	----




RKD

Cable tray crossing cover

Article	B mm	G kg
Stainless steel, acc. to AISI 304 (BS 304S31)		
RKD 10E	106	0.270
RKD 20E	206	0.610
RKD 30E	306	1.330
RKD 40E	406	2.070
RKD 50E	506	3.700
RKD 60E	606	5.000

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----





RKDR

Cable tray crossing cover with turnbuckles

Article	B mm	G kg
Steel, pre-galvanised/Sendzimir process		
RKDR 10S	106	0.338
RKDR 20S	206	0.648
RKDR 30S	306	1.409
RKDR 40S	406	2.138
RKDR 50S	506	3.759
RKDR 60S	606	5.062
Steel, hot-dip galvanised		
RKDR 10F	106	0.368
RKDR 20F	206	0.700
RKDR 30F	306	1.514
RKDR 40F	406	2.394
RKDR 50F	506	4.029
RKDR 60F	606	5.423
Stainless steel, acc. to AISI 304 (BS 304S31)		
RKDR 10E	106	0.368
RKDR 20E	206	0.702
RKDR 30E	306	1.430
RKDR 40E	406	2.163
RKDR 50E	506	3.795
RKDR 60E	602	5.106

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----





RRD

Cable tray reducer cover

Article	B1 mm	B2 mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process				
RRD 20S	206	106	500	0.550
RRD 30S	306	206	500	1.130
RRD 40S	406	306	500	1.520
RRD 50S	506	406	500	2.390
RRD 60S	606	506	500	2.880
Steel, hot-dip galvanised				
RRD 20F	206	106	500	0.590
RRD 30F	306	206	500	1.210
RRD 40F	406	306	500	1.630
RRD 50F	506	406	500	2.560
RRD 60F	606	506	500	3.080
Stainless steel, acc. to AISI 304 (BS 304S31)				
RRD 20E	206	106	500	0.590
RRD 30E	306	206	500	1.130
RRD 40E	406	306	500	1.530
RRD 50E	506	406	500	2.400
RRD 60E	606	506	500	2.900

optional accessories

RD-SW Cable tray storm protection bracket 80





RRDR

Cable tray reducer cover with turnbuckles

Article	B1 mm	B2 mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process				
RRDR 20S	206	106	500	0.630
RRDR 30S	306	206	500	1.200
RRDR 40S	406	306	500	1.600
RRDR 50S	506	406	500	2.470
RRDR 60S	606	506	500	2.960
Steel, hot-dip galvanised				
RRDR 20F	206	106	500	0.680
RRDR 30F	306	206	500	1.300
RRDR 40F	406	306	500	1.720
RRDR 50F	506	406	500	2.650
RRDR 60F	606	506	500	3.170
Stainless steel, acc. to AISI 304 (BS 304S31)				
RRDR 20E	206	106	500	0.680
RRDR 30E	306	206	500	1.220
RRDR 40E	406	306	500	1.620
RRDR 50E	506	406	500	2.490
RRDR 60E	606	506	500	2.990

optional accessories



RD-SW Cable tray storm protection bracket 80



RD-SW

Cable tray storm protection bracket


Article	H mm	B mm	L mm	G kg
Steel, hot-dip galvanised				
RD-SW F	40	30	40	0.047
Stainless steel, acc. to AISI 304 (BS 304S31)				
RD-SW E	40	30	40	0.045
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
RD-SW E4	40	30	40	0.046



RDKL 60

Cable tray cover clamp


Article	H mm	G kg
Stainless steel, acc. to AISI 304 (BS 304S31)		
RDKL 60E	58	0.015



RDKL 110

Cable tray cover clamp

Article	H mm	G kg
Stainless steel, acc. to AISI 304 (BS 304S31)		
RDKL 110E	108	0.022





RIBDS

Installation cable tray bend cover, heavy

Article	B mm	t mm	W	G kg
Steel, pre-galvanised/Sendzimir process				
RIBDS 05S	50	1.50	90°	0.108
RIBDS 10S	100	1.50	90°	0.248
RIBDS 20S	200	1.50	90°	0.671
RIBDS 30S	300	1.50	90°	1.281

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----





RIADS

Installation cable tray branch cover, heavy

Article	B mm	B2 mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
RIADS 05S	50	50	1.50	0.230
RIADS 10-05S	100	50	1.50	0.320
RIADS 10S	100	100	1.50	0.430
RIADS 20-10S	200	100	1.50	0.680
RIADS 20S	200	200	1.50	1.000
RIADS 30-20S	300	200	1.50	1.370
RIADS 30S	300	300	1.50	1.810

optional accessories

RD-SW	Cable tray storm protection bracket	80
-------	-------------------------------------	----



RIKDS



Installation cable tray crossing cover, heavy

Article	B	B2	L	L2	G
	mm	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process					
RIKDS 05S	56	56	164	164	0.290
RIKDS 10-05S	106	56	214	164	0.380
RIKDS 10S	106	106	214	214	0.510
RIKDS 20-10S	206	106	314	214	0.760
RIKDS 20S	206	206	314	314	1.130
RIKDS 30-20S	306	206	414	314	1.500
RIKDS 30S	306	306	414	414	1.990

optional accessories

RD-SW Cable tray storm protection bracket

80





Accessories

KLTR

Beam clamp for cable trays



Article	H mm	B mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
KLTR S	75	150	2.50	0.162
Steel, hot-dip galvanised				
KLTR F	75	150	2.50	0.174
Stainless steel, acc. to AISI 304 (BS 304S31)				
KLTR E	75	150	2.50	0.164



SKLL-R

Clamping claw, light with cable tray attachment


Article	B mm	L mm	k mm	G kg
Steel, hot-dip galvanised				
SKLL-R F	30	60	5 - 25	0.080



RAB 35

Cable tray end plate, height = 20 mm


Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RAB 35-10S	20	100	0.083
RAB 35-20S	20	200	0.115
RAB 35-30S	20	300	0.146
Steel, hot-dip galvanised			
RAB 35-10F	20	100	0.088
RAB 35-20F	20	200	0.122
RAB 35-30F	20	300	0.154



RAB 60

Cable tray end plate, height = 45 mm


Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RAB 60-10S	45	100	0.196
RAB 60-20S	45	200	0.267
RAB 60-30S	45	300	0.337
RAB 60-40S	45	400	0.408
RAB 60-50S	45	500	0.479
RAB 60-60S	45	600	0.549
Steel, hot-dip galvanised			
RAB 60-10F	45	100	0.211
RAB 60-20F	45	200	0.287
RAB 60-30F	45	300	0.362
RAB 60-40F	45	400	0.438
RAB 60-50F	45	500	0.514
RAB 60-60F	45	600	0.588
Stainless steel, acc. to AISI 304 (BS 304S31)			
RAB 60-10E	45	100	0.153
RAB 60-20E	45	200	0.207
RAB 60-30E	45	300	0.260
RAB 60-40E	45	400	0.313
RAB 60-50E	45	500	0.367
RAB 60-60E	45	600	0.420



RAB 85

Cable tray end plate, height = 70 mm


Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RAB 85-10S	70	100	0.314
RAB 85-20S	70	200	0.424
RAB 85-30S	70	300	0.534
RAB 85-40S	70	400	0.644
RAB 85-50S	70	500	0.754
RAB 85-60S	70	600	0.863
Steel, hot-dip galvanised			
RAB 85-10F	70	100	0.338
RAB 85-20F	70	200	0.456
RAB 85-30F	70	300	0.573
RAB 85-40F	70	400	0.691
RAB 85-50F	70	500	0.809
RAB 85-60F	70	600	0.925



RAB 110

Cable tray end plate, height = 95 mm


Article	H mm	B mm	G kg
Steel, pre-galvanised/Sendzimir process			
RAB 110-10S	95	100	0.473
RAB 110-20S	95	200	0.633
RAB 110-30S	95	300	0.782
RAB 110-40S	95	400	0.931
RAB 110-50S	95	500	1.080
RAB 110-60S	95	600	1.229
Steel, hot-dip galvanised			
RAB 110-10F	95	100	0.519
RAB 110-20F	95	200	0.679
RAB 110-30F	95	300	0.838
RAB 110-40F	95	400	0.998
RAB 110-50F	95	500	1.158
RAB 110-60F	95	600	1.317
Stainless steel, acc. to AISI 304 (BS 304S31)			
RAB 110-10E	95	100	0.376
RAB 110-20E	95	200	0.488
RAB 110-30E	95	300	0.601
RAB 110-40E	95	400	0.714
RAB 110-50E	95	500	0.826
RAB 110-60E	95	600	0.939



RGV 35

Cable tray side connector, height = 20 mm


Article	H mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process			
RGV 35S	20	150	0.056
Steel, hot-dip galvanised			
RGV 35F	20	150	0.058



RGV 60

Cable tray side connector, height = 45 mm


Article	H mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process			
RGV 60S	45	190	0.129
Steel, hot-dip galvanised			
RGV 60F	45	190	0.139
Stainless steel, acc. to AISI 304 (BS 304S31)			
RGV 60E	45	190	0.103
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)			
RGV 60E4	45	190	0.104



RGV 85

Cable tray side connector, height = 70 mm


Article	H mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process			
RGV 85S	70	190	0.213
Steel, hot-dip galvanised			
RGV 85F	70	190	0.221



RGV 110

Cable tray side connector, height = 95 mm


Article	H mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process			
RGV 110S	95	230	0.342
Steel, hot-dip galvanised			
RGV 110F	95	230	0.359
Stainless steel, acc. to AISI 304 (BS 304S31)			
RGV 110E	95	230	0.266



RIV 60

Installation cable tray connector, height = 45 mm


Article	H mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process			
RIV 60S	45	176	0.123
Steel, hot-dip galvanised			
RIV 60F	45	176	0.130
Stainless steel, acc. to AISI 304 (BS 304S31)			
RIV 60E	45	176	0.096
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)			
RIV 60E4	45	176	0.099



RGVS 60

Cable tray side snap-in connector, height = 60 mm


Article	H mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process			
RGVS 60S	60	230	0.119
Steel, hot-dip galvanised			
RGVS 60F	60	230	0.127
Stainless steel, acc. to AISI 304 (BS 304S31)			
RGVS 60E	60	230	0.119



optional accessories

RGVST RGVs assembly tool


88



RGVST

RGVS assembly tool


Article	H mm	B mm	L mm	t mm	colour	G kg
sendzimir galvanised and coated						
RGVST SB	92	60	208	3.00	light gray (similar to RAL 7035)	0.401



VB

Bottom plate

Article	B mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process			
VB 10S	54	70	0.035
VB 15S	96	70	0.059
VB 20S	155	70	0.099
VB 30S	255	70	0.172
VB 40S	355	70	0.237
VB 50S	455	70	0.293
VB 60S	555	70	0.369



Steel, hot-dip galvanised			
VB 10F	54	70	0.036
VB 15F	96	70	0.065
VB 20F	155	70	0.108
VB 30F	255	70	0.190
VB 40F	355	70	0.260
VB 50F	455	70	0.313
VB 60F	555	70	0.401


Stainless steel, acc. to AISI 304 (BS 304S31)			
VB 10E	54	70	0.036
VB 20E	155	70	0.107
VB 30E	255	70	0.170
VB 40E	355	70	0.248
VB 50E	455	70	0.313
VB 60E	555	70	0.384

Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)			
VB 10E4	54	70	0.035
VB 20E4	155	70	0.105
VB 30E4	255	70	0.175
VB 40E4	355	70	0.239
VB 50E4	455	70	0.313
VB 60E4	555	70	0.376

REB

Cable tray end plate

Article	H mm	B mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process				
REB 05S	6	40	87	0.043
REB 10S	6	95	50	0.043
REB 15S	6	140	50	0.059
REB 20S	6	190	50	0.075
REB 30S	6	290	50	0.110
REB 40S	6	390	50	0.146
REB 50S	6	490	50	0.181
REB 60S	6	590	50	0.216
Steel, hot-dip galvanised				
REB 05F	6	40	87	0.047
REB 10F	6	95	50	0.047
REB 15F	6	140	50	0.064
REB 20F	6	190	50	0.081
REB 30F	6	290	50	0.119
REB 40F	6	390	50	0.157
REB 50F	6	490	50	0.194
REB 60F	6	590	50	0.232
Stainless steel, acc. to AISI 304 (BS 304S31)				
REB 10E	6	95	50	0.047
REB 20E	6	190	50	0.081
REB 30E	6	290	50	0.120
REB 40E	6	390	50	0.156
REB 50E	6	490	50	0.195
REB 60E	6	590	50	0.233
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
REB 10E4	6	95	50	0.049
REB 20E4	6	190	50	0.083
REB 30E4	6	290	50	0.122
REB 40E4	6	390	50	0.158
REB 50E4	6	490	50	0.197
REB 60E4	6	590	50	0.235




HB 50

Stand-off bracket

Article	H	B	L	t	G
	mm	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process					
HB 50-010S	50	118	30	3.00	0.160
HB 50-020S	50	218	30	3.00	0.218
HB 50-030S	50	318	30	3.00	0.289
HB 50-040S	50	418	40	3.00	0.501
HB 50-050S	50	518	40	3.00	0.598
HB 50-060S	50	618	40	3.00	0.695
Steel, hot-dip galvanised					
HB 50-010F	50	118	30	3.00	0.171
HB 50-020F	50	218	30	3.00	0.233
HB 50-030F	50	318	30	3.00	0.309
HB 50-040F	50	418	40	3.00	0.536
HB 50-050F	50	518	40	3.00	0.640
HB 50-060F	50	618	40	3.00	0.744
Stainless steel, acc. to AISI 304 (BS 304S31)					
HB 50-010E	50	118	30	3.00	0.163
HB 50-020E	50	218	30	3.00	0.222
HB 50-030E	50	318	30	3.00	0.295
HB 50-040E	50	418	40	3.00	0.511
HB 50-050E	50	518	40	3.00	0.610
HB 50-060E	50	618	40	3.00	0.709

optional accessories

SD	Expansion anchor	487
GH 6x24	Mounting hooks	119
KLR	Clamp fastening set	477
KLF	Spring clamp fastener	100,478





RTR 35

Cable tray divider, height = 33 mm

Article	H mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process			
RTR 35S	33	3000	1.192
Steel, hot-dip galvanised			
RTR 35F	33	3000	1.704

optional accessories

KLF	Spring clamp fastener	100,478
-----	-----------------------	---------





RTR 60

Cable tray divider, height = 50 mm

Article	H mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process			
RTR 60S	50	3000	1.528
Steel, hot-dip galvanised			
RTR 60F	50	3000	1.634
Stainless steel, acc. to AISI 304 (BS 304S31)			
RTR 60E	50	3000	2.046
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)			
RTR 60E4	50	3000	2.074

optional accessories

KLF	Spring clamp fastener	100,478
-----	-----------------------	---------





RTR 85

Cable tray divider, height = 80 mm

Article	H mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process			
RTR 85S	80	3000	2.058
Steel, hot-dip galvanised			
RTR 85F	80	3000	2.204

optional accessories

KLF	Spring clamp fastener	100,478
------------	-----------------------	---------





RTR 110

Cable tray divider, height = 100 mm

Article	H mm	L mm	G kg
Steel, pre-galvanised/Sendzimir process			
RTR 110S	100	3000	2.411
Steel, hot-dip galvanised			
RTR 110F	100	3000	2.584
Stainless steel, acc. to AISI 304 (BS 304S31)			
RTR 110E	100	3000	3.231

optional accessories



KLF	Spring clamp fastener	100,478
------------	-----------------------	---------



RITR 60

Installation cable tray divider, height = 58 mm



Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
RITR 60S	58	3000	1.50	3.321



RTRV 35

Cable tray divider, variable, height = 33 mm

Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
RTRV 35S	33	1000	0.75	0.399
Stainless steel, acc. to AISI 304 (BS 304S31)				
RTRV 35E	33	1000	0.80	0.429
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
RTRV 35E4	33	1000	0.80	0.438



optional accessories

KLF	Spring clamp fastener	100,478
-----	-----------------------	---------



RTRV 60

Cable tray divider, variable, height = 50 mm

Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
RTRV 60S	50	1000	0.75	0.502
Stainless steel, acc. to AISI 304 (BS 304S31)				
RTRV 60E	50	1000	0.80	0.540
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
RTRV 60E4	50	1000	0.80	0.551

optional accessories

KLF	Spring clamp fastener	100,478
------------	-----------------------	---------





RTRV 85

Cable tray divider, variable, height = 80 mm

Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
RTRV 85S	80	1000	0.75	0.671
Stainless steel, acc. to AISI 304 (BS 304S31)				
RTRV 85E	80	1000	0.80	0.722
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
RTRV 85E4	80	1000	0.80	0.734

optional accessories

KLF	Spring clamp fastener	100,478
------------	-----------------------	---------





RTRV 110

Cable tray divider, variable, height = 100 mm

Article	H mm	L mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
RTRV 110S	100	1000	0.75	0.782
Stainless steel, acc. to AISI 304 (BS 304S31)				
RTRV 110E	100	1000	0.80	0.841
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
RTRV 110E4	100	1000	0.80	0.855

optional accessories



KLF	Spring clamp fastener	100,478
------------	-----------------------	---------



RKAB

Cable tray drop-out plate

Article	H mm	B mm	L mm	t mm	R mm	G kg
Steel, pre-galvanised/Sendzimir process						
RKAB 05S	110	40	129	1.50	100	0.101
RKAB 10S	110	90	129	1.50	100	0.226
RKAB 15S	110	140	129	1.50	100	0.346
RKAB 20S	110	190	129	1.50	100	0.466
RKAB 30S	110	290	129	1.50	100	0.707
RKAB 40S	110	390	129	1.50	100	0.948
RKAB 50S	110	490	129	1.50	100	1.193
RKAB 60S	110	590	129	1.50	100	1.434
Steel, hot-dip galvanised						
RKAB 05F	110	40	129	1.50	100	0.108
RKAB 10F	110	90	129	1.50	100	0.243
RKAB 15F	110	140	129	1.50	100	0.371
RKAB 20F	110	190	129	1.50	100	0.500
RKAB 30F	110	290	129	1.50	100	0.758
RKAB 40F	110	390	129	1.50	100	1.015
RKAB 50F	110	490	129	1.50	100	1.278
RKAB 60F	110	590	129	1.50	100	1.536
Stainless steel, acc. to AISI 304 (BS 304S31)						
RKAB 05E	110	40	129	1.50	100	0.102
RKAB 10E	110	90	129	1.50	100	0.230
RKAB 15E	110	140	129	1.50	100	0.350
RKAB 20E	110	190	129	1.50	100	0.471
RKAB 30E	110	290	129	1.50	100	0.714
RKAB 40E	110	390	129	1.50	100	0.956
RKAB 50E	110	490	129	1.50	100	1.204
RKAB 60E	110	590	129	1.50	100	1.446





KATB

T-joint connector plate

Article	H	B	L	t	G
	mm	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process					
KATB-200S	31	216	144	2.00	0.394
KATB-300S	31	316	144	2.00	0.627
KATB-400S	31	416	144	2.00	0.881
KATB-500S	31	516	144	2.00	1.135
KATB-600S	31	616	144	2.00	1.389

optional accessories

RGV 35	Cable tray side connector, height = 20 mm	86
RGV 60	Cable tray side connector, height = 45 mm	86
RGV 85	Cable tray side connector, height = 70 mm	86
RGV 110	Cable tray side connector, height = 95 mm	87
KATBS	T-joint connector plate, sideways	96





KATBS

T-joint connector plate, sideways

Article	H	B	L	t	G
	mm	mm	mm	mm	kg
Steel, pre-galvanised/Sendzimir process					
KATBS-300S	34	436	300	2.00	1.007
KATBS-500S	34	719	500	2.00	2.633

optional accessories



RGV 35	Cable tray side connector, height = 20 mm	86
RGV 60	Cable tray side connector, height = 45 mm	86
RGV 85	Cable tray side connector, height = 70 mm	86
RGV 110	Cable tray side connector, height = 95 mm	87
KATB	T-joint connector plate	96



KSR 35

Cable protection ring



Article	H mm	B mm	G kg
polyethylen			
KSR 35	32	43	0.003



KSR 50

Cable protection ring



Article	H mm	B mm	G kg
polyethylen			
KSR 50	38	58	0.004



KSR 94

Cable protection ring


Article	H mm	B mm	G kg
polyethylen			
KSR 94	32	102	0.007



KSB

Edge protection strip



Article	L mm	k mm	colour	G kg
Polyvinyl chloride				
KSB-G	1000	0,5 - 1,5	gray	0.072
KSB-S	1000	0,5 - 1,5	black	0.072
KSB 2-G	1000	0,5 - 2,0	gray	0.090
KSB 4-S	1000	1,0 - 4,0	black	0.140



MP-RG

Mounting plate


Article	H mm	B mm	t mm	G kg
Steel, pre-galvanised/Sendzimir process				
MP-RG 60S	185	120	1.00	0.174
Steel, hot-dip galvanised				
MP-RG 60F	185	120	1.00	0.187
Stainless steel, acc. to AISI 316Ti (BS 320S31) / AISI 316L (BS 316S11)				
MP-RG 60E4	185	120	1.00	0.181



AHB

Suspension bracket


Article	H mm	B mm	B2 mm	Ø mm	P _{max} kN	G kg
Steel, pre-galvanised/Sendzimir process						
AHB 05S	80	64	35	4	0.70	0.024
AHB 10S	80	116	85	4	0.70	0.028



SRI 60

Protection cap


Article	H mm	B mm	G kg
polyamide			
SRI 60-05	60	50	0.014
SRI 60-10	60	100	0.014
SRI 60-15	60	150	0.018
SRI 60-20	60	200	0.023
SRI 60-30	60	300	0.032



SRI-EU

Protection cap


Article	G
	kg
polyamide	
SRI-EU 50	0.002



SRI-EO

Protection cap


Article	G
	kg
polyamide	
SRI-EO 50	0.003



KLF

Spring clamp fastener


Article	B	L	G
	mm	mm	kg
Stainless steel, acc. to AISI 304 (BS 304S31)			
KLF E	12	19	0.001



KZS

Cold zinc spray

Article	G
	kg
KZS	0.403



KZF

Cold zinc paint

Article	G
	kg
KZF	1.035



MKB

Adhesive metal strip

Article	t	colour	G
	mm		kg
aluminium			
MKB	0.07	silver	0.444

